## TABLE 3

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, BY AGE
ALL RACES, BOTH SEXES
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 14 | 2 | 0 | 0 | 0 | 3 | 1 | 8 | 0 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 58 | 0 | 0 | 0 | 1 | 8 | 24 | 25 | 0 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 16 | 0 | 0 | 0 | 0 | 3 | 4 | 9 | 0 |
| MENINGOCOCCAL INFECTION (036) | 14 | 2 | 2 | 1 | 2 | 3 | 3 | 1 | 0 |
| SEPTICEMIA (038) | 379 | 23 | 2 | 1 | 2 | 8 | 65 | 278 | 0 |
| SYPHILIS & ITS SEQUELAE (090-097) | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-88,98-139) | 119 | 6 | 2 | 9 | 11 | 20 | 28 | 42 | 1 |
| MALIGNANT NEOPLASMS (140-208) | 15219 | 3 | 14 | 59 | 94 | 588 | 5205 | 9249 | 7 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 195 | 0 | 0 | 2 | 2 | 9 | 66 | 116 | 0 |
| DIABETES MELLITUS (250) | 1255 | 2 | 0 | 3 | 1 | 40 | 324 | 885 | 0 |
| NUTRITIONAL DEFICIENCIES (260-269) | 59 | 0 | 0 | 0 | 0 | 2 | 9 | 48 | 0 |
| ANEMIAS (280-285) | 93 | 0 | 3 | 3 | 1 | 9 | 16 | 61 | 0 |
| MENINGITIS (320-322) | 39 | 8 | 5 | 3 | 0 | 4 | 7 | 12 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 27778 | 14 | 4 | 4 | 35 | 475 | 5760 | 21464 | 22 |
| HYPERTENSION (401,403) | 165 | 0 | 0 | 0 | 0 | 3 | 22 | 140 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 4920 | 2 | 1 | 5 | 9 | 126 | 672 | 4103 | 2 |
| ARTERIOSCLEROSIS (440) | 742 | 0 | 0 | 0 | 0 | 3 | 50 | 689 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 624 | 1 | 0 | 1 | 3 | 10 | 129 | 480 | 0 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 17 | 0 | 1 | 1 | 0 | 1 | 4 | 10 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 1413 | 28 | 6 | 5 | 14 | 49 | 200 | 1110 | 1 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 91 | 1 | 0 | 0 | 0 | 0 | 17 | 73 | 0 |
| EMPHYSEMA (492) | 361 | 0 | 0 | 0 | 0 | 3 | 93 | 264 | 1 |
| ASTHMA (493) | 61 | 0 | 1 | 0 | 4 | 10 | 23 | 23 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 223 | 0 | 0 | 0 | 0 | 19 | 47 | 157 | 0 |
| APPENDICITIS (540-543) | 15 | 0 | 0 | 0 | 1 | 0 | 7 | 7 | 0 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 178 | 3 | 1 | 0 | 1 | 3 | 23 | 147 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 1089 | 1 | 1 | 0 | 2 | 169 | 563 | 353 | 0 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 102 | 0 | 0 | 0 | 0 | 4 | 17 | 81 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 529 | 3 | 2 | 1 | 4 | 27 | 115 | 376 | 1 |
| INFECTIONS OF KIDNEY (590) | 76 | 0 | 1 | 0 | 0 | 2 | 11 | 62 | 0 |
| HYPERPLASIA OF PROSTRATE (600) | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 29 | 0 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 8 | 0 | 0 | 0 | 3 | 4 | 1 | 0 | 0 |
| CONGENITAL ANOMALIES (740-759) | 368 | 229 | 20 | 22 | 25 | 20 | 33 | 19 | 0 |

TABLE 3 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, BY AGE
ALL RACES, BOTH SEXES
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| EARLY INFANT MORTALITY (760-779) | 684 | 674 | 2 | 1 | 0 | 0 | 0 | 0 | 7 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 475 | 143 | 13 | 2 | 50 | 89 | 68 | 108 | 3 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 1213 | 3 | 22 | 58 | 427 | 318 | 205 | 179 | 1 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 1421 | 21 | 46 | 89 | 198 | 301 | 266 | 497 | 3 |
| SUICIDE (E950-E959) | 572 | 0 | 0 | 4 | 99 | 188 | 170 | 111 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 490 | 4 | 10 | 15 | 123 | 226 | 75 | 29 | 8 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 224 | 3 | 6 | 19 | 45 | 78 | 43 | 27 | 3 |
| RESIDUAL | 4164 | 47 | 26 | 46 | 76 | 279 | 848 | 2842 | 0 |
| TOTAL | 55495 | 1223 | 191 | 354 | 1233 | 3104 | 15215 | 44115 | 60 |

>

TABLE 3 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
WHITE - MALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 7 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 0 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 34 | 0 | 0 | 0 | 0 | 2 | 14 | 18 | 0 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| MENINGOCOCCAL INFECTION (036) | 6 | 1 | 2 | 0 | 0 | 2 | 1 | 0 | 0 |
| SEPTICEMIA (038) | 160 | 10 | 0 | 0 | 1 | 2 | 20 | 127 | 0 |
| SYPHILIS & ITS SEQUELAE (090-097) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-88,98-139) | 50 | 2 | 1 | 4 | 5 | 6 | 13 | 18 | 1 |
| MALIGNANT NEOPLASMS (140-208) | 7298 | 1 | 7 | 33 | 48 | 224 | 2358 | 4624 | 3 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 91 | 0 | 0 | 0 | 1 | 5 | 34 | 51 | 0 |
| DIABETES MELLITUS (250) | 454 | 2 | 0 | 0 | 0 | 13 | 141 | 298 | 0 |
| NUTRITIONAL DEFICIENCIES (260-269) | 20 | 0 | 0 | 0 | 0 | 1 | 3 | 16 | 0 |
| ANEMIAS (280-285) | 31 | 0 | 1 | 1 | 0 | 1 | 8 | 20 | 0 |
| MENINGITIS (320-322) | 10 | 2 | 1 | 0 | 0 | 1 | 2 | 4 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 13241 | 8 | 3 | 2 | 17 | 295 | 3706 | 9203 | 7 |
| HYPERTENSION (401,403) | 69 | 0 | 0 | 0 | 0 | 1 | 9 | 59 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 1698 | 1 | 0 | 4 | 4 | 41 | 294 | 1354 | 0 |
| ARTERIOSCLEROSIS (440) | 280 | 0 | 0 | 0 | 0 | 2 | 39 | 239 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 389 | 0 | 0 | 1 | 0 | 5 | 82 | 301 | 0 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 10 | 0 | 0 | 1 | 0 | 1 | 1 | 7 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 662 | 8 | 4 | 2 | 4 | 17 | 89 | 538 | 0 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 53 | 0 | 0 | 0 | 0 | 0 | 7 | 46 | 0 |
| EMPHYSEMA (492) | 255 | 0 | 0 | 0 | 0 | 0 | 59 | 196 | 0 |
| ASTHMA (493) | 19 | 0 | 0 | 0 | 1 | 0 | 4 | 14 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 106 | 0 | 0 | 0 | 0 | 9 | 31 | 66 | 0 |
| APPENDICITIS (540-543) | 6 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 57 | 0 | 1 | 0 | 0 | 2 | 8 | 46 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 606 | 0 | 0 | 0 | 1 | 80 | 318 | 207 | 0 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 40 | 0 | 0 | 0 | 0 | 1 | 9 | 30 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 245 | 0 | 1 | 0 | 3 | 5 | 51 | 185 | 1 |
| INFECTIONS OF KIDNEY (590) | 28 | 0 | 1 | 0 | 0 | 1 | 5 | 21 | 0 |
| HYPERPLASIA OF PROSTRATE (600) | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 0 |
| CONGENITAL ANOMALIES (740-759) | 171 | 102 | 8 | 9 | 17 | 12 | 13 | 10 | 0 |
| EARLY INFANT MORTALITY (760-779) | 241 | 237 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
WHITE - MALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 191 | 37 | 3 | 0 | 23 | 39 | 42 | 47 | 0 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 781 | 2 | 12 | 32 | 293 | 215 | 121 | 105 | 1 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 723 | 6 | 23 | 35 | 147 | 176 | 144 | 190 | 2 |
| SUICIDE (E950-E959) | 407 | 0 | 0 | 3 | 84 | 120 | 116 | 84 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 177 | 1 | 3 | 6 | 36 | 84 | 28 | 15 | 4 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 110 | 0 | 2 | 13 | 23 | 42 | 16 | 14 | 0 |
| RESIDUAL | 1955 | 25 | 9 | 18 | 32 | 99 | 417 | 1355 | 0 |
| *TOTAL WHITE - MALE | 30713 | 445 | 82 | 165 | 740 | 1506 | 8210 | 19543 | 22 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
WHITE - FEMALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 7 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 0 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 |
| MENINGOCOCCAL INFECTION (036) | 4 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 0 |
| SEPTICEMIA (038) | 149 | 4 | 0 | 0 | 1 | 1 | 20 | 123 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-88,98-139) | 50 | 4 | 1 | 2 | 3 | 5 | 12 | 23 | 0 |
| MALIGNANT NEOPLASMS (140-208) | 6414 | 2 | 6 | 15 | 29 | 259 | 2151 | 3951 | 1 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 87 | 0 | 0 | 2 | 0 | 3 | 23 | 59 | 0 |
| DIABETES MELLITUS (250) | 621 | 0 | 0 | 2 | 0 | 14 | 113 | 492 | 0 |
| NUTRITIONAL DEFICIENCIES (260-269) | 30 | 0 | 0 | 0 | 0 | 0 | 3 | 27 | 0 |
| ANEMIAS (280-285) | 48 | 0 | 0 | 1 | 1 | 3 | 6 | 37 | 0 |
| MENINGITIS (320-322) | 13 | 2 | 1 | 1 | 0 | 0 | 2 | 7 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 12232 | 2 | 0 | 1 | 7 | 75 | 1301 | 10842 | 4 |
| HYPERTENSION (401,403) | 72 | 0 | 0 | 0 | 0 | 0 | 6 | 66 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 2675 | 0 | 0 | 0 | 3 | 43 | 244 | 2385 | 0 |
| ARTERIOSCLEROSIS (440) | 430 | 0 | 0 | 0 | 0 | 0 | 10 | 420 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 193 | 0 | 0 | 0 | 0 | 2 | 34 | 157 | 0 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 6 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 590 | 8 | 0 | 2 | 6 | 9 | 58 | 506 | 1 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 33 | 1 | 0 | 0 | 0 | 0 | 7 | 25 | 0 |
| EMPHYSEMA (492) | 82 | 0 | 0 | 0 | 0 | 1 | 24 | 57 | 0 |
| ASTHMA (493) | 25 | 0 | 0 | 0 | 0 | 5 | 13 | 7 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 95 | 0 | 0 | 0 | 0 | 3 | 12 | 80 | 0 |
| APPENDICITIS (540-543) | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 103 | 2 | 0 | 0 | 0 | 1 | 12 | 88 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 319 | 0 | 0 | 0 | 0 | 28 | 162 | 129 | 0 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 56 | 0 | 0 | 0 | 0 | 2 | 8 | 46 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 194 | 3 | 1 | 0 | 0 | 8 | 30 | 152 | 0 |
| INFECTIONS OF KIDNEY (590) | 39 | 0 | 0 | 0 | 0 | 0 | 3 | 36 | 0 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 3 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES (740-759) | 125 | 72 | 7 | 10 | 4 | 5 | 18 | 9 | 0 |
| EARLY INFANT MORTALITY (760-779) | 176 | 172 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 140 | 29 | 5 | 0 | 5 | 24 | 20 | 57 | 0 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
WHITE - FEMALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 298 | 1 | 6 | 17 | 91 | 63 | 62 | 58 | 0 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 441 | 2 | 7 | 24 | 28 | 49 | 72 | 259 | 0 |
| SUICIDE (E950-E959) | 131 | 0 | 0 | 1 | 8 | 48 | 49 | 25 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E900-E978) | 67 | 1 | 2 | 4 | 14 | 22 | 15 | 8 | 1 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 50 | 2 | 3 | 3 | 7 | 13 | 12 | 10 | 0 |
| RESIDUAL | 1709 | 10 | 10 | 20 | 27 | 73 | 297 | 1272 | 0 |
| *TOTAL WHITE - FEMALE | 27721 | 318 | 50 | 106 | 235 | 762 | 4809 | 21431 | 10 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
BLACK - MALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 13 | 0 | 0 | 0 | 1 | 4 | 5 | 3 | 0 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| MENINGOCOCCAL INFECTION (036) | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| SEPTICEMIA (038) | 35 | 4 | 1 | 1 | 0 | 2 | 16 | 11 | 0 |
| SYPHILIS & ITS SEQUELAE (090-097) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-88,98-139) | 7 | 0 | 0 | 0 | 3 | 2 | 1 | 1 | 0 |
| MALIGNANT NEOPLASMS (140-208) | 804 | 0 | 0 | 5 | 8 | 44 | 373 | 372 | 2 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 8 | 0 | 0 | 0 | 1 | 0 | 4 | 3 | 0 |
| DIABETES MELLITUS (250) | 67 | 0 | 0 | 1 | 1 | 9 | 24 | 32 | 0 |
| NUTRITIONAL DEFICIENCIES (260-269) | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 |
| ANEMIAS (280-285) | 10 | 0 | 1 | 1 | 0 | 4 | 1 | 3 | 0 |
| MENINGITIS (320-322) | 10 | 1 | 2 | 0 | 0 | 3 | 3 | 1 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 1174 | 1 | 1 | 0 | 5 | 66 | 466 | 626 | 9 |
| HYPERTENSION (401,403) | 11 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 234 | 0 | 0 | 1 | 1 | 23 | 72 | 136 | 1 |
| ARTERIOSCLEROSIS (440) | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 21 | 1 | 0 | 0 | 1 | 3 | 6 | 10 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 96 | 8 | 0 | 0 | 2 | 13 | 32 | 41 | 0 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 5 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 0 |
| EMPHYSEMA (492) | 20 | 0 | 0 | 0 | 0 | 2 | 7 | 10 | 1 |
| ASTHMA (493) | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 12 | 0 | 0 | 0 | 0 | 5 | 2 | 5 | 0 |
| APPENDICITIS (540-543) | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 14 | 1 | 0 | 0 | 1 | 0 | 3 | 9 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 103 | 0 | 0 | 0 | 1 | 40 | 51 | 11 | 0 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 46 | 0 | 0 | 1 | 1 | 4 | 21 | 19 | 0 |
| INFECTIONS OF KIDNEY (590) | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| HYPERPLASIA OF PROSTRATE (600) | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| CONGENITAL ANOMALIES (740-759) | 27 | 21 | 0 | 1 | 4 | 1 | 0 | 0 | 0 |
| EARLY INFANT MORTALITY (760-779) | 146 | 144 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 80 | 38 | 1 | 1 | 17 | 18 | 1 | 2 | 2 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 99 | 0 | 4 | 7 | 32 | 30 | 16 | 10 | 0 |

TABLE 3 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
BLACK - MALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| OTHER ACCIDENTS (E800-E807, E826-E949) | 179 | 8 | 9 | 21 | 14 | 66 | 36 | 24 | 1 |
| SUICIDE (E950-E959) | 26 | 0 | 0 | 0 | 5 | 15 | 4 | 2 | 0 |
| HOMICIDE & LEGAL INTERVENTION (E960-E978) | 191 | 2 | 3 | 3 | 58 | 97 | 24 | 2 | 2 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 46 | 1 | 1 | 2 | 10 | 18 | 12 | 0 | 2 |
| RESIDUAL | 280 | 8 | 6 | 3 | 9 | 67 | 87 | 100 | 0 |
| *TOTAL BLACK - MALE | 3792 | 238 | 30 | 48 | 178 | 540 | 1279 | 1458 | 21 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
BLACK - FEMALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 4 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 4 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 |
| MENINGOCOCCAL INFECTION (036) | 3 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| SEPTICEMIA (038) | 34 | 5 | 1 | 0 | 0 | 3 | 9 | 16 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-88,98-139) | 12 | 0 | 0 | 3 | 0 | 7 | 2 | 0 | 0 |
| MALIGNANT NEOPLASMS (140-208) | 652 | 0 | 1 | 5 | 7 | 56 | 296 | 287 | 0 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 9 | 0 | 0 | 0 | 0 | 1 | 5 | 3 | 0 |
| DIABETES MELLITUS (250) | 109 | 0 | 0 | 0 | 0 | 4 | 44 | 61 | 0 |
| NUTRITIONAL DEFICIENCIES (260-269) | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 0 |
| ANEMIAS (280-285) | 4 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 |
| MENINGITIS (320-322) | 6 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 1056 | 2 | 0 | 1 | 6 | 35 | 263 | 747 | 2 |
| HYPERTENSION (401,403) | 12 | 0 | 0 | 0 | 0 | 1 | 5 | 6 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 288 | 1 | 1 | 0 | 1 | 16 | 59 | 210 | 0 |
| ARTERIOSCLEROSIS (440) | 24 | 0 | 0 | 0 | 0 | 1 | 0 | 23 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 19 | 0 | 0 | 0 | 2 | 0 | 6 | 11 | 0 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 56 | 4 | 2 | 1 | 2 | 9 | 18 | 20 | 0 |
| EMPHYSEMA (492) | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| ASTHMA (493) | 13 | 0 | 1 | 0 | 2 | 4 | 4 | 2 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 8 | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 0 |
| APPENDICITIS (540-543) | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 57 | 1 | 0 | 0 | 0 | 21 | 29 | 6 | 0 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 41 | 0 | 0 | 0 | 0 | 10 | 13 | 18 | 0 |
| INFECTIONS OF KIDNEY (590) | 7 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 0 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 4 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 |
| CONGENITAL ANOMALIES (740-759) | 39 | 29 | 4 | 2 | 0 | 2 | 2 | 0 | 0 |
| EARLY INFANT MORTALITY (760-779) | 110 | 110 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 63 | 39 | 4 | 1 | 4 | 8 | 5 | 2 | 0 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 25 | 0 | 0 | 2 | 10 | 3 | 6 | 4 | 0 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
BLACK - FEMALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| OTHER ACCIDENTS (E800-E807,E826-E949) | 70 | 5 | 7 | 7 | 7 | 9 | 11 | 24 | 0 |
| SUICIDE (E950-E959) | 8 | 0 | 0 | 0 | 2 | 5 | 1 | 0 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 52 | 0 | 2 | 2 | 14 | 23 | 7 | 4 | 0 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 17 | 0 | 0 | 1 | 5 | 5 | 2 | 3 | 1 |
| RESIDUAL | 208 | 2 | 1 | 5 | 8 | 40 | 47 | 105 | 0 |
| *TOTAL BLACK - FEMALE | 3036 | 203 | 27 | 32 | 73 | 274 | 848 | 1576 | 3 |

## TABLE 3 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
OTHER - MALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| SEPTICEMIA (038) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MALIGNANT NEOPLASMS (140-208) | 20 | 0 | 0 | 0 | 1 | 2 | 11 | 6 | 0 |
| DIABETES MELLITUS (250) | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 39 | 0 | 0 | 0 | 0 | 3 | 14 | 22 | 0 |
| HYPERTENSION (401,403) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 13 | 0 | 0 | 0 | 0 | 1 | 2 | 10 | 0 |
| ARTERIOSCLEROSIS (440) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| CONGENITAL ANOMALIES (740-759) | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EARLY INFANT MORTALITY (760-779) | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 6 | 0 | 0 | 0 | 1 | 4 | 0 | 1 | 0 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 4 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| RESIDUAL | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 7 | 0 |
| *TOTAL OTHER - MALE | 115 | 7 | 1 | 0 | 5 | 11 | 33 | 58 | 0 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
OTHER - FEMALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| TUBERCULOSIS, OTHER FORMS (013-018) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MALIGNANT NEOPLASMS (140-208) | 19 | 0 | 0 | 1 | 0 | 2 | 10 | 6 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 17 | 1 | 0 | 0 | 0 | 1 | 1 | 14 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 6 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 4 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES (740-759) | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| EARLY INFANT MORTALITY (760-779) | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| *TOTAL OTHER - FEMALE | 65 | 8 | 1 | 3 | 0 | 8 | 15 | 30 | 0 |

**TABLE 3 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE GROUP, AGE, RACE, AND SEX
UNKNOWN - MALE
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| MALIGNANT NEOPLASMS (140-208) | 7 | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 0 |
| DIABETES MELLITUS (250) | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 11 | 0 | 0 | 0 | 0 | 0 | 8 | 3 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| EMPHYSEMA (492) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| RESIDUAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| *TOTAL UNKNOWN - MALE | 28 | 0 | 0 | 0 | 1 | 2 | 14 | 9 | 2 |

UNKNOWN - FEMALE

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| MALIGNANT NEOPLASMS (140-208) | 5 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 |
| DISEASES OF THE HEART (390-398,402,404-429) | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| CONGENITAL ANOMALIES (740-759) | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EARLY INFANT MORTALITY (760-779) | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| *TOTAL UNKNOWN - FEMALE | 24 | 3 | 0 | 0 | 1 | 1 | 7 | 10 | 2 |

UNKNOWN - UNKNOWN

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | AGE <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNK |
|---|---|---|---|---|---|---|---|---|---|
| EARLY INFANT MORTALITY (760-779) | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *TOTAL UNKNOWN - UNKNOWN | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| TOTAL | 65495 | 1223 | 191 | 354 | 1233 | 3104 | 15215 | 44115 | 60 |

TABLE 4

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
MALIGNANT NEOPLASMS
BY AGE GROUP
1979

| CAUSE | TOTAL | AGE GROUP <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNKN. |
|---|---|---|---|---|---|---|---|---|---|
| A | 342 | 0 | 0 | 1 | 0 | 15 | 166 | 160 | 0 |
| B | 4471 | 2 | 0 | 1 | 5 | 86 | 1277 | 3099 | 1 |
| C | 3813 | 0 | 0 | 2 | 3 | 120 | 1576 | 2108 | 4 |
| D | 1474 | 0 | 0 | 0 | 1 | 91 | 650 | 732 | 0 |
| E | 1609 | 0 | 0 | 0 | 10 | 65 | 427 | 1106 | 1 |
| F | 709 | 0 | 1 | 2 | 4 | 11 | 204 | 487 | 0 |
| G | 1508 | 1 | 5 | 25 | 33 | 104 | 526 | 813 | 1 |
| H | 560 | 0 | 6 | 24 | 23 | 44 | 150 | 313 | 0 |
| I | 733 | 0 | 2 | 4 | 15 | 52 | 229 | 431 | 0 |
| TOTAL | 15219 | 3 | 14 | 59 | 94 | 588 | 5205 | 9249 | 7 |

** CAUSE OF DEATH AND RELATED ICD-9 CODES **

A = LIP, ORAL CAVITY, AND PHARYNX (140-149)
B = DIGESTIVE ORGANS AND PERITONEUM (150-159)
C = RESPIRATORY AND INTRATHORACIC ORGANS (160-165)
D = BREAST (174-175)
E = GENITAL ORGANS (179-187)
F = URINARY ORGANS (188-189)
G = ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)
H = LEUKEMIA (204-208)
I = OTHER LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

## TABLE 5

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
MALIGNANT NEOPLASMS
BY RACE, BY SEX
1979

| CAUSE | TOTAL | TOTAL | | | WHITE | | | BLACK | | | OTHER | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| A | 342 | 229 | 113 | 0 | 290 | 194 | 96 | 50 | 33 | 17 | 2 | 2 | 0 |
| B | 4471 | 2347 | 2124 | 0 | 4023 | 2101 | 1922 | 427 | 235 | 192 | 21 | 11 | 10 |
| C | 3813 | 2742 | 1071 | 0 | 3405 | 2448 | 957 | 397 | 286 | 111 | 11 | 8 | 3 |
| D | 1474 | 14 | 1460 | 0 | 1353 | 14 | 1339 | 117 | 0 | 117 | 4 | 0 | 4 |
| E | 1609 | 772 | 837 | 0 | 1390 | 668 | 722 | 215 | 103 | 112 | 4 | 1 | 3 |
| F | 709 | 491 | 218 | 0 | 659 | 457 | 202 | 48 | 33 | 15 | 2 | 1 | 1 |
| G | 1508 | 818 | 690 | 0 | 1406 | 756 | 650 | 98 | 59 | 39 | 4 | 3 | 1 |
| H | 560 | 313 | 247 | 0 | 511 | 288 | 223 | 47 | 24 | 23 | 2 | 1 | 1 |
| I | 733 | 403 | 330 | 0 | 675 | 372 | 303 | 57 | 31 | 26 | 1 | 0 | 1 |
| TOTAL | 15219 | 8129 | 7090 | 0 | 13712 | 7298 | 5414 | 1456 | 804 | 652 | 51 | 27 | 24 |

** CAUSE OF DEATH AND RELATED ICD-9 CODES **

A = LIP, ORAL CAVITY, AND PHARYNX (140-149)
B = DIGESTIVE ORGANS AND PERITONEUM (150-159)
C = RESPIRATORY AND INTRATHORACIC ORGANS (160-165)
D = BREAST (174-175)
E = GENITAL ORGANS (179-187)
F = URINARY ORGANS (188-189)
G = ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)
H = LEUKEMIA (204-208)
I = OTHER LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

## TABLE 6

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE, BY COUNTY
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | COUNTY 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 14 | 0 | 1 | 1 | 0 | 0 | 0 | 5 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 38 | 0 | 9 | 0 | 3 | 0 | 2 | 10 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 16 | 2 | 1 | 1 | 0 | 0 | 0 | 1 |
| MENINGOCOCCAL INFECTION (036) | 14 | 1 | 1 | 1 | 1 | 0 | 0 | 3 |
| SEPTICEMIA (038) | 379 | 9 | 31 | 13 | 28 | 2 | 6 | 53 |
| SYPHILIS & ITS SEQUELAE (090-097) | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-68,90-136) | 119 | 8 | 16 | 2 | 6 | 1 | 3 | 18 |
| MALIGNANT NEOPLASMS (140-208) | 15219 | 508 | 1922 | 539 | 887 | 257 | 259 | 1752 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 195 | 8 | 24 | 6 | 9 | 3 | 4 | 18 |
| DIABETES MELLITUS (250) | 1255 | 40 | 133 | 27 | 64 | 14 | 19 | 192 |
| NUTRITIONAL DEFICIENCIES (260-269) | 59 | 1 | 6 | 0 | 2 | 1 | 1 | 7 |
| ANEMIAS (280-285) | 93 | 2 | 7 | 4 | 10 | 1 | 1 | 12 |
| MENINGITIS (320-322) | 39 | 0 | 3 | 1 | 1 | 2 | 0 | 8 |
| DISEASES OF THE HEART (390-398,402,404-429) | 27778 | 1172 | 3012 | 976 | 1809 | 544 | 539 | 3396 |
| HYPERTENSION (401,403) | 165 | 5 | 16 | 9 | 5 | 2 | 3 | 19 |
| CEREBROVASCULAR DISEASE (430-438) | 4920 | 170 | 599 | 190 | 261 | 71 | 83 | 545 |
| ARTERIOSCLEROSIS (440) | 742 | 31 | 86 | 28 | 36 | 40 | 16 | 51 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 624 | 34 | 57 | 21 | 28 | 17 | 15 | 61 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 17 | 1 | 2 | 0 | 2 | 1 | 0 | 3 |
| PNEUMONIA & INFLUENZA (480-487) | 1413 | 32 | 182 | 50 | 79 | 24 | 16 | 177 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 91 | 1 | 12 | 2 | 2 | 0 | 1 | 10 |
| EMPHYSEMA (492) | 351 | 11 | 30 | 16 | 25 | 3 | 14 | 43 |
| ASTHMA (493) | 51 | 1 | 5 | 2 | 6 | 0 | 2 | 10 |
| ULCER OF STOMACH & DUODENUM (531-533) | 223 | 3 | 29 | 5 | 14 | 2 | 6 | 23 |
| APPENDICITIS (540-543) | 15 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 178 | 8 | 22 | 8 | 12 | 3 | 3 | 23 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 1089 | 37 | 125 | 42 | 59 | 8 | 12 | 166 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 102 | 4 | 10 | 1 | 3 | 2 | 1 | 14 |
| NEPHRITIS & NEPHROSIS (580-589) | 529 | 24 | 46 | 18 | 29 | 12 | 7 | 77 |

** COUNTIES **

1= ATLANTIC  3= BURLINGTON  5= CAPE MAY  7= ESSEX
2= BERGEN  4= CAMDEN  6= CUMBERLAND

## TABLE 6 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE, BY COUNTY
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | TOTAL | COUNTY 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|---|
| INFECTIONS OF KIDNEY (590) | 75 | 1 | 17 | 0 | 2 | 0 | 0 | 11 |
| HYPERPLASIA OF PROSTRATE (600) | 29 | 1 | 2 | 0 | 3 | 0 | 0 | 4 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 8 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| CONGENITAL ANOMALIES (740-759) | 368 | 15 | 41 | 19 | 19 | 3 | 6 | 38 |
| EARLY INFANT MORTALITY (760-779) | 684 | 16 | 37 | 16 | 63 | 3 | 18 | 142 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 476 | 14 | 62 | 9 | 45 | 9 | 6 | 89 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 1213 | 48 | 106 | 59 | 79 | 18 | 48 | 110 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 1421 | 56 | 154 | 53 | 80 | 18 | 46 | 189 |
| SUICIDE (E950-E959) | 572 | 15 | 77 | 29 | 32 | 11 | 11 | 54 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 490 | 17 | 31 | 15 | 34 | 4 | 10 | 157 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 224 | 6 | 24 | 2 | 11 | 2 | 1 | 38 |
| RESIDUAL | 4154 | 153 | 494 | 191 | 288 | 66 | 72 | 499 |
| TOTAL | 55495 | 2471 | 7442 | 2364 | 4039 | 1144 | 1231 | 8151 |

** COUNTIES **
1= ATLANTIC 3= BURLINGTON 5= CAPE MAY 7= ESSEX
2= BERGEN 4= CAMDEN 6= CUMBERLAND

**TABLE 6 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE, BY COUNTY
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | COUNTY 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 0 | 10 | 1 | 3 | 3 | 2 | 1 | 3 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 1 |
| MENINGOCOCCAL INFECTION (036) | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 |
| SEPTICEMIA (038) | 5 | 47 | 1 | 20 | 23 | 23 | 15 | 20 |
| SYPHILIS & ITS SEQUELAE (090-097) | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| INFEC/PARA DIS (1-3,5,20-35,37,39-88,98-139) | 2 | 11 | 1 | 5 | 7 | 7 | 10 | 6 |
| MALIGNANT NEOPLASMS (140-208) | 297 | 1277 | 140 | 639 | 1088 | 1082 | 676 | 1019 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 5 | 27 | 2 | 13 | 10 | 16 | 4 | 10 |
| DIABETES MELLITUS (250) | 25 | 145 | 19 | 58 | 72 | 98 | 33 | 77 |
| NUTRITIONAL DEFICIENCIES (260-269) | 2 | 4 | 1 | 1 | 6 | 4 | 3 | 2 |
| ANEMIAS (280-285) | 1 | 12 | 0 | 3 | 7 | 10 | 4 | 7 |
| MENINGITIS (320-322) | 1 | 2 | 1 | 3 | 2 | 2 | 2 | 3 |
| DISEASES OF THE HEART (390-398,402,404-429) | 614 | 2720 | 259 | 1210 | 1738 | 1803 | 1024 | 1767 |
| HYPERTENSION (401,403) | 8 | 10 | 1 | 10 | 8 | 16 | 9 | 8 |
| CEREBROVASCULAR DISEASE (430-438) | 123 | 410 | 44 | 189 | 257 | 398 | 230 | 297 |
| ARTERIOSCLEROSIS (440) | 20 | 33 | 5 | 39 | 79 | 96 | 30 | 37 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 18 | 39 | 7 | 21 | 47 | 61 | 32 | 44 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 2 |
| PNEUMONIA & INFLUENZA (480-487) | 19 | 117 | 17 | 65 | 105 | 104 | 70 | 64 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 3 | 8 | 3 | 1 | 4 | 4 | 5 | 6 |
| EMPHYSEMA (492) | 12 | 28 | 2 | 11 | 14 | 28 | 25 | 18 |
| ASTHMA (493) | 2 | 4 | 0 | 5 | 3 | 6 | 0 | 3 |
| ULCER OF STOMACH & DUODENUM (531-533) | 5 | 19 | 0 | 19 | 15 | 16 | 14 | 10 |
| APPENDICITIS (540-543) | 0 | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 2 | 21 | 3 | 12 | 14 | 9 | 8 | 3 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 12 | 127 | 5 | 44 | 77 | 74 | 44 | 59 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 3 | 11 | 1 | 2 | 10 | 5 | 2 | 10 |
| NEPHRITIS & NEPHROSIS (580-589) | 20 | 37 | 4 | 17 | 22 | 45 | 14 | 42 |

** COUNTIES **

8= GLOUCESTER 10= HUNTERDON 12= MIDDLESEX 14= MORRIS
9= HUDSON 11= MERCER 13= MONMOUTH 15= OCEAN

TABLE 6 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE, BY COUNTY
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | COUNTY 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|---|---|---|---|---|---|---|---|---|
| INFECTIONS OF KIDNEY (590) | 0 | 6 | 4 | 5 | 4 | 5 | 2 | 1 |
| HYPERPLASIA OF PROSTRATE (600) | 0 | 1 | 0 | 1 | 3 | 3 | 2 | 1 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 |
| CONGENITAL ANOMALIES (740-759) | 10 | 28 | 4 | 15 | 24 | 30 | 16 | 14 |
| EARLY INFANT MORTALITY (760-779) | 22 | 68 | 4 | 41 | 57 | 29 | 35 | 15 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 29 | 50 | 2 | 20 | 30 | 15 | 5 | 20 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 38 | 47 | 17 | 64 | 107 | 87 | 70 | 71 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 30 | 145 | 16 | 68 | 97 | 77 | 65 | 68 |
| SUICIDE (E950-E959) | 17 | 22 | 11 | 22 | 43 | 50 | 39 | 34 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 11 | 55 | 2 | 30 | 28 | 14 | 4 | 13 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 5 | 55 | 0 | 9 | 12 | 5 | 5 | 5 |
| RESIDUAL | 103 | 334 | 55 | 182 | 292 | 282 | 157 | 256 |
| TOTAL | 1468 | 5935 | 634 | 2853 | 4312 | 4510 | 2558 | 4019 |

** COUNTIES **

8= GLOUCESTER 9= HUDSON 10= HUNTERDON 11= MERCER 12= MIDDLESEX 13= MONMOUTH 14= MORRIS 15= OCEAN

## TABLE 6 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE, BY COUNTY
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | COUNTY 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
|---|---|---|---|---|---|---|---|---|
| OTHER INTESTINAL INFECTIONS (007-009) | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| TUBERCULOSIS, RESPIRATORY SYSTEM (010-012) | 3 | 0 | 1 | 0 | 6 | 1 | 0 | 0 |
| TUBERCULOSIS, OTHER FORMS (013-018) | 2 | 0 | 1 | 0 | 2 | 0 | 0 | 0 |
| MENINGOCOCCAL INFECTION (036) | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| SEPTICEMIA (038) | 25 | 3 | 14 | 2 | 31 | 2 | 0 | 0 |
| INFEC/PARA DIS (1-3,5,7,20-35,37,39-88,90-136) | 4 | 0 | 5 | 1 | 7 | 1 | 0 | 0 |
| MALIGNANT NEOPLASMS (140-208) | 900 | 120 | 307 | 143 | 1207 | 160 | 3 | 7 |
| BENIGN & UNSPECIFIED NEOPLASMS (210-239) | 15 | 2 | 2 | 3 | 8 | 0 | 0 | 0 |
| DIABETES MELLITUS (250) | 34 | 9 | 33 | 15 | 83 | 13 | 1 | 0 |
| NUTRITIONAL DEFICIENCIES (260-269) | 8 | 2 | 2 | 0 | 3 | 2 | 0 | 0 |
| ANEMIAS (280-285) | 4 | 0 | 1 | 2 | 4 | 1 | 0 | 0 |
| MENINGITIS (320-322) | 2 | 0 | 1 | 1 | 4 | 0 | 0 | 0 |
| DISEASES OF THE HEART (390-398,402,404-429) | 1755 | 258 | 544 | 296 | 1948 | 349 | 8 | 6 |
| HYPERTENSION (401,403) | 17 | 3 | 4 | 2 | 8 | 2 | 0 | 0 |
| CEREBROVASCULAR DISEASE (430-438) | 325 | 47 | 74 | 55 | 383 | 49 | 0 | 0 |
| ARTERIOSCLEROSIS (440) | 31 | 5 | 20 | 7 | 39 | 3 | 0 | 0 |
| ARTERY,ARTERIOLES & CAPILLARY DIS (441-448) | 41 | 6 | 12 | 7 | 36 | 7 | 0 | 1 |
| ACUTE BRONCHITIS & BRONCHIOLITIS (466) | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| PNEUMONIA & INFLUENZA (480-487) | 99 | 14 | 34 | 22 | 99 | 21 | 3 | 0 |
| CHRONIC & UNSPEC BRONCHITIS (490-491) | 11 | 1 | 2 | 1 | 14 | 0 | 0 | 0 |
| EMPHYSEMA (492) | 24 | 3 | 13 | 8 | 29 | 3 | 0 | 0 |
| ASTHMA (493) | 4 | 1 | 0 | 0 | 6 | 1 | 0 | 0 |
| ULCER OF STOMACH & DUODENUM (531-533) | 12 | 0 | 6 | 2 | 23 | 0 | 0 | 0 |
| APPENDICITIS (540-543) | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 3 | 3 | 5 | 3 | 11 | 2 | 0 | 0 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 79 | 7 | 12 | 13 | 73 | 14 | 0 | 0 |
| CHOLELITHIASIS & GALLBLADDER DISEASE(574-575) | 10 | 1 | 2 | 1 | 7 | 2 | 0 | 0 |
| NEPHRITIS & NEPHROSIS (580-589) | 33 | 6 | 12 | 4 | 49 | 9 | 0 | 0 |
| INFECTIONS OF KIDNEY (590) | 5 | 1 | 2 | 2 | 6 | 1 | 1 | 0 |

** COUNTIES **

16= PASSAIC 18= SOMERSET 20= UNION 22= STATE INST
17= SALEM 19= SUSSEX 21= WARREN 23= MILITARY

TABLE 6 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY CAUSE, BY COUNTY
1979

| CAUSE GROUP AND RELATED ICD-9 CODES | COUNTY 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
|---|---|---|---|---|---|---|---|---|
| HYPERPLASIA OF PROSTRATE (600) | 3 | 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| COMP OF PREGNANCY,BIRTH & PUERPERIUM(630-676) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES (740-759) | 28 | 2 | 9 | 8 | 34 | 5 | 0 | 0 |
| EARLY INFANT MORTALITY (760-779) | 59 | 9 | 7 | 7 | 29 | 4 | 0 | 3 |
| SYMPTOMS, SIGNS & ILL-DEFINED COND (780-799) | 25 | 2 | 4 | 1 | 34 | 4 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS (E810-E825) | 60 | 21 | 42 | 25 | 67 | 27 | 0 | 2 |
| OTHER ACCIDENTS (E800-E807,E826-E949) | 80 | 12 | 30 | 14 | 101 | 16 | 3 | 3 |
| SUICIDE (E950-E959) | 31 | 4 | 19 | 10 | 31 | 10 | 0 | 0 |
| HOMICIDE & LEGAL INTERVENTION(E960-E978) | 27 | 5 | 4 | 1 | 28 | 0 | 0 | 0 |
| ALL OTHER EXTERNAL CAUSES (E980-E999) | 16 | 1 | 4 | 0 | 21 | 1 | 0 | 1 |
| RESIDUAL | 242 | 33 | 81 | 59 | 274 | 46 | 1 | 4 |
| TOTAL | 4084 | 587 | 1338 | 736 | 4715 | 756 | 21 | 27 |

** COUNTIES **

16= PASSAIC 18= SOMERSET 20= UNION 22= STATE INST
17= SALEM 19= SUSSEX 21= WARREN 23= MILITARY

## TABLE 7

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY MONTH
1979

| COUNTY OF RESIDENCE | TOTAL | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | UNKN |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ATLANTIC | 2471 | 226 | 239 | 206 | 193 | 208 | 193 | 166 | 206 | 207 | 192 | 216 | 219 | 0 |
| BERGEN | 7442 | 645 | 639 | 627 | 595 | 571 | 615 | 585 | 610 | 572 | 677 | 658 | 687 | 0 |
| BURLINGTON | 2354 | 202 | 200 | 200 | 179 | 203 | 206 | 200 | 185 | 191 | 193 | 195 | 208 | 0 |
| CAMDEN | 4039 | 343 | 339 | 296 | 331 | 379 | 331 | 322 | 366 | 311 | 339 | 331 | 350 | 0 |
| CAPE MAY | 1144 | 89 | 92 | 90 | 94 | 104 | 95 | 87 | 105 | 109 | 88 | 90 | 104 | 0 |
| CUMBERLAND | 1231 | 88 | 115 | 105 | 92 | 113 | 105 | 121 | 98 | 99 | 104 | 84 | 107 | 0 |
| ESSEX | 8151 | 769 | 652 | 686 | 636 | 689 | 647 | 646 | 630 | 638 | 720 | 667 | 766 | 0 |
| GLOUCESTER | 1463 | 112 | 97 | 126 | 136 | 134 | 103 | 123 | 118 | 112 | 136 | 134 | 137 | 0 |
| HUDSON | 5935 | 554 | 479 | 516 | 480 | 495 | 502 | 450 | 497 | 435 | 508 | 503 | 534 | 0 |
| HUNTERDON | 634 | 55 | 55 | 58 | 43 | 56 | 45 | 49 | 45 | 51 | 60 | 54 | 58 | 0 |
| MERCER | 2853 | 232 | 244 | 231 | 220 | 224 | 240 | 217 | 242 | 240 | 234 | 255 | 260 | 0 |
| MIDDLESEX | 4312 | 387 | 351 | 373 | 368 | 341 | 361 | 339 | 351 | 330 | 359 | 349 | 403 | 0 |
| MONMOUTH | 4510 | 395 | 344 | 392 | 372 | 356 | 332 | 384 | 372 | 358 | 445 | 360 | 400 | 0 |
| MORRIS | 2858 | 203 | 189 | 230 | 259 | 242 | 209 | 212 | 215 | 202 | 244 | 212 | 241 | 0 |
| OCEAN | 4019 | 367 | 324 | 318 | 350 | 324 | 338 | 341 | 323 | 309 | 326 | 333 | 366 | 0 |
| PASSAIC | 4054 | 359 | 352 | 330 | 324 | 304 | 342 | 334 | 355 | 325 | 358 | 330 | 371 | 0 |
| SALEM | 587 | 48 | 55 | 57 | 46 | 53 | 49 | 40 | 50 | 45 | 40 | 45 | 56 | 0 |
| SOMERSET | 1330 | 115 | 122 | 130 | 97 | 121 | 94 | 102 | 106 | 115 | 114 | 106 | 115 | 0 |
| SUSSEX | 735 | 62 | 61 | 57 | 66 | 59 | 67 | 65 | 54 | 49 | 74 | 62 | 60 | 0 |
| UNION | 4715 | 415 | 422 | 424 | 411 | 394 | 351 | 349 | 386 | 371 | 412 | 370 | 420 | 0 |
| WARREN | 756 | 65 | 59 | 73 | 62 | 61 | 52 | 54 | 74 | 51 | 56 | 70 | 49 | 0 |
| STATE INST | 21 | 1 | 2 | 1 | 5 | 2 | 1 | 3 | 0 | 0 | 1 | 2 | 3 | 0 |
| MILITARY | 27 | 1 | 0 | 2 | 3 | 3 | 1 | 2 | 0 | 7 | 4 | 0 | 4 | 0 |
| TOTAL | 65495 | 5742 | 5401 | 5530 | 5374 | 5417 | 5295 | 5197 | 5389 | 5117 | 5689 | 5426 | 5918 | 0 |

## TABLE 8

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | AGE GROUP | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 55+ | UNKN. |
| ATLANTIC | 2471 | 35 | 3 | 9 | 44 | 107 | 504 | 1763 | 6 |
| BERGEN | 7442 | 80 | 4 | 27 | 125 | 298 | 1590 | 5216 | 2 |
| BURLINGTON | 2364 | 44 | 8 | 13 | 56 | 106 | 511 | 1524 | 2 |
| CAMDEN | 4039 | 97 | 20 | 23 | 66 | 197 | 971 | 2661 | 4 |
| CAPE MAY | 1144 | 8 | 3 | 1 | 14 | 33 | 219 | 866 | 0 |
| CUMBERLAND | 1231 | 24 | 6 | 13 | 31 | 68 | 259 | 829 | 1 |
| ESSEX | 8151 | 239 | 18 | 41 | 167 | 474 | 1919 | 5271 | 22 |
| GLOUCESTER | 1468 | 36 | 4 | 8 | 27 | 72 | 388 | 931 | 2 |
| HUDSON | 5935 | 117 | 25 | 38 | 97 | 318 | 1485 | 3844 | 11 |
| HUNTERDON | 634 | 4 | 3 | 4 | 23 | 31 | 159 | 410 | 0 |
| MERCER | 2853 | 63 | 8 | 22 | 69 | 154 | 589 | 1848 | 0 |
| MIDDLESEX | 4312 | 86 | 16 | 24 | 97 | 229 | 1228 | 2628 | 4 |
| MONMOUTH | 4510 | 52 | 12 | 20 | 73 | 180 | 949 | 3213 | 1 |
| MORRIS | 2658 | 50 | 13 | 20 | 65 | 136 | 634 | 1740 | 0 |
| OCEAN | 4019 | 47 | 6 | 20 | 54 | 109 | 589 | 3093 | 1 |
| PASSAIC | 4084 | 98 | 17 | 29 | 65 | 200 | 882 | 2790 | 3 |
| SALEM | 587 | 14 | 0 | 5 | 14 | 37 | 125 | 392 | 0 |
| SOMERSET | 1338 | 16 | 4 | 8 | 35 | 65 | 303 | 907 | 0 |
| SUSSEX | 735 | 16 | 6 | 4 | 15 | 47 | 170 | 477 | 0 |
| UNION | 4715 | 70 | 13 | 18 | 74 | 207 | 1151 | 3181 | 1 |
| WARREN | 755 | 13 | 1 | 6 | 18 | 25 | 183 | 510 | 0 |
| STATE INST | 21 | 0 | 0 | 0 | 1 | 2 | 1 | 17 | 0 |
| MILITARY | 27 | 4 | 1 | 1 | 2 | 9 | 6 | 4 | 0 |
| TOTAL | 65495 | 1223 | 191 | 354 | 1233 | 3104 | 15215 | 44115 | 60 |

## TABLE 9

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY SEX, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | FEMALE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNKN. |
| ATLANTIC | 1216 | 13 | 1 | 2 | 13 | 35 | 219 | 929 | 4 |
| BERGEN | 3588 | 32 | 3 | 7 | 33 | 88 | 619 | 2805 | 1 |
| BURLINGTON | 1083 | 12 | 4 | 4 | 16 | 44 | 203 | 799 | 1 |
| CAMDEN | 1893 | 47 | 9 | 11 | 11 | 59 | 346 | 1409 | 1 |
| CAPE MAY | 551 | 4 | 2 | 1 | 5 | 13 | 94 | 432 | 0 |
| CUMBERLAND | 552 | 9 | 0 | 3 | 6 | 26 | 90 | 418 | 0 |
| ESSEX | 3833 | 103 | 9 | 11 | 47 | 159 | 571 | 2820 | 3 |
| GLOUCESTER | 686 | 20 | 1 | 4 | 12 | 27 | 152 | 470 | 0 |
| HUDSON | 2808 | 49 | 11 | 19 | 24 | 97 | 571 | 2035 | 2 |
| HUNTERDON | 293 | 2 | 1 | 2 | 9 | 9 | 57 | 213 | 0 |
| MERCER | 1292 | 30 | 3 | 9 | 19 | 48 | 227 | 956 | 0 |
| MIDDLESEX | 1986 | 44 | 6 | 12 | 25 | 77 | 456 | 1365 | 1 |
| MONMOUTH | 2212 | 33 | 6 | 13 | 16 | 66 | 372 | 1705 | 1 |
| MORRIS | 1276 | 27 | 3 | 6 | 13 | 50 | 253 | 924 | 0 |
| OCEAN | 1812 | 22 | 2 | 6 | 13 | 41 | 264 | 1464 | 0 |
| PASSAIC | 1909 | 28 | 10 | 14 | 17 | 70 | 310 | 1459 | 1 |
| SALEM | 255 | 6 | 0 | 3 | 0 | 11 | 54 | 181 | 0 |
| SOMERSET | 623 | 7 | 0 | 2 | 4 | 20 | 112 | 478 | 0 |
| SUSSEX | 335 | 6 | 0 | 1 | 6 | 16 | 68 | 238 | 0 |
| UNION | 2288 | 32 | 7 | 7 | 18 | 68 | 457 | 1689 | 0 |
| WARREN | 342 | 5 | 0 | 4 | 2 | 9 | 72 | 250 | 0 |
| STATE INST | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 |
| MILITARY | 5 | 1 | 0 | 0 | 0 | 2 | 1 | 1 | 0 |
| *TOTAL FEMALE | 30845 | 532 | 78 | 141 | 309 | 1045 | 5579 | 23047 | 15 |

TABLE 9 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY SEX, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | MALE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNKN. |
| ATLANTIC | 1255 | 22 | 2 | 7 | 31 | 72 | 285 | 834 | 2 |
| BERGEN | 3854 | 48 | 1 | 20 | 92 | 210 | 1071 | 2411 | 1 |
| BURLINGTON | 1281 | 32 | 4 | 9 | 40 | 62 | 408 | 725 | 1 |
| CAMDEN | 2146 | 50 | 11 | 12 | 55 | 138 | 625 | 1252 | 3 |
| CAPE MAY | 593 | 4 | 1 | 0 | 9 | 20 | 125 | 434 | 0 |
| CUMBERLAND | 679 | 15 | 6 | 10 | 25 | 42 | 169 | 411 | 1 |
| ESSEX | 4318 | 136 | 9 | 30 | 120 | 305 | 1248 | 2451 | 19 |
| GLOUCESTER | 782 | 16 | 3 | 4 | 15 | 45 | 235 | 461 | 2 |
| HUDSON | 3126 | 67 | 14 | 19 | 73 | 221 | 914 | 1809 | 9 |
| HUNTERDON | 341 | 2 | 2 | 2 | 14 | 22 | 102 | 197 | 0 |
| MERCER | 1561 | 33 | 5 | 13 | 50 | 106 | 462 | 892 | 0 |
| MIDDLESEX | 2326 | 42 | 10 | 12 | 72 | 152 | 772 | 1263 | 3 |
| MONMOUTH | 2298 | 29 | 6 | 7 | 57 | 114 | 577 | 1508 | 0 |
| MORRIS | 1382 | 23 | 10 | 14 | 52 | 86 | 381 | 816 | 0 |
| OCEAN | 2207 | 25 | 4 | 14 | 41 | 68 | 425 | 1629 | 1 |
| PASSAIC | 2175 | 70 | 7 | 15 | 48 | 130 | 572 | 1331 | 2 |
| SALEM | 332 | 8 | 0 | 2 | 14 | 26 | 71 | 211 | 0 |
| SOMERSET | 715 | 9 | 4 | 6 | 31 | 45 | 191 | 429 | 0 |
| SUSSEX | 401 | 10 | 6 | 3 | 10 | 31 | 102 | 239 | 0 |
| UNION | 2427 | 38 | 6 | 11 | 56 | 139 | 684 | 1492 | 1 |
| WARREN | 414 | 8 | 1 | 2 | 16 | 16 | 111 | 260 | 0 |
| STATE INST | 13 | 0 | 0 | 0 | 1 | 2 | 0 | 10 | 0 |
| MILITARY | 22 | 3 | 1 | 1 | 2 | 7 | 5 | 3 | 0 |
| *TOTAL MALE | 34648 | 690 | 113 | 213 | 924 | 2059 | 9536 | 21068 | 45 |

## TABLE 10

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY RACE, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | WHITE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNKN. |
| ATLANTIC | 2080 | 22 | 1 | 7 | 31 | 81 | 402 | 1531 | 5 |
| BERGEN | 7105 | 73 | 3 | 26 | 119 | 265 | 1501 | 5077 | 2 |
| BURLINGTON | 2171 | 34 | 5 | 10 | 49 | 85 | 552 | 1435 | 2 |
| CAMDEN | 3522 | 54 | 13 | 16 | 55 | 149 | 829 | 2403 | 3 |
| CAPE MAY | 1075 | 7 | 3 | 1 | 13 | 25 | 205 | 822 | 0 |
| CUMBERLAND | 1065 | 18 | 4 | 9 | 27 | 53 | 211 | 743 | 0 |
| ESSEX | 5803 | 72 | 5 | 18 | 62 | 158 | 1173 | 4314 | 5 |
| GLOUCESTER | 1306 | 22 | 2 | 6 | 24 | 50 | 335 | 855 | 0 |
| HUDSON | 5368 | 82 | 18 | 32 | 74 | 227 | 1235 | 3541 | 8 |
| HUNTERDON | 623 | 4 | 3 | 4 | 23 | 29 | 154 | 406 | 0 |
| MERCER | 2367 | 24 | 4 | 12 | 44 | 100 | 521 | 1662 | 0 |
| MIDDLESEX | 4096 | 57 | 14 | 20 | 92 | 207 | 1155 | 2534 | 4 |
| MONMOUTH | 4112 | 46 | 8 | 17 | 59 | 146 | 838 | 2998 | 0 |
| MORRIS | 2576 | 49 | 12 | 20 | 61 | 130 | 621 | 1703 | 0 |
| OCEAN | 3949 | 41 | 6 | 17 | 53 | 98 | 665 | 3067 | 1 |
| PASSAIC | 3704 | 51 | 12 | 19 | 50 | 152 | 764 | 2654 | 2 |
| SALEM | 474 | 9 | 0 | 2 | 9 | 29 | 93 | 332 | 0 |
| SOMERSET | 1295 | 16 | 4 | 8 | 33 | 62 | 284 | 888 | 0 |
| SUSSEX | 726 | 15 | 6 | 4 | 16 | 45 | 168 | 472 | 0 |
| UNION | 4153 | 43 | 7 | 15 | 63 | 137 | 978 | 2910 | 0 |
| WARREN | 742 | 12 | 0 | 5 | 18 | 23 | 177 | 507 | 0 |
| STATE INST | 20 | 0 | 0 | 0 | 1 | 2 | 1 | 16 | 0 |
| MILITARY | 17 | 1 | 1 | 1 | 1 | 5 | 4 | 4 | 0 |
| *TOTAL WHITE | 56435 | 764 | 132 | 471 | 975 | 2268 | 13019 | 40974 | 32 |

## TABLE 10 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY RACE, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | BLACK | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 55+ | UNKN. |
| ATLANTIC | 383 | 11 | 2 | 2 | 12 | 26 | 98 | 231 | 1 |
| BERGEN | 247 | 5 | 0 | 1 | 7 | 29 | 79 | 126 | 0 |
| BURLINGTON | 188 | 10 | 3 | 3 | 8 | 20 | 56 | 88 | 0 |
| CAMDEN | 504 | 43 | 7 | 7 | 11 | 48 | 137 | 250 | 1 |
| CAPE MAY | 64 | 1 | 0 | 0 | 1 | 7 | 13 | 42 | 0 |
| CUMBERLAND | 155 | 6 | 2 | 4 | 3 | 15 | 45 | 79 | 1 |
| ESSEX | 2315 | 154 | 12 | 23 | 104 | 315 | 737 | 944 | 16 |
| GLOUCESTER | 160 | 14 | 2 | 0 | 3 | 12 | 52 | 75 | 2 |
| HUDSON | 538 | 34 | 6 | 4 | 21 | 86 | 191 | 194 | 2 |
| HUNTERDON | 11 | 0 | 0 | 0 | 0 | 2 | 5 | 4 | 0 |
| MERCER | 481 | 38 | 4 | 9 | 25 | 54 | 167 | 184 | 0 |
| MIDDLESEX | 196 | 14 | 2 | 4 | 5 | 19 | 68 | 84 | 0 |
| MONMOUTH | 379 | 13 | 4 | 3 | 12 | 32 | 106 | 209 | 0 |
| MORRIS | 51 | 0 | 1 | 0 | 4 | 4 | 10 | 32 | 0 |
| OCEAN | 62 | 6 | 0 | 3 | 1 | 11 | 21 | 20 | 0 |
| PASSAIC | 362 | 46 | 5 | 10 | 15 | 48 | 114 | 124 | 0 |
| SALEM | 110 | 5 | 0 | 3 | 5 | 8 | 31 | 58 | 0 |
| SOMERSET | 41 | 0 | 0 | 0 | 2 | 3 | 17 | 19 | 0 |
| SUSSEX | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 |
| UNION | 552 | 27 | 6 | 3 | 11 | 68 | 171 | 265 | 1 |
| WARREN | 14 | 1 | 1 | 1 | 0 | 2 | 5 | 3 | 0 |
| STATE INST | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MILITARY | 9 | 3 | 0 | 0 | 1 | 4 | 1 | 0 | 0 |
| *TOTAL BLACK | 6828 | 441 | 57 | 80 | 251 | 814 | 2127 | 3034 | 24 |

## TABLE 10 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY RACE, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | OTHER | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNKN. |
| ATLANTIC | 4 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 |
| BERGEN | 28 | 2 | 1 | 0 | 0 | 4 | 9 | 12 | 0 |
| BURLINGTON | 3 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 |
| CAMDEN | 9 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 0 |
| CAPE MAY | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| CUMBERLAND | 9 | 0 | 0 | 0 | 1 | 0 | 2 | 6 | 0 |
| ESSEX | 19 | 1 | 0 | 0 | 0 | 1 | 5 | 12 | 0 |
| GLOUCESTER | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| HUDSON | 25 | 1 | 1 | 2 | 1 | 5 | 6 | 9 | 0 |
| MERCER | 5 | 1 | 0 | 1 | 0 | 0 | 1 | 2 | 0 |
| MIDDLESEX | 17 | 3 | 0 | 0 | 0 | 2 | 4 | 8 | 0 |
| MONMOUTH | 16 | 3 | 0 | 0 | 2 | 2 | 5 | 4 | 0 |
| MORRIS | 10 | 1 | 0 | 0 | 0 | 2 | 2 | 5 | 0 |
| OCEAN | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 |
| PASSAIC | 12 | 1 | 0 | 0 | 0 | 0 | 2 | 9 | 0 |
| SALEM | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| SOMERSET | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| SUSSEX | 4 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| UNION | 6 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0 |
| *TOTAL OTHER | 180 | 15 | 2 | 3 | 5 | 19 | 48 | 88 | 0 |

## TABLE 10 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY COUNTY, BY RACE, BY AGE
1979

| COUNTY OF RESIDENCE | TOTAL | UNKNOWN | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ | UNKN. |
| ATLANTIC | 4 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| BERGEN | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| BURLINGTON | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| CAMDEN | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| CAPE MAY | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| CUMBERLAND | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| ESSEX | 9 | 2 | 0 | 0 | 1 | 0 | 4 | 1 | 1 |
| GLOUCESTER | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| HUDSON | 4 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 |
| MIDDLESEX | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |
| MONMOUTH | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| MORRIS | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| OCEAN | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| PASSAIC | 6 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 1 |
| SALEM | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| SUSSEX | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| UNION | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 |
| MILITARY | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| *TOTAL UNKNOWN | 52 | 3 | 0 | 0 | 2 | 3 | 21 | 19 | 4 |

## TABLE 11

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
MATERNAL, INFANT, PERINATAL, NEONATAL AND FETAL
TOTALS BY COUNTY
1979

| COUNTY OF RESIDENCE | NUMBER OF DEATHS | | | | |
|---|---|---|---|---|---|
| | MATERNAL | INFANT | PERINATAL | NEONATAL | FETAL |
| ATLANTIC | 0 | 35 | 57 | 23 | 34 |
| BERGEN | 1 | 80 | 111 | 55 | 56 |
| BURLINGTON | 0 | 44 | 79 | 27 | 52 |
| CAMDEN | 1 | 97 | 146 | 70 | 76 |
| CAPE MAY | 0 | 8 | 17 | 4 | 13 |
| CUMBERLAND | 0 | 24 | 39 | 18 | 21 |
| ESSEX | 1 | 239 | 321 | 164 | 157 |
| GLOUCESTER | 1 | 36 | 44 | 27 | 17 |
| HUDSON | 0 | 117 | 179 | 86 | 93 |
| HUNTERDON | 0 | 4 | 12 | 4 | 8 |
| MERCER | 0 | 63 | 95 | 45 | 50 |
| MIDDLESEX | 0 | 86 | 115 | 68 | 47 |
| MONMOUTH | 2 | 62 | 88 | 42 | 46 |
| MORRIS | 0 | 50 | 74 | 44 | 30 |
| OCEAN | 1 | 47 | 62 | 26 | 36 |
| PASSAIC | 0 | 98 | 150 | 75 | 75 |
| SALEM | 0 | 14 | 16 | 12 | 4 |
| SOMERSET | 0 | 16 | 38 | 13 | 25 |
| SUSSEX | 0 | 16 | 25 | 13 | 12 |
| UNION | 1 | 70 | 111 | 47 | 64 |
| WARREN | 0 | 13 | 17 | 7 | 10 |
| MILITARY | 0 | 4 | 8 | 3 | 5 |
| TOTAL | 8 | 1223 | 1804 | 873 | 931 |

TABLE 11 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
MATERNAL, INFANT, PERINATAL, NEONATAL AND FETAL
BY COUNTY, BY RACE
WHITE
1979

| COUNTY OF RESIDENCE | NUMBER OF DEATHS | | | | |
|---|---|---|---|---|---|
| | MATERNAL | INFANT | PERINATAL | NEONATAL | FETAL |
| ATLANTIC | 0 | 22 | 27 | 12 | 15 |
| BERGEN | 1 | 73 | 96 | 50 | 46 |
| BURLINGTON | 0 | 34 | 58 | 22 | 36 |
| CAMDEN | 0 | 54 | 86 | 42 | 44 |
| CAPE MAY | 0 | 7 | 12 | 4 | 8 |
| CUMBERLAND | 0 | 18 | 26 | 14 | 12 |
| ESSEX | 0 | 72 | 107 | 62 | 45 |
| GLOUCESTER | 0 | 22 | 29 | 17 | 12 |
| HUDSON | 0 | 82 | 115 | 59 | 56 |
| HUNTERDON | 0 | 4 | 11 | 4 | 7 |
| MERCER | 0 | 24 | 41 | 19 | 22 |
| MIDDLESEX | 0 | 69 | 94 | 55 | 39 |
| MONMOUTH | 1 | 46 | 66 | 32 | 34 |
| MORRIS | 0 | 49 | 73 | 43 | 30 |
| OCEAN | 1 | 41 | 55 | 22 | 33 |
| PASSAIC | 0 | 51 | 89 | 39 | 50 |
| SALEM | 0 | 9 | 10 | 8 | 2 |
| SOMERSET | 0 | 16 | 35 | 13 | 22 |
| SUSSEX | 0 | 15 | 24 | 12 | 12 |
| UNION | 0 | 43 | 71 | 30 | 41 |
| WARREN | 0 | 12 | 17 | 7 | 10 |
| MILITARY | 0 | 1 | 1 | 0 | 1 |
| *TOTAL WHITE | 3 | 764 | 1143 | 566 | 577 |

TABLE 11 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
MATERNAL, INFANT, PERINATAL, NEONATAL AND FETAL
BY COUNTY, BY RACE
NON-WHITE
1979

| COUNTY OF RESIDENCE | NUMBER OF DEATHS | | | | |
|---|---|---|---|---|---|
| | MATERNAL | INFANT | PERINATAL | NEONATAL | FETAL |
| ATLANTIC | 0 | 12 | 28 | 10 | 18 |
| BERGEN | 0 | 7 | 11 | 5 | 5 |
| BURLINGTON | 0 | 10 | 19 | 5 | 14 |
| CAMDEN | 1 | 43 | 58 | 28 | 30 |
| CAPE MAY | 0 | 1 | 5 | 0 | 5 |
| CUMBERLAND | 0 | 6 | 13 | 4 | 9 |
| ESSEX | 1 | 165 | 204 | 101 | 103 |
| GLOUCESTER | 1 | 14 | 14 | 10 | 4 |
| HUDSON | 0 | 35 | 62 | 27 | 35 |
| HUNTERDON | 0 | 0 | 1 | 0 | 1 |
| MERCER | 0 | 39 | 54 | 26 | 28 |
| MIDDLESEX | 0 | 17 | 20 | 13 | 7 |
| MONMOUTH | 1 | 16 | 22 | 10 | 12 |
| MORRIS | 0 | 1 | 1 | 1 | 0 |
| OCEAN | 0 | 6 | 6 | 4 | 2 |
| PASSAIC | 0 | 47 | 54 | 36 | 18 |
| SALEM | 0 | 5 | 6 | 4 | 2 |
| SOMERSET | 0 | 0 | 3 | 0 | 3 |
| SUSSEX | 0 | 1 | 1 | 1 | 0 |
| WARREN | 0 | 1 | 0 | 0 | 0 |
| UNION | 1 | 27 | 40 | 17 | 23 |
| MILITARY | 0 | 3 | 7 | 3 | 4 |
| *TOTAL NON-WHITE | 5 | 456 | 629 | 305 | 324 |

TABLE 11 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
MATERNAL, INFANT, PERINATAL, NEONATAL AND FETAL
BY COUNTY, BY RACE
UNKNOWN
1979

| COUNTY OF RESIDENCE | NUMBER OF DEATHS | | | | |
|---|---|---|---|---|---|
| | MATERNAL | INFANT | PERINATAL | NEONATAL | FETAL |
| ATLANTIC | 0 | 1 | 2 | 1 | 1 |
| BERGEN | 0 | 0 | 4 | 0 | 4 |
| BURLINGTON | 0 | 0 | 2 | 0 | 2 |
| CAMDEN | 0 | 0 | 2 | 0 | 2 |
| ESSEX | 0 | 2 | 10 | 1 | 9 |
| GLOUCESTER | 0 | 0 | 1 | 0 | 1 |
| HUDSON | 0 | 0 | 2 | 0 | 2 |
| MIDDLESEX | 0 | 0 | 1 | 0 | 1 |
| OCEAN | 0 | 0 | 1 | 0 | 1 |
| PASSAIC | 0 | 0 | 7 | 0 | 7 |
| *TOTAL UNKNOWN | 0 | 3 | 32 | 2 | 30 |

# TABLE 12

Resident Deaths
Percent By Sex, Race, and Age
New Jersey: 1979

| County of Residence | Total | SEX | | RACE | | | | AGE GROUP | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Male | Female | White | Black | Other | Unknown | < 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ |
| **NEW JERSEY** | 100.0 | 52.9 | 47.1 | 89.2 | 10.4 | 0.3 | 0.1 | 1.9 | 0.3 | 0.5 | 1.9 | 4.7 | 23.2 | 67.4 |
| Atlantic County | 100.0 | 50.8 | 49.2 | 84.2 | 15.5 | 0.2 | 0.2 | 1.4 | 0.1 | 0.4 | 1.8 | 4.3 | 20.4 | 71.3 |
| Bergen County | 100.0 | 51.8 | 48.2 | 96.3 | 3.3 | 0.4 | <0.1 | 1.1 | 0.1 | 0.4 | 1.7 | 4.0 | 22.7 | 70.1 |
| Burlington County | 100.0 | 54.2 | 45.8 | 91.8 | 8.0 | 0.1 | 0.1 | 1.9 | 0.3 | 0.5 | 2.4 | 4.5 | 25.8 | 64.5 |
| Camden County | 100.0 | 53.1 | 46.9 | 87.2 | 12.5 | 0.2 | 0.1 | 2.4 | 0.5 | 0.6 | 1.6 | 4.9 | 24.0 | 65.9 |
| Cape May County | 100.0 | 51.8 | 48.2 | 94.1 | 5.6 | 0.3 | 0.1 | 0.7 | 0.3 | 0.1 | 1.2 | 2.9 | 19.1 | 75.7 |
| Cumberland County | 100.0 | 55.2 | 44.8 | 86.5 | 12.7 | 0.7 | 0.1 | 1.9 | 0.5 | 1.1 | 2.5 | 5.5 | 21.0 | 67.3 |
| Essex County | 100.0 | 53.0 | 47.0 | 71.3 | 28.4 | 0.2 | 0.1 | 2.9 | 0.2 | 0.5 | 2.0 | 5.8 | 23.5 | 64.7 |
| Gloucester County | 100.0 | 53.3 | 46.7 | 89.0 | 10.9 | 0.1 | 0.1 | 2.5 | 0.3 | 0.5 | 1.8 | 4.9 | 26.4 | 63.4 |
| Hudson County | 100.0 | 52.7 | 47.3 | 90.4 | 9.1 | 0.4 | 0.1 | 2.0 | 0.4 | 0.6 | 1.6 | 5.4 | 25.0 | 64.8 |
| Hunterdon County | 100.0 | 53.8 | 46.2 | 98.3 | 1.7 | - | - | 0.6 | 0.5 | 0.6 | 3.6 | 4.9 | 25.1 | 64.7 |
| Mercer County | 100.0 | 54.7 | 45.3 | 83.0 | 16.9 | 0.2 | - | 2.2 | 0.3 | 0.8 | 2.4 | 5.4 | 24.2 | 64.8 |
| Middlesex County | 100.0 | 53.9 | 46.1 | 95.0 | 4.5 | 0.4 | 0.1 | 2.0 | 0.4 | 0.6 | 2.2 | 5.3 | 28.5 | 60.9 |
| Monmouth County | 100.0 | 51.0 | 49.0 | 91.2 | 8.4 | 0.4 | 0.1 | 1.4 | 0.3 | 0.4 | 1.6 | 4.0 | 21.0 | 71.2 |
| Morris County | 100.0 | 52.0 | 48.0 | 97.7 | 1.9 | 0.4 | <0.1 | 1.9 | 0.5 | 0.8 | 2.4 | 5.1 | 23.9 | 65.5 |
| Ocean County | 100.0 | 54.9 | 45.1 | 98.3 | 1.5 | 0.1 | 0.1 | 1.2 | 0.1 | 0.5 | 1.3 | 2.7 | 17.1 | 77.0 |
| Passaic County | 100.0 | 53.3 | 46.7 | 90.7 | 8.9 | 0.3 | 0.1 | 2.4 | 0.4 | 0.7 | 1.6 | 4.9 | 21.6 | 68.3 |
| Salem County | 100.0 | 56.6 | 43.4 | 80.7 | 18.7 | 0.3 | 0.2 | 2.4 | - | 0.9 | 2.4 | 6.3 | 21.3 | 66.8 |
| Somerset County | 100.0 | 53.4 | 46.6 | 96.8 | 3.1 | 0.1 | - | 1.2 | 0.3 | 0.6 | 2.6 | 4.9 | 22.6 | 67.8 |
| Sussex County | 100.0 | 54.5 | 45.5 | 98.6 | 0.5 | 0.5 | 0.3 | 2.2 | 0.8 | 0.5 | 2.2 | 6.4 | 23.1 | 64.8 |
| Union County | 100.0 | 51.5 | 48.5 | 88.1 | 11.7 | 0.1 | 0.1 | 1.5 | 0.3 | 0.4 | 1.6 | 4.4 | 24.4 | 67.5 |
| Warren County | 100.0 | 54.8 | 45.2 | 98.1 | 1.9 | - | - | 1.7 | 0.1 | 0.8 | 2.4 | 3.3 | 24.2 | 67.5 |
| State Institutions | 100.0 | 61.9 | 38.1 | 95.2 | 4.8 | - | - | - | - | - | 4.8 | 9.5 | 4.8 | 81.0 |
| Military Posts | 100.0 | 81.5 | 18.5 | 63.0 | 33.3 | - | 3.7 | 14.8 | 3.7 | 3.7 | 7.4 | 33.3 | 22.2 | 14.8 |

## TABLE 13

Resident Deaths: Sex, Race, Age
Percent By County
New Jersey: 1979

| County of Residence | Total | SEX | | RACE | | | | AGE GROUP | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Male | Female | White | Black | Other | Unknown | < 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65+ |
| NEW JERSEY | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Atlantic County | 3.8 | 3.6 | 3.9 | 3.6 | 5.6 | 2.2 | 7.7 | 2.9 | 1.6 | 2.5 | 3.6 | 3.4 | 3.3 | 4.0 |
| Bergen County | 11.4 | 11.1 | 11.6 | 12.3 | 3.6 | 15.6 | 3.8 | 6.5 | 2.1 | 7.6 | 10.1 | 9.6 | 11.1 | 11.8 |
| Burlington County | 3.6 | 3.7 | 3.5 | 3.7 | 2.8 | 1.7 | 3.8 | 3.6 | 4.2 | 3.7 | 4.5 | 3.4 | 4.0 | 3.5 |
| Camden County | 6.2 | 6.2 | 6.1 | 6.0 | 7.4 | 5.0 | 7.7 | 7.9 | 10.5 | 6.5 | 5.4 | 6.3 | 6.4 | 6.0 |
| Cape May County | 1.7 | 1.7 | 1.8 | 1.8 | 0.9 | 1.7 | 1.9 | 0.7 | 1.6 | 0.3 | 1.1 | 1.1 | 1.4 | 2.0 |
| Cumberland County | 1.9 | 2.0 | 1.8 | 1.8 | 2.3 | 5.0 | 1.9 | 2.0 | 3.1 | 3.7 | 2.5 | 2.2 | 1.7 | 1.9 |
| Essex County | 12.4 | 12.5 | 12.4 | 9.9 | 33.9 | 10.6 | 17.3 | 19.5 | 9.4 | 11.6 | 13.5 | 15.3 | 12.6 | 11.9 |
| Gloucester County | 2.2 | 2.3 | 2.2 | 2.2 | 2.3 | 0.6 | 1.9 | 2.9 | 2.1 | 2.3 | 2.2 | 2.3 | 2.6 | 2.1 |
| Hudson County | 9.1 | 9.0 | 9.1 | 9.2 | 7.9 | 13.9 | 7.7 | 9.6 | 13.1 | 10.7 | 7.9 | 10.2 | 9.8 | 8.7 |
| Hunterdon County | 1.0 | 1.0 | 0.9 | 1.1 | 0.2 | - | - | 0.3 | 1.6 | 1.1 | 1.9 | 1.0 | 1.0 | 0.9 |
| Mercer County | 4.4 | 4.5 | 4.2 | 4.1 | 7.0 | 2.8 | - | 5.2 | 4.2 | 6.2 | 5.6 | 5.0 | 4.5 | 4.2 |
| Middlesex County | 6.6 | 6.7 | 6.4 | 7.0 | 2.9 | 9.4 | 5.8 | 7.0 | 8.4 | 6.8 | 7.9 | 7.4 | 8.1 | 6.0 |
| Monmouth County | 6.9 | 6.6 | 7.2 | 7.0 | 5.6 | 8.9 | 5.8 | 5.1 | 6.3 | 5.6 | 5.9 | 5.8 | 6.2 | 7.3 |
| Morris County | 4.1 | 4.0 | 4.1 | 4.4 | 0.7 | 5.6 | 1.9 | 4.1 | 6.8 | 5.6 | 5.3 | 4.4 | 4.2 | 3.9 |
| Ocean County | 6.1 | 6.4 | 5.9 | 6.8 | 0.9 | 2.8 | 5.8 | 3.8 | 3.1 | 5.6 | 4.4 | 3.5 | 4.5 | 7.0 |
| Passaic County | 6.2 | 6.3 | 6.2 | 6.3 | 5.3 | 6.7 | 11.5 | 8.0 | 8.9 | 8.2 | 5.3 | 6.4 | 5.8 | 6.3 |
| Salem County | 0.9 | 1.0 | 0.8 | 0.8 | 1.6 | 1.1 | 1.9 | 1.1 | - | 1.4 | 1.1 | 1.2 | 0.8 | 0.9 |
| Somerset County | 2.0 | 2.1 | 2.0 | 2.2 | 0.6 | 1.1 | - | 1.3 | 2.1 | 2.3 | 2.8 | 2.1 | 2.0 | 2.1 |
| Sussex County | 1.1 | 1.2 | 1.1 | 1.2 | 0.1 | 2.2 | 3.8 | 1.3 | 3.1 | 1.1 | 1.3 | 1.5 | 1.1 | 1.1 |
| Union County | 7.2 | 7.0 | 7.4 | 7.1 | 8.1 | 3.3 | 7.7 | 5.7 | 6.8 | 5.1 | 6.0 | 6.7 | 7.6 | 7.2 |
| Warren County | 1.2 | 1.2 | 1.1 | 1.3 | 0.2 | - | - | 1.1 | 0.5 | 1.7 | 1.5 | 0.8 | 1.2 | 1.2 |
| State Institutions | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | - | - | - | - | - | 0.1 | 0.1 | <0.1 | <0.1 |
| Military Posts | <0.1 | 0.1 | <0.1 | <0.1 | 0.1 | - | 1.9 | 0.3 | 0.5 | 0.3 | 0.2 | 0.3 | <0.1 | <0.1 |

## TABLE 14

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

ATLANTIC COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ABSECON CITY | 98 | 0 | 0 | 0 | 2 | 3 | 1 | 8 | 13 | 24 | 33 | 14 | 0 |
| ATLANTIC CITY | 901 | 13 | 0 | 2 | 9 | 14 | 22 | 44 | 115 | 193 | 295 | 191 | 3 |
| BRIGANTINE CITY | 86 | 1 | 0 | 1 | 1 | 1 | 2 | 9 | 12 | 28 | 23 | 8 | 0 |
| BUENA BORO | 33 | 0 | 0 | 1 | 2 | 4 | 1 | 1 | 8 | 9 | 6 | 1 | 0 |
| BUENA VISTA TWP | 45 | 1 | 0 | 0 | 1 | 0 | 1 | 3 | 7 | 11 | 14 | 7 | 0 |
| CORBIN CITY | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 |
| EGG HARBOR CITY | 74 | 1 | 0 | 0 | 3 | 1 | 0 | 2 | 7 | 20 | 26 | 14 | 0 |
| EGG HARBOR TWP | 105 | 2 | 0 | 0 | 7 | 8 | 5 | 5 | 20 | 31 | 19 | 8 | 0 |
| ESTELL MANOR CITY | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 0 |
| FOLSOM BORO | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 0 |
| GALLOWAY TWP | 66 | 1 | 0 | 0 | 0 | 1 | 1 | 8 | 12 | 20 | 12 | 10 | 1 |
| HAMILTON TWP | 113 | 1 | 0 | 0 | 1 | 2 | 4 | 10 | 21 | 30 | 33 | 11 | 0 |
| HAMMONTON TOWN | 117 | 3 | 0 | 1 | 4 | 5 | 1 | 6 | 22 | 30 | 32 | 13 | 0 |
| LINWOOD CITY | 44 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 8 | 10 | 11 | 9 | 0 |
| LONGPORT BORO | 32 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 5 | 6 | 11 | 8 | 0 |
| MARGATE CITY | 122 | 0 | 0 | 0 | 1 | 4 | 3 | 9 | 22 | 21 | 41 | 21 | 0 |
| MULLICA TWP | 17 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 4 | 6 | 3 | 2 | 0 |
| NORTHFIELD CITY | 62 | 0 | 1 | 0 | 2 | 1 | 0 | 4 | 7 | 11 | 25 | 11 | 0 |
| PLEASANTVILLE CITY | 209 | 9 | 2 | 3 | 7 | 10 | 4 | 20 | 31 | 40 | 56 | 26 | 1 |
| PORT REPUBLIC CITY | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 3 | 4 | 2 | 0 |
| SOMERS POINT CITY | 121 | 0 | 0 | 0 | 1 | 1 | 2 | 5 | 11 | 33 | 48 | 20 | 0 |
| VENTNOR CITY | 186 | 2 | 0 | 0 | 1 | 0 | 3 | 5 | 24 | 51 | 66 | 33 | 1 |
| WEYMOUTH TWP | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 3 | 2 | 1 | 0 |
| *TOTAL ATLANTIC | 2471 | 35 | 3 | 9 | 44 | 55 | 51 | 148 | 356 | 586 | 763 | 414 | 6 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

BERGEN COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALLENDALE BORO | 36 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 2 | 17 | 13 | 0 |
| ALPINE BORO | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 |
| BERGENFIELD BORO | 265 | 3 | 0 | 4 | 2 | 5 | 5 | 12 | 42 | 65 | 72 | 55 | 0 |
| BOGOTA BORO | 94 | 0 | 0 | 0 | 1 | 1 | 3 | 7 | 13 | 12 | 27 | 30 | 0 |
| CARLSTADT BORO | 50 | 0 | 0 | 0 | 1 | 0 | 2 | 8 | 4 | 10 | 8 | 17 | 0 |
| CLIFFSIDE PARK BORO | 235 | 4 | 0 | 0 | 2 | 3 | 2 | 15 | 29 | 53 | 80 | 47 | 0 |
| CLOSTER BORO | 61 | 1 | 0 | 0 | 1 | 0 | 1 | 7 | 10 | 12 | 18 | 11 | 0 |
| CRESSKILL BORO | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 20 | 17 | 19 | 6 | 0 |
| DEMAREST BORO | 33 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 6 | 6 | 10 | 7 | 0 |
| DUMONT BORO | 171 | 0 | 0 | 0 | 5 | 1 | 2 | 9 | 30 | 38 | 46 | 40 | 0 |
| EAST RUTHERFORD BORO | 88 | 1 | 0 | 1 | 1 | 4 | 3 | 6 | 11 | 19 | 26 | 16 | 0 |
| EDGEWATER BORO | 47 | 1 | 0 | 0 | 0 | 1 | 1 | 5 | 9 | 16 | 12 | 2 | 0 |
| ELMWOOD PARK BORO | 189 | 2 | 0 | 0 | 0 | 4 | 3 | 11 | 29 | 51 | 65 | 24 | 0 |
| EMERSON BORO | 52 | 1 | 0 | 2 | 1 | 1 | 1 | 2 | 6 | 5 | 18 | 15 | 0 |
| ENGLEWOOD CITY | 232 | 2 | 0 | 1 | 3 | 2 | 11 | 11 | 43 | 51 | 61 | 47 | 0 |
| ENGLEWOOD CLIFFS BORO | 47 | 0 | 0 | 0 | 0 | 0 | 2 | 7 | 7 | 8 | 11 | 12 | 0 |
| FAIR LAWN BORO | 337 | 3 | 0 | 1 | 3 | 4 | 6 | 24 | 70 | 74 | 96 | 56 | 0 |
| FAIRVIEW BORO | 123 | 1 | 0 | 0 | 0 | 1 | 2 | 7 | 22 | 40 | 29 | 21 | 0 |
| FORT LEE BORO | 280 | 2 | 0 | 0 | 6 | 4 | 6 | 14 | 49 | 71 | 71 | 57 | 0 |
| FRANKLIN LAKES BORO | 48 | 0 | 1 | 2 | 2 | 0 | 0 | 3 | 9 | 7 | 17 | 7 | 0 |
| GARFIELD CITY | 279 | 7 | 0 | 0 | 3 | 7 | 4 | 25 | 57 | 54 | 67 | 55 | 0 |
| GLEN ROCK BORO | 79 | 1 | 0 | 0 | 4 | 2 | 6 | 2 | 10 | 12 | 19 | 23 | 0 |
| HACKENSACK CITY | 384 | 11 | 0 | 1 | 2 | 9 | 14 | 17 | 57 | 98 | 116 | 59 | 0 |
| HARRINGTON PARK BORO | 27 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 4 | 7 | 5 | 3 | 0 |
| HASBROUCK HEIGHTS BORO | 123 | 2 | 0 | 0 | 4 | 2 | 1 | 16 | 16 | 24 | 34 | 24 | 0 |
| HAWORTH BORO | 25 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 6 | 6 | 7 | 2 | 0 |
| HILLSDALE BORO | 73 | 0 | 0 | 0 | 2 | 2 | 2 | 4 | 9 | 16 | 20 | 18 | 0 |
| HOHOKUS BORO | 44 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 4 | 8 | 10 | 16 | 0 |
| LEONIA BORO | 86 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 11 | 20 | 27 | 20 | 0 |
| LITTLE FERRY BORO | 67 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 12 | 13 | 22 | 13 | 0 |
| LODI BORO | 221 | 2 | 1 | 0 | 8 | 7 | 9 | 11 | 30 | 67 | 56 | 29 | 1 |
| LYNDHURST TWP | 206 | 2 | 0 | 1 | 3 | 3 | 9 | 12 | 35 | 50 | 50 | 41 | 0 |
| MAHWAH TWP | 81 | 1 | 0 | 0 | 2 | 2 | 2 | 5 | 12 | 22 | 23 | 12 | 0 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE+ BY AGE
1979

BERGEN COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MAYWOOD BORO | 89 | 1 | 0 | 0 | 0 | 0 | 2 | 5 | 10 | 29 | 24 | 18 | 0 |
| MIDLAND PARK BORO | 57 | 0 | 0 | 0 | 1 | 1 | 2 | 3 | 3 | 13 | 19 | 17 | 0 |
| MONTVALE BORO | 37 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 3 | 19 | 8 | 0 |
| MOONACHIE BORO | 21 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 11 | 3 | 1 | 0 |
| NEW MILFORD BORO | 156 | 2 | 1 | 2 | 2 | 2 | 1 | 10 | 26 | 24 | 48 | 38 | 0 |
| NORTH ARLINGTON BORO | 193 | 2 | 0 | 1 | 3 | 3 | 4 | 6 | 36 | 51 | 51 | 26 | 0 |
| NORTHVALE BORO | 39 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 6 | 8 | 12 | 9 | 0 |
| NORWOOD BORO | 34 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 3 | 11 | 10 | 6 | 0 |
| OAKLAND BORO | 61 | 3 | 0 | 0 | 0 | 2 | 3 | 6 | 10 | 11 | 18 | 8 | 0 |
| OLD TAPPAN BORO | 27 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 9 | 4 | 5 | 6 | 0 |
| ORADELL BORO | 77 | 1 | 0 | 0 | 1 | 1 | 1 | 2 | 14 | 17 | 21 | 19 | 0 |
| PALISADES PARK BORO | 135 | 3 | 0 | 0 | 1 | 4 | 3 | 7 | 18 | 42 | 30 | 27 | 0 |
| PARAMUS BORO | 180 | 1 | 1 | 0 | 8 | 4 | 5 | 16 | 33 | 29 | 51 | 32 | 0 |
| PARK RIDGE BORO | 61 | 1 | 0 | 0 | 2 | 0 | 2 | 8 | 6 | 15 | 13 | 14 | 0 |
| RAMSEY BORO | 71 | 1 | 0 | 0 | 0 | 1 | 2 | 6 | 8 | 12 | 22 | 19 | 0 |
| RIDGEFIELD BORO | 111 | 0 | 0 | 0 | 1 | 1 | 0 | 7 | 20 | 33 | 30 | 19 | 0 |
| RIDGEFIELD PARK TWP | 127 | 3 | 0 | 1 | 2 | 1 | 2 | 8 | 17 | 32 | 38 | 23 | 0 |
| RIDGEWOOD VIL | 215 | 1 | 0 | 2 | 8 | 1 | 2 | 13 | 30 | 34 | 69 | 55 | 0 |
| RIVER EDGE BORO | 87 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 8 | 24 | 30 | 17 | 0 |
| RIVER VALE TWP | 52 | 1 | 0 | 1 | 1 | 2 | 3 | 6 | 8 | 8 | 10 | 12 | 0 |
| ROCHELLE PARK TWP | 63 | 0 | 0 | 0 | 4 | 1 | 0 | 1 | 17 | 12 | 16 | 12 | 0 |
| ROCKLEIGH BORO | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| RUTHERFORD BORO | 210 | 5 | 0 | 1 | 5 | 2 | 3 | 13 | 32 | 43 | 54 | 52 | 0 |
| SADDLE BROOK TWP | 115 | 2 | 0 | 0 | 4 | 1 | 0 | 12 | 27 | 27 | 23 | 18 | 1 |
| SADDLE RIVER BORO | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 4 | 4 | 5 | 0 |
| SOUTH HACKENSACK TWP | 16 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 6 | 1 | 1 | 0 |
| TEANECK TWP | 344 | 1 | 0 | 2 | 4 | 7 | 10 | 27 | 57 | 74 | 102 | 60 | 0 |
| TENAFLY BORO | 141 | 2 | 0 | 1 | 3 | 2 | 1 | 8 | 20 | 27 | 43 | 34 | 0 |
| TETERBORO BORO | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| UPPER SADDLE RIVER BORO | 42 | 0 | 0 | 0 | 2 | 2 | 1 | 3 | 13 | 10 | 7 | 4 | 0 |
| WALDWICK BORO | 73 | 1 | 0 | 0 | 1 | 2 | 4 | 9 | 15 | 16 | 17 | 8 | 0 |
| WALLINGTON BORO | 100 | 0 | 0 | 0 | 2 | 3 | 1 | 4 | 24 | 31 | 20 | 15 | 0 |
| WASHINGTON TWP | 48 | 0 | 0 | 0 | 1 | 0 | 3 | 6 | 6 | 15 | 12 | 5 | 0 |
| WESTWOOD BORO | 111 | 2 | 0 | 0 | 2 | 2 | 1 | 9 | 18 | 25 | 37 | 15 | 0 |
| WOOD-RIDGE BORO | 52 | 0 | 0 | 1 | 0 | 2 | 2 | 3 | 7 | 18 | 14 | 5 | 0 |
| WOODCLIFF LAKE BORO | 32 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 3 | 5 | 7 | 13 | 0 |
| WYCKOFF TWP | 101 | 0 | 0 | 0 | 4 | 1 | 2 | 7 | 14 | 17 | 32 | 24 | 0 |
| *TOTAL BERGEN | 7442 | 80 | 4 | 27 | 125 | 123 | 175 | 484 | 1206 | 1697 | 2073 | 1446 | 2 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

BURLINGTON COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | JNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BASS RIVER TWP | 14 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 8 | 3 | 0 |
| BEVERLY CITY | 50 | 1 | 1 | 1 | 0 | 1 | 0 | 7 | 8 | 10 | 15 | 6 | 0 |
| BORDENTOWN CITY | 64 | 0 | 0 | 0 | 2 | 1 | 2 | 4 | 6 | 15 | 21 | 13 | 0 |
| BORDENTOWN TWP | 36 | 1 | 0 | 0 | 0 | 0 | 1 | 4 | 11 | 11 | 5 | 3 | 0 |
| BURLINGTON CITY | 151 | 1 | 1 | 0 | 3 | 2 | 6 | 11 | 28 | 32 | 42 | 35 | 0 |
| BURLINGTON TWP | 47 | 1 | 0 | 2 | 1 | 0 | 1 | 1 | 9 | 11 | 12 | 9 | 0 |
| CHESTERFIELD TWP | 12 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | 2 | 1 | 2 | 1 | 0 |
| CINNAMINSON TWP | 89 | 0 | 1 | 0 | 3 | 1 | 3 | 6 | 15 | 24 | 17 | 19 | 0 |
| DELANCO TWP | 47 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 6 | 7 | 19 | 10 | 1 |
| DELRAN TWP | 83 | 4 | 0 | 1 | 0 | 4 | 2 | 8 | 21 | 14 | 19 | 10 | 0 |
| EASTAMPTON TWP | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 0 |
| EDGEWATER PARK TWP | 39 | 0 | 0 | 1 | 2 | 1 | 0 | 3 | 9 | 11 | 9 | 3 | 0 |
| EVESHAM TWP | 94 | 2 | 0 | 1 | 3 | 2 | 5 | 9 | 15 | 22 | 22 | 13 | 0 |
| FIELDSBORO BORO | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 0 |
| FLORENCE TWP | 85 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 16 | 27 | 23 | 13 | 0 |
| HAINESPORT TWP | 20 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 5 | 4 | 3 | 5 | 0 |
| LUMBERTON TWP | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 8 | 11 | 5 | 0 |
| MANSFIELD TWP | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 7 | 4 | 0 |
| MAPLE SHADE TWP | 177 | 1 | 0 | 0 | 1 | 2 | 2 | 12 | 42 | 52 | 32 | 32 | 1 |
| MEDFORD LAKES BORO | 19 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 1 | 1 | 8 | 4 | 0 |
| MEDFORD TWP | 93 | 2 | 0 | 0 | 2 | 2 | 3 | 7 | 9 | 17 | 27 | 24 | 0 |
| MOORESTOWN TWP | 167 | 1 | 0 | 0 | 2 | 0 | 4 | 12 | 23 | 35 | 56 | 34 | 0 |
| MOUNT HOLLY TWP | 148 | 3 | 0 | 3 | 4 | 1 | 10 | 8 | 25 | 31 | 38 | 25 | 0 |
| MOUNT LAUREL TWP | 86 | 0 | 0 | 0 | 4 | 4 | 5 | 7 | 11 | 20 | 24 | 11 | 0 |
| NEW HANOVER TWP | 6 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 1 | 0 | 0 |
| NORTH HANOVER TWP | 12 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 6 | 1 | 2 | 0 |
| PALMYRA BORO | 81 | 0 | 0 | 1 | 0 | 1 | 1 | 13 | 8 | 21 | 27 | 9 | 0 |
| PEMBERTON BORO | 27 | 1 | 1 | 0 | 1 | 0 | 2 | 0 | 4 | 6 | 4 | 8 | 0 |
| PEMBERTON TWP | 143 | 9 | 2 | 2 | 7 | 4 | 8 | 18 | 36 | 27 | 19 | 11 | 0 |
| RIVERSIDE TWP | 96 | 2 | 0 | 0 | 1 | 0 | 1 | 4 | 17 | 21 | 27 | 23 | 0 |
| RIVERTON BORO | 37 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 9 | 9 | 11 | 0 |
| SHAMONG TWP | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 0 | 0 |
| SOUTHAMPTON TWP | 123 | 4 | 0 | 0 | 2 | 1 | 0 | 8 | 15 | 43 | 25 | 25 | 0 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

BURLINGTON COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPRINGFIELD TWP | 12 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 3 | 1 | 3 | 0 |
| TABERNACLE TWP | 14 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 6 | 3 | 0 |
| WASHINGTON TWP | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 |
| WESTAMPTON TWP | 9 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 5 | 0 | 0 |
| WILLINGBORO TWP | 175 | 6 | 0 | 1 | 8 | 7 | 8 | 27 | 42 | 27 | 34 | 15 | 0 |
| WOODLAND TWP | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 0 |
| WRIGHTSTOWN BORO | 20 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 8 | 4 | 3 | 1 | 0 |
| *TOTAL BURLINGTON | 2364 | 44 | 8 | 13 | 56 | 40 | 56 | 194 | 417 | 532 | 594 | 398 | 2 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

CAMDEN COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AUDUBON BORO | 115 | 2 | 0 | 0 | 1 | 1 | 1 | 5 | 15 | 34 | 28 | 28 | 0 |
| AUDUBON PARK BORO | 17 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 8 | 2 | 1 | 0 |
| BARRINGTON BORO | 42 | 3 | 0 | 0 | 3 | 1 | 0 | 4 | 9 | 7 | 5 | 9 | 0 |
| BELLMAWR BORO | 108 | 1 | 0 | 1 | 2 | 1 | 1 | 13 | 30 | 32 | 17 | 10 | 0 |
| BERLIN BOR[illegible] | 76 | 0 | 0 | 2 | 0 | 4 | 2 | 7 | 8 | 13 | 17 | 23 | 0 |
| BERLIN TWP | 32 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 5 | 14 | 6 | 0 |
| BROOKLAWN BORO | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 1 | 4 | 2 | 0 |
| CAMDEN CITY | 946 | 58 | 7 | 7 | 15 | 25 | 44 | 73 | 147 | 225 | 232 | 119 | 1 |
| CHERRY HILL TWP | 432 | 5 | 0 | 1 | 5 | 5 | 13 | 45 | 83 | 84 | 114 | 75 | 0 |
| CHESILHURST BORO | 20 | 2 | 1 | 0 | 2 | 1 | 1 | 1 | 4 | 5 | 2 | 1 | 0 |
| CLEMENTON BORO | 74 | 0 | 1 | 0 | 1 | 3 | 2 | 4 | 14 | 29 | 11 | 9 | 0 |
| COLLINGSWOOD BORO | 208 | 1 | 1 | 0 | 2 | 2 | 3 | 11 | 24 | 54 | 57 | 53 | 0 |
| GIBBSBORO BORO | 17 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 3 | 4 | 4 | 1 | 0 |
| GLOUCESTER CITY | 142 | 1 | 1 | 1 | 2 | 3 | 0 | 6 | 21 | 46 | 42 | 19 | 0 |
| GLOUCESTER TWP | 219 | 7 | 1 | 1 | 5 | 5 | 7 | 16 | 48 | 44 | 51 | 34 | 0 |
| HADDON HEIGHTS BORO | 95 | 0 | 2 | 1 | 0 | 0 | 2 | 5 | 5 | 25 | 27 | 28 | 0 |
| HADDON TWP | 146 | 0 | 0 | 0 | 1 | 2 | 3 | 12 | 20 | 32 | 52 | 24 | 0 |
| HADDONFIELD BORO | 140 | 1 | 0 | 1 | 2 | 4 | 3 | 6 | 15 | 38 | 40 | 30 | 0 |
| LAUREL SPRINGS BORO | 35 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | 7 | 5 | 12 | 4 | 0 |
| LAWNSIDE BORO | 38 | 0 | 0 | 1 | 0 | 1 | 1 | 4 | 5 | 4 | 17 | 5 | 0 |
| LINDENWOLD BORO | 87 | 3 | 2 | 1 | 2 | 6 | 3 | 8 | 13 | 21 | 20 | 8 | 0 |
| MAGNOLIA BORO | 44 | 0 | 0 | 0 | 4 | 0 | 0 | 7 | 5 | 12 | 11 | 5 | 0 |
| MERCHANTVILLE BORO | 63 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 20 | 23 | 13 | 0 |
| MOUNT EPHRAIM BORO | 67 | 0 | 0 | 0 | 1 | 0 | 2 | 5 | 14 | 23 | 16 | 6 | 0 |
| OAKLYN BORO | 70 | 1 | 0 | 0 | 1 | 0 | 2 | 5 | 13 | 16 | 20 | 12 | 0 |
| PENNSAUKEN TWP | 337 | 3 | 1 | 1 | 6 | 5 | 6 | 22 | 58 | 88 | 97 | 47 | 3 |
| PINE HILL BORO | 53 | 2 | 0 | 1 | 1 | 1 | 0 | 2 | 12 | 14 | 13 | 7 | 0 |
| RUNNEMEDE BORO | 72 | 3 | 0 | 0 | 0 | 2 | 1 | 6 | 12 | 18 | 22 | 8 | 0 |
| SOMERDALE BORO | 59 | 2 | 0 | 0 | 1 | 2 | 5 | 7 | 11 | 9 | 15 | 7 | 0 |
| STRATFORD BORO | 63 | 3 | 1 | 1 | 1 | 0 | 0 | 8 | 13 | 14 | 10 | 12 | 0 |
| VOORHEES TWP | 44 | 1 | 1 | 0 | 2 | 2 | 1 | 3 | 5 | 15 | 9 | 5 | 0 |
| WATERFORD TWP | 68 | 0 | 0 | 1 | 2 | 1 | 6 | 8 | 13 | 15 | 14 | 8 | 0 |
| WINSLOW TWP | 67 | 4 | 1 | 0 | 2 | 3 | 1 | 4 | 10 | 12 | 22 | 8 | 0 |
| WOOD-LYNNE BORO | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 9 | 10 | 2 | 0 |
| *TOTAL CAMDEN | 4039 | 97 | 20 | 23 | 66 | 84 | 113 | 311 | 660 | 981 | 1051 | 629 | 4 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

CAPE MAY COUNTY

| RESIDENCE | AGE GROUP | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
| AVALON BORO | 21 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 3 | 6 | 8 | 1 | 0 |
| CAPE MAY CITY | 98 | 1 | 0 | 0 | 1 | 0 | 3 | 4 | 8 | 22 | 38 | 21 | 0 |
| CAPE MAY POINT BORO | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 0 |
| DENNIS TWP | 34 | 0 | 0 | 0 | 3 | 1 | 0 | 5 | 5 | 9 | 7 | 4 | 0 |
| LOWER TWP | 225 | 1 | 1 | 0 | 3 | 4 | 6 | 7 | 32 | 71 | 79 | 21 | 0 |
| MIDDLE TWP | 143 | 3 | 0 | 0 | 2 | 3 | 0 | 7 | 20 | 39 | 39 | 30 | 0 |
| NORTH WILDWOOD CITY | 57 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 8 | 17 | 18 | 11 | 0 |
| OCEAN CITY | 222 | 0 | 0 | 0 | 3 | 0 | 3 | 9 | 32 | 39 | 72 | 64 | 0 |
| SEA ISLE CITY | 45 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 12 | 10 | 16 | 4 | 0 |
| STONE HARBOR BORO | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 12 | 8 | 3 | 0 |
| UPPER TWP | 62 | 2 | 0 | 0 | 1 | 0 | 1 | 4 | 9 | 22 | 15 | 8 | 0 |
| WEST CAPE MAY BORO | 17 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 5 | 3 | 5 | 0 |
| WEST WILDWOOD BORO | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 3 | 0 | 0 |
| WILDWOOD CITY | 96 | 0 | 0 | 0 | 1 | 2 | 0 | 5 | 22 | 25 | 23 | 18 | 0 |
| WILDWOOD CREST BORO | 64 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 8 | 19 | 19 | 14 | 0 |
| WOODBINE BORO | 19 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 2 | 6 | 5 | 1 | 0 |
| *TOTAL CAPE MAY | 1144 | 8 | 3 | 1 | 14 | 15 | 18 | 47 | 172 | 304 | 356 | 206 | 0 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

CUMBERLAND COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BRIDGETON CITY | 243 | 6 | 2 | 1 | 5 | 4 | 8 | 11 | 35 | 60 | 62 | 48 | 0 |
| COMMERCIAL TWP | 37 | 0 | 0 | 2 | 0 | 0 | 4 | 1 | 9 | 6 | 12 | 3 | 0 |
| DEERFIELD TWP | 21 | 1 | 0 | 0 | 1 | 1 | 0 | 2 | 3 | 3 | 7 | 3 | 0 |
| DOWNE TWP | 21 | 2 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 7 | 6 | 0 |
| FAIRFIELD TWP | 38 | 1 | 0 | 0 | 1 | 3 | 0 | 3 | 6 | 12 | 10 | 2 | 0 |
| GREENWICH TWP | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 0 |
| HOPEWELL TWP | 22 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 6 | 2 | 7 | 3 | 0 |
| LAWRENCE TWP | 18 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 4 | 6 | 3 | 0 |
| MAURICE RIVER TWP | 36 | 0 | 0 | 0 | 2 | 2 | 0 | 6 | 6 | 5 | 10 | 5 | 0 |
| MILLVILLE CITY | 254 | 4 | 1 | 2 | 3 | 11 | 6 | 22 | 34 | 59 | 68 | 44 | 0 |
| SHILOH BORO | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 4 | 0 | 0 |
| STOW CREEK TWP | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 2 | 0 |
| UPPER DEERFIELD TWP | 37 | 0 | 1 | 2 | 1 | 0 | 0 | 2 | 6 | 10 | 10 | 5 | 0 |
| VINELAND CITY | 483 | 9 | 1 | 5 | 15 | 15 | 10 | 30 | 66 | 120 | 130 | 80 | 1 |
| *TOTAL CUMBERLAND | 1231 | 24 | 6 | 13 | 31 | 38 | 30 | 81 | 178 | 287 | 336 | 206 | 1 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

ESSEX COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BELLEVILLE TOWN | 337 | 4 | 0 | 2 | 6 | 8 | 6 | 16 | 70 | 91 | 83 | 51 | 0 |
| BLOOMFIELD TOWN | 532 | 7 | 0 | 3 | 5 | 5 | 10 | 28 | 85 | 131 | 148 | 110 | 0 |
| CALDWELL BORO | 87 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 14 | 19 | 30 | 17 | 0 |
| CEDAR GROVE TWP | 80 | 2 | 0 | 0 | 0 | 0 | 0 | 5 | 10 | 12 | 24 | 27 | 0 |
| EAST ORANGE CITY | 738 | 26 | 2 | 1 | 18 | 24 | 30 | 72 | 105 | 158 | 164 | 138 | 0 |
| ESSEX FELLS BORO | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 6 | 7 | 2 | 0 |
| FAIRFIELD BORO | 43 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 6 | 8 | 14 | 8 | 0 |
| GLEN RIDGE BORO | 63 | 3 | 0 | 0 | 0 | 1 | 1 | 4 | 11 | 9 | 20 | 14 | 0 |
| IRVINGTON TOWN | 710 | 15 | 0 | 2 | 13 | 15 | 11 | 48 | 91 | 176 | 213 | 126 | 0 |
| LIVINGSTON TWP | 161 | 2 | 0 | 0 | 2 | 1 | 1 | 9 | 36 | 33 | 42 | 35 | 0 |
| MAPLEWOOD TWP | 290 | 5 | 0 | 0 | 0 | 3 | 4 | 16 | 33 | 61 | 102 | 66 | 0 |
| MILLBURN TWP | 172 | 0 | 1 | 0 | 3 | 2 | 2 | 12 | 26 | 27 | 58 | 41 | 0 |
| MONTCLAIR TOWN | 427 | 6 | 0 | 3 | 3 | 5 | 8 | 23 | 57 | 80 | 125 | 117 | 0 |
| NEWARK CITY | 2998 | 150 | 11 | 27 | 101 | 131 | 152 | 305 | 515 | 653 | 631 | 300 | 22 |
| NORTH CALDWELL BORO | 37 | 1 | 0 | 1 | 0 | 1 | 1 | 1 | 7 | 10 | 7 | 8 | 0 |
| NUTLEY TOWN | 280 | 4 | 1 | 0 | 5 | 0 | 9 | 21 | 47 | 68 | 72 | 53 | 0 |
| ORANGE CITY | 346 | 11 | 2 | 2 | 5 | 9 | 5 | 25 | 51 | 89 | 92 | 55 | 0 |
| ROSELAND BORO | 36 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 4 | 14 | 6 | 7 | 0 |
| SOUTH ORANGE VIL | 138 | 0 | 0 | 0 | 2 | 2 | 3 | 4 | 11 | 40 | 47 | 29 | 0 |
| VERONA BORO | 127 | 1 | 0 | 0 | 1 | 1 | 4 | 5 | 23 | 34 | 40 | 18 | 0 |
| WEST CALDWELL BORO | 98 | 0 | 1 | 0 | 0 | 2 | 0 | 6 | 17 | 34 | 19 | 19 | 0 |
| WEST ORANGE TOWN | 431 | 2 | 0 | 0 | 2 | 4 | 6 | 21 | 63 | 106 | 131 | 96 | 0 |
| *TOTAL ESSEX | 8151 | 239 | 18 | 41 | 167 | 216 | 258 | 634 | 1285 | 1859 | 2075 | 1337 | 22 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE* BY AGE
1979

GLOUCESTER COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CLAYTON BORO | 39 | 1 | 0 | 0 | 1 | 2 | 2 | 2 | 8 | 5 | 10 | 8 | 0 |
| DEPTFORD TWP | 130 | 0 | 0 | 0 | 3 | 2 | 4 | 18 | 25 | 26 | 34 | 18 | 0 |
| EAST GREENWICH TWP | 34 | 1 | 0 | 0 | 0 | 0 | 1 | 4 | 4 | 3 | 9 | 12 | 0 |
| ELK TWP | 16 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 2 | 7 | 2 | 0 |
| FRANKLIN TWP | 83 | 3 | 0 | 0 | 1 | 3 | 2 | 6 | 9 | 27 | 23 | 9 | 0 |
| GLASSBORO BORO | 105 | 4 | 1 | 0 | 2 | 4 | 0 | 10 | 24 | 20 | 22 | 17 | 1 |
| GREENWICH TWP | 45 | 0 | 0 | 1 | 1 | 1 | 0 | 3 | 8 | 10 | 15 | 6 | 0 |
| HARRISON TWP | 29 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 5 | 11 | 3 | 6 | 0 |
| LOGAN TWP | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 4 | 2 | 0 |
| MANTUA TWP | 92 | 1 | 0 | 0 | 1 | 1 | 2 | 7 | 18 | 27 | 23 | 12 | 0 |
| MONROE TWP | 150 | 5 | 0 | 2 | 0 | 5 | 5 | 12 | 29 | 31 | 37 | 23 | 0 |
| NATIONAL PARK BORO | 44 | 0 | 0 | 1 | 2 | 1 | 2 | 7 | 9 | 9 | 7 | 6 | 0 |
| NEWFIELD BORO | 24 | 2 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 2 | 9 | 3 | 0 |
| PAULSBORO BORO | 81 | 4 | 0 | 2 | 3 | 1 | 1 | 1 | 13 | 20 | 22 | 14 | 0 |
| PITMAN BORO | 103 | 1 | 0 | 0 | 1 | 0 | 2 | 5 | 18 | 18 | 31 | 27 | 0 |
| SOUTH HARRISON TWP | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 2 | 0 |
| SWEDESBORO BORO | 40 | 0 | 1 | 0 | 0 | 1 | 1 | 5 | 6 | 13 | 7 | 6 | 0 |
| WASHINGTON TWP | 89 | 4 | 1 | 1 | 3 | 1 | 3 | 9 | 17 | 22 | 17 | 11 | 0 |
| WENONAH BORO | 50 | 3 | 1 | 0 | 1 | 0 | 2 | 3 | 11 | 11 | 7 | 11 | 0 |
| WEST DEPTFORD TWP | 66 | 2 | 0 | 1 | 3 | 1 | 3 | 7 | 14 | 12 | 12 | 11 | 0 |
| WESTVILLE BORO | 60 | 2 | 0 | 0 | 2 | 3 | 1 | 5 | 5 | 12 | 16 | 14 | 0 |
| WOODBURY CITY | 154 | 3 | 0 | 0 | 3 | 3 | 3 | 11 | 32 | 34 | 49 | 15 | 1 |
| WOODBURY HEIGHTS BORO | 16 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 3 | 5 | 3 | 0 |
| WOOLWICH TWP | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 |
| *TOTAL GLOUCESTER | 1468 | 36 | 4 | 8 | 27 | 33 | 39 | 123 | 265 | 321 | 371 | 239 | 2 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

HUDSON COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | JNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BAYONNE CITY | 801 | 7 | 0 | 5 | 14 | 14 | 20 | 55 | 152 | 208 | 194 | 131 | 1 |
| EAST NEWARK BORO | 25 | 0 | 0 | 0 | 0 | 1 | 5 | 2 | 3 | 4 | 7 | 3 | 0 |
| GUTTENBERG TOWN | 69 | 0 | 0 | 0 | 1 | 2 | 1 | 5 | 11 | 15 | 22 | 12 | 0 |
| HARRISON TOWN | 132 | 1 | 0 | 0 | 1 | 2 | 4 | 9 | 30 | 28 | 33 | 24 | 0 |
| HOBOKEN CITY | 397 | 13 | 4 | 12 | 8 | 4 | 15 | 28 | 68 | 101 | 92 | 52 | 0 |
| JERSEY CITY | 2540 | 62 | 16 | 14 | 40 | 80 | 88 | 207 | 465 | 593 | 595 | 372 | 8 |
| KEARNY TOWN | 404 | 9 | 0 | 0 | 9 | 10 | 8 | 35 | 79 | 93 | 114 | 47 | 0 |
| NORTH BERGEN TWP | 479 | 10 | 1 | 2 | 10 | 8 | 8 | 22 | 78 | 110 | 158 | 71 | 1 |
| SECAUCUS TOWN | 126 | 2 | 0 | 1 | 2 | 3 | 1 | 5 | 25 | 38 | 32 | 17 | 0 |
| UNION CITY | 486 | 8 | 4 | 1 | 5 | 5 | 18 | 51 | 71 | 123 | 120 | 79 | 1 |
| WEEHAWKEN TWP | 130 | 1 | 0 | 1 | 1 | 2 | 4 | 5 | 19 | 32 | 36 | 29 | 0 |
| WEST NEW YORK TOWN | 345 | 4 | 0 | 2 | 5 | 5 | 10 | 20 | 40 | 96 | 116 | 47 | 0 |
| *TOTAL HUDSON | 5935 | 117 | 25 | 38 | 97 | 135 | 182 | 444 | 1041 | 1441 | 1519 | 884 | 11 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

HUNTERDON COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | JNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALEXANDRIA TWP | 17 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 4 | 3 | 4 | 2 | 0 |
| BETHELEM TWP | 9 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 5 | 0 | 0 |
| BLOOMSBURY BORO | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 5 | 2 | 0 |
| CALIFON BORO | 14 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 1 | 3 | 3 | 1 | 0 |
| CLINTON TOWN | 26 | 0 | 0 | 1 | 2 | 0 | 0 | 4 | 5 | 4 | 6 | 4 | 0 |
| CLINTON TWP | 28 | 0 | 0 | 2 | 1 | 1 | 0 | 2 | 4 | 4 | 6 | 8 | 0 |
| DELAWARE TWP | 28 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 7 | 11 | 6 | 0 |
| EAST AMWELL TWP | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 6 | 5 | 0 |
| FLEMINGTON BORO | 62 | 1 | 0 | 0 | 2 | 3 | 0 | 2 | 12 | 13 | 16 | 13 | 0 |
| FRANKLIN TWP | 24 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 3 | 4 | 9 | 5 | 0 |
| FRENCHTOWN BORO | 26 | 1 | 1 | 0 | 0 | 0 | 1 | 3 | 2 | 8 | 7 | 3 | 0 |
| GLEN GARDNER BORO | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 3 | 0 |
| HAMPTON BORO | 15 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 2 | 4 | 2 | 2 | 0 |
| HIGH BRIDGE BORO | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 4 | 7 | 2 | 0 |
| HOLLAND TWP | 23 | 0 | 1 | 0 | 2 | 0 | 0 | 3 | 5 | 2 | 6 | 4 | 0 |
| KINGWOOD TWP | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 2 | 1 | 2 | 0 |
| LAMBERTVILLE CITY | 61 | 0 | 0 | 0 | 2 | 1 | 3 | 8 | 12 | 17 | 10 | 8 | 0 |
| LEBANON BORO | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 1 | 0 | 0 |
| LEBANON TWP | 38 | 0 | 0 | 0 | 3 | 1 | 0 | 4 | 8 | 8 | 6 | 8 | 0 |
| MILFORD BORO | 25 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 5 | 6 | 7 | 3 | 0 |
| RARITAN TWP | 46 | 0 | 0 | 1 | 0 | 0 | 5 | 3 | 6 | 6 | 15 | 10 | 0 |
| READINGTON TWP | 61 | 1 | 0 | 0 | 4 | 2 | 0 | 6 | 9 | 16 | 17 | 6 | 0 |
| STOCKTON BORO | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 2 | 2 | 0 |
| TEWKSBURY TWP | 25 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 2 | 8 | 5 | 6 | 0 |
| UNION TWP | 16 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 4 | 5 | 2 | 0 |
| WEST AMWELL TWP | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 0 |
| *TOTAL HUNTERDON | 634 | 4 | 3 | 4 | 23 | 12 | 19 | 53 | 106 | 133 | 168 | 109 | 0 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MERCER COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EAST WINDSOR TWP | 77 | 0 | 0 | 2 | 2 | 2 | 9 | 1 | 6 | 11 | 18 | 26 | 0 |
| EWING TWP | 260 | 6 | 0 | 0 | 7 | 5 | 5 | 22 | 46 | 69 | 69 | 31 | 0 |
| HAMILTON TWP | 725 | 9 | 2 | 3 | 18 | 12 | 17 | 59 | 128 | 193 | 193 | 91 | 0 |
| HIGHTSTOWN BORO | 54 | 0 | 1 | 0 | 0 | 2 | 1 | 4 | 9 | 12 | 17 | 8 | 0 |
| HOPEWELL BORO | 21 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 4 | 8 | 5 | 2 | 0 |
| HOPEWELL TWP | 53 | 0 | 0 | 1 | 0 | 1 | 2 | 5 | 6 | 11 | 15 | 12 | 0 |
| LAWRENCE TWP | 141 | 0 | 0 | 0 | 5 | 2 | 3 | 10 | 26 | 30 | 36 | 29 | 0 |
| PENNINGTON BORO | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 2 | 13 | 11 | 0 |
| PRINCETON BORO | 138 | 1 | 0 | 0 | 3 | 2 | 6 | 4 | 13 | 30 | 45 | 34 | 0 |
| PRINCETON TWP | 62 | 1 | 0 | 1 | 0 | 1 | 1 | 6 | 6 | 17 | 16 | 13 | 0 |
| TRENTON CITY | 1210 | 45 | 5 | 14 | 29 | 33 | 48 | 109 | 196 | 276 | 291 | 164 | 0 |
| WASHINGTON TWP | 29 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 7 | 10 | 2 | 0 |
| WEST WINDSOR TWP | 51 | 0 | 0 | 1 | 4 | 0 | 2 | 7 | 6 | 9 | 14 | 8 | 0 |
| *TOTAL MERCER | 2853 | 63 | 8 | 22 | 69 | 60 | 94 | 233 | 456 | 675 | 742 | 431 | 0 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MIDDLESEX COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CARTERET BORO | 206 | 2 | 0 | 0 | 6 | 1 | 7 | 14 | 50 | 47 | 45 | 34 | 0 |
| CRANBURY TWP | 33 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 7 | 8 | 9 | 5 | 0 |
| DUNELLEN BORO | 68 | 2 | 0 | 0 | 1 | 3 | 2 | 6 | 6 | 15 | 18 | 15 | 0 |
| EAST BRUNSWICK TWP | 210 | 5 | 0 | 3 | 6 | 3 | 5 | 29 | 33 | 45 | 47 | 33 | 1 |
| EDISON TWP | 453 | 5 | 1 | 5 | 12 | 14 | 17 | 55 | 94 | 90 | 99 | 61 | 0 |
| HELMETTA BORO | 14 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 2 | 5 | 1 | 1 | 0 |
| HIGHLAND PARK BORO | 109 | 1 | 1 | 1 | 1 | 1 | 3 | 4 | 14 | 23 | 31 | 29 | 0 |
| JAMESBURG BORO | 76 | 0 | 0 | 1 | 0 | 1 | 1 | 6 | 15 | 20 | 25 | 7 | 0 |
| METUCHEN BORO | 128 | 4 | 0 | 0 | 2 | 2 | 3 | 9 | 23 | 31 | 25 | 29 | 0 |
| MIDDLESEX BORO | 138 | 3 | 1 | 0 | 4 | 4 | 5 | 12 | 29 | 30 | 32 | 18 | 0 |
| MILLTOWN BORO | 68 | 6 | 0 | 1 | 0 | 1 | 3 | 5 | 9 | 12 | 15 | 16 | 0 |
| MONROE TWP | 76 | 0 | 1 | 0 | 2 | 0 | 0 | 3 | 5 | 20 | 32 | 13 | 0 |
| NEW BRUNSWICK CITY | 319 | 11 | 2 | 3 | 7 | 9 | 8 | 24 | 48 | 75 | 71 | 60 | 1 |
| NORTH BRUNSWICK TWP | 116 | 1 | 0 | 1 | 3 | 7 | 3 | 6 | 17 | 34 | 30 | 14 | 0 |
| OLD BRIDGE TWP | 259 | 6 | 2 | 1 | 10 | 9 | 8 | 35 | 51 | 63 | 43 | 31 | 0 |
| PERTH AMBOY CITY | 418 | 8 | 2 | 1 | 7 | 7 | 6 | 28 | 73 | 108 | 122 | 55 | 1 |
| PISCATAWAY TWP | 182 | 7 | 1 | 1 | 3 | 6 | 11 | 26 | 35 | 37 | 32 | 23 | 0 |
| PLAINSBORO TWP | 20 | 1 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 9 | 3 | 2 | 0 |
| SAYREVILLE BORO | 229 | 1 | 1 | 0 | 3 | 5 | 9 | 24 | 49 | 59 | 54 | 24 | 0 |
| SOUTH AMBOY CITY | 123 | 1 | 0 | 0 | 5 | 3 | 2 | 11 | 16 | 33 | 33 | 19 | 0 |
| SOUTH BRUNSWICK TWP | 81 | 3 | 1 | 0 | 2 | 0 | 4 | 7 | 17 | 17 | 18 | 11 | 1 |
| SOUTH PLAINFIELD BORO | 146 | 4 | 1 | 1 | 3 | 2 | 4 | 14 | 41 | 30 | 24 | 22 | 0 |
| SOUTH RIVER BORO | 137 | 5 | 0 | 0 | 3 | 1 | 2 | 7 | 30 | 40 | 32 | 17 | 0 |
| SPOTSWOOD BORO | 52 | 1 | 1 | 0 | 3 | 2 | 2 | 6 | 6 | 15 | 9 | 7 | 0 |
| WOODBRIDGE TWP | 651 | 7 | 0 | 5 | 13 | 13 | 27 | 63 | 157 | 155 | 137 | 74 | 0 |
| *TOTAL MIDDLESEX | 4312 | 86 | 16 | 24 | 97 | 96 | 133 | 400 | 828 | 1021 | 987 | 620 | 4 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MONMOUTH COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ABERDEEN TWP | 92 | 1 | 0 | 2 | 3 | 3 | 6 | 8 | 18 | 19 | 21 | 11 | 0 |
| ALLENHURST BORO | 21 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 7 | 3 | 5 | 0 |
| ALLENTOWN BORO | 17 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 4 | 1 | 4 | 5 | 0 |
| ASBURY PARK CITY | 275 | 3 | 0 | 1 | 2 | 4 | 4 | 24 | 29 | 56 | 88 | 64 | 0 |
| ATLANTIC HIGHLANDS BORO | 55 | 2 | 0 | 0 | 1 | 0 | 1 | 4 | 8 | 10 | 17 | 12 | 0 |
| AVON-BY-THE-SEA BORO | 40 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 14 | 16 | 5 | 0 |
| BELMAR BORO | 85 | 1 | 0 | 0 | 1 | 1 | 2 | 1 | 8 | 19 | 37 | 15 | 0 |
| BRADLEY BEACH BORO | 64 | 2 | 0 | 0 | 0 | 1 | 3 | 4 | 15 | 15 | 11 | 13 | 0 |
| BRIELLE BORO | 47 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 6 | 9 | 22 | 7 | 0 |
| COLTS NECK TOWNSHIP | 46 | 1 | 0 | 0 | 4 | 0 | 0 | 5 | 4 | 7 | 18 | 7 | 0 |
| DEAL BORO | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 7 | 4 | 3 | 0 |
| EATONTOWN BORO | 82 | 0 | 0 | 0 | 2 | 0 | 4 | 10 | 11 | 24 | 16 | 15 | 0 |
| ENGLISHTOWN BORO | 53 | 2 | 0 | 0 | 2 | 0 | 0 | 3 | 13 | 18 | 11 | 4 | 0 |
| FAIR HAVEN BORO | 45 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 9 | 8 | 10 | 12 | 0 |
| FARMINGDALE BORO | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 9 | 7 | 2 | 0 |
| FREEHOLD BORO | 129 | 2 | 0 | 2 | 3 | 0 | 2 | 9 | 19 | 34 | 34 | 24 | 0 |
| FREEHOLD TWP | 103 | 4 | 0 | 0 | 3 | 0 | 4 | 5 | 17 | 26 | 31 | 12 | 1 |
| HAZLET TWP | 145 | 1 | 1 | 2 | 1 | 3 | 3 | 22 | 20 | 36 | 35 | 21 | 0 |
| HIGHLANDS BORO | 49 | 0 | 0 | 0 | 1 | 2 | 1 | 6 | 4 | 12 | 14 | 9 | 0 |
| HOLMDEL TWP | 30 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | 2 | 3 | 10 | 8 | 0 |
| HOWELL TWP | 182 | 5 | 1 | 1 | 5 | 3 | 6 | 9 | 30 | 38 | 61 | 23 | 0 |
| INTERLAKEN BORO | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 4 | 0 | 0 |
| KEANSBURG BORO | 130 | 0 | 1 | 0 | 3 | 4 | 4 | 13 | 21 | 40 | 29 | 15 | 0 |
| KEYPORT BORO | 102 | 4 | 1 | 0 | 1 | 0 | 1 | 6 | 15 | 21 | 36 | 17 | 0 |
| LITTLE SILVER BORO | 47 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 7 | 5 | 16 | 16 | 0 |
| LOCH ARBOUR VILLAGE | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 0 |
| LONG BRANCH CITY | 317 | 6 | 0 | 0 | 6 | 9 | 1 | 13 | 39 | 68 | 108 | 67 | 0 |
| MANALAPAN TWP | 64 | 1 | 0 | 1 | 0 | 0 | 5 | 5 | 10 | 18 | 15 | 9 | 0 |
| MANASQUAN BORO | 104 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 10 | 27 | 39 | 24 | 0 |
| MARLBORO TWP | 70 | 2 | 0 | 1 | 3 | 2 | 1 | 7 | 5 | 15 | 18 | 16 | 0 |
| MATAWAN BORO | 116 | 2 | 2 | 1 | 0 | 2 | 4 | 8 | 18 | 23 | 35 | 21 | 0 |
| MIDDLETOWN TWP | 427 | 3 | 4 | 4 | 8 | 10 | 16 | 39 | 68 | 93 | 101 | 81 | 0 |
| MILLSTONE TWP | 23 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 7 | 5 | 2 | 0 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MONMOUTH COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MONMOUTH BEACH BORO | 30 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 6 | 6 | 10 | 5 | 0 |
| NEPTUNE CITY BORO | 80 | 1 | 1 | 0 | 4 | 3 | 0 | 5 | 10 | 20 | 19 | 17 | 0 |
| NEPTUNE TWP | 340 | 3 | 1 | 1 | 5 | 9 | 12 | 22 | 38 | 59 | 93 | 97 | 0 |
| OCEAN TWP | 167 | 4 | 0 | 0 | 3 | 4 | 8 | 7 | 33 | 40 | 45 | 23 | 0 |
| OCEANPORT BORO | 36 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 10 | 7 | 7 | 7 | 0 |
| RED BANK BORO | 180 | 1 | 0 | 0 | 1 | 2 | 2 | 6 | 14 | 39 | 59 | 56 | 0 |
| ROOSEVELT BORO | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 |
| RUMSON BORO | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 11 | 14 | 12 | 23 | 0 |
| SEA BRIGHT BORO | 22 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 2 | 7 | 7 | 2 | 0 |
| SEA GIRT BORO | 45 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 14 | 14 | 9 | 0 |
| SHREWSBURY BORO | 23 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 6 | 6 | 6 | 0 |
| SHREWSBURY TWP | 15 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 1 | 5 | 4 | 0 |
| SOUTH BELMAR BORO | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 4 | 5 | 3 | 0 |
| SPRING LAKE BORO | 68 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 7 | 15 | 29 | 15 | 0 |
| SPRING LAKE HEIGHTS BORO | 53 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 10 | 16 | 27 | 8 | 0 |
| TINTON FALLS BORO | 41 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 6 | 12 | 9 | 10 | 0 |
| UNION BEACH BORO | 62 | 3 | 0 | 0 | 1 | 0 | 2 | 9 | 12 | 14 | 14 | 7 | 0 |
| UPPER FREEHOLD TWP | 25 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 8 | 7 | 4 | 0 |
| WALL TWP | 162 | 2 | 0 | 1 | 3 | 4 | 1 | 15 | 22 | 49 | 43 | 22 | 0 |
| WEST LONG BRANCH BORO | 52 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 12 | 16 | 16 | 5 | 0 |
| *TOTAL MONMOUTH | 4510 | 62 | 12 | 20 | 73 | 78 | 102 | 312 | 637 | 1040 | 1304 | 869 | 1 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MORRIS COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BOONTON TOWN | 91 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 12 | 25 | 25 | 26 | 0 |
| BOONTON TWP | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 12 | 12 | 8 | 0 |
| BUTLER BORO | 62 | 1 | 0 | 0 | 4 | 2 | 2 | 8 | 11 | 13 | 10 | 11 | 0 |
| CHATHAM BORO | 91 | 1 | 0 | 0 | 1 | 2 | 5 | 3 | 13 | 15 | 26 | 25 | 0 |
| CHATHAM TWP | 67 | 0 | 1 | 0 | 2 | 0 | 1 | 6 | 11 | 13 | 20 | 13 | 0 |
| CHESTER BORO | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 2 | 2 | 0 |
| CHESTER TWP | 16 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 4 | 4 | 3 | 2 | 0 |
| DENVILLE TWP | 84 | 4 | 0 | 1 | 1 | 3 | 1 | 6 | 19 | 24 | 15 | 10 | 0 |
| DOVER TOWN | 146 | 2 | 0 | 0 | 6 | 2 | 6 | 5 | 25 | 25 | 43 | 31 | 0 |
| EAST HANOVER TWP | 49 | 1 | 0 | 0 | 2 | 2 | 3 | 4 | 6 | 12 | 7 | 12 | 0 |
| FLORHAM PARK BORO | 53 | 0 | 0 | 0 | 2 | 0 | 0 | 4 | 9 | 9 | 19 | 10 | 0 |
| HANOVER TWP | 64 | 2 | 0 | 0 | 2 | 0 | 7 | 6 | 14 | 13 | 10 | 10 | 0 |
| HARDING TWP | 27 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 3 | 9 | 9 | 0 |
| JEFFERSON TWP | 88 | 1 | 0 | 0 | 1 | 0 | 4 | 9 | 11 | 24 | 25 | 13 | 0 |
| KINNELON BORO | 38 | 0 | 0 | 0 | 1 | 1 | 2 | 6 | 6 | 7 | 8 | 7 | 0 |
| LINCOLN PARK BORO | 70 | 1 | 0 | 0 | 1 | 5 | 2 | 6 | 10 | 10 | 22 | 13 | 0 |
| MADISON BORO | 127 | 1 | 0 | 1 | 3 | 2 | 1 | 3 | 20 | 28 | 34 | 34 | 0 |
| MENDHAM BORO | 28 | 1 | 0 | 0 | 3 | 2 | 1 | 3 | 2 | 6 | 5 | 5 | 0 |
| MENDHAM TWP | 34 | 1 | 0 | 1 | 3 | 0 | 1 | 3 | 3 | 9 | 8 | 5 | 0 |
| MINE HILL TWP | 36 | 0 | 1 | 2 | 3 | 1 | 2 | 3 | 7 | 7 | 7 | 3 | 0 |
| MONTVILLE TWP | 81 | 1 | 1 | 2 | 3 | 2 | 2 | 13 | 8 | 10 | 23 | 16 | 0 |
| MORRIS PLAINS BORO | 58 | 0 | 0 | 1 | 1 | 2 | 1 | 3 | 11 | 18 | 13 | 8 | 0 |
| MORRIS TWP | 128 | 0 | 0 | 1 | 2 | 1 | 8 | 8 | 19 | 30 | 28 | 31 | 0 |
| MORRISTOWN TOWN | 218 | 0 | 1 | 0 | 3 | 2 | 3 | 12 | 33 | 59 | 66 | 39 | 0 |
| MOUNT ARLINGTON BORO | 19 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 3 | 1 | 5 | 5 | 0 |
| MOUNT OLIVE TWP | 73 | 0 | 0 | 0 | 0 | 2 | 2 | 7 | 14 | 14 | 22 | 12 | 0 |
| MOUNTAIN LAKES BORO | 20 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 4 | 1 | 5 | 4 | 0 |
| NETCONG BORO | 26 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 6 | 7 | 5 | 5 | 0 |
| PARSIPPANY-TROY HILLS TWP | 254 | 7 | 2 | 1 | 6 | 8 | 13 | 32 | 44 | 57 | 46 | 38 | 0 |
| PASSAIC TWP | 42 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 12 | 5 | 16 | 5 | 0 |
| PEQUANNOCK TWP | 78 | 2 | 0 | 0 | 2 | 1 | 1 | 5 | 13 | 20 | 22 | 12 | 0 |
| RANDOLPH TWP | 72 | 6 | 3 | 1 | 2 | 4 | 2 | 4 | 14 | 11 | 15 | 10 | 0 |
| RIVERDALE BORO | 27 | 2 | 0 | 0 | 3 | 0 | 1 | 0 | 6 | 8 | 3 | 4 | 0 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MORRIS COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ROCKAWAY BORO | 68 | 1 | 0 | 1 | 1 | 3 | 0 | 4 | 19 | 17 | 13 | 9 | 0 |
| ROCKAWAY TWP | 73 | 1 | 0 | 0 | 2 | 2 | 2 | 6 | 7 | 19 | 14 | 20 | 0 |
| ROXBURY TWP | 90 | 5 | 3 | 4 | 1 | 3 | 5 | 11 | 19 | 11 | 18 | 10 | 0 |
| VICTORY GARDENS BORO | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 |
| WASHINGTON TWP | 49 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 8 | 12 | 17 | 0 |
| WHARTON BORO | 61 | 3 | 0 | 0 | 0 | 1 | 0 | 3 | 5 | 13 | 19 | 17 | 0 |
| *TOTAL MORRIS | 2658 | 50 | 13 | 20 | 65 | 55 | 81 | 195 | 439 | 571 | 658 | 511 | 0 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

OCEAN COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BARNEGAT LIGHT BORO | 19 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 8 | 5 | 1 | 0 |
| BARNEGAT TWP | 56 | 1 | 0 | 1 | 0 | 3 | 1 | 1 | 10 | 19 | 14 | 6 | 0 |
| BAY HEAD BORO | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 6 | 9 | 3 | 0 |
| BEACH HAVEN BORO | 24 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 11 | 2 | 0 |
| BEACHWOOD BORO | 57 | 0 | 0 | 1 | 1 | 2 | 0 | 3 | 7 | 11 | 20 | 12 | 0 |
| BERKELEY TWP | 266 | 1 | 0 | 0 | 4 | 3 | 3 | 3 | 35 | 106 | 78 | 33 | 0 |
| BRICK TWP | 538 | 5 | 1 | 2 | 8 | 5 | 11 | 36 | 83 | 158 | 146 | 82 | 1 |
| DOVER TWP | 694 | 12 | 2 | 5 | 13 | 10 | 7 | 29 | 91 | 215 | 220 | 90 | 0 |
| EAGLESWOOD TWP | 14 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 3 | 4 | 2 | 0 |
| HARVEY CEDARS BORO | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 3 | 0 | 0 |
| ISLAND HEIGHTS BORO | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 4 | 4 | 0 |
| JACKSON TWP | 200 | 1 | 2 | 4 | 6 | 5 | 8 | 14 | 35 | 62 | 48 | 15 | 0 |
| LACEY TWP | 148 | 1 | 0 | 0 | 3 | 1 | 3 | 9 | 22 | 48 | 45 | 16 | 0 |
| LAKEHURST BORO | 99 | 2 | 0 | 0 | 2 | 1 | 3 | 3 | 8 | 43 | 25 | 12 | 0 |
| LAKEWOOD TWP | 537 | 8 | 1 | 3 | 4 | 8 | 8 | 20 | 38 | 143 | 190 | 114 | 0 |
| LAVALLETTE BORO | 39 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 11 | 14 | 6 | 0 |
| LITTLE EGG HARBOR TWP | 55 | 2 | 0 | 0 | 3 | 0 | 1 | 5 | 6 | 19 | 13 | 6 | 0 |
| LONG BEACH TWP | 42 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 13 | 17 | 5 | 0 |
| MANCHESTER TWP | 436 | 2 | 0 | 1 | 1 | 2 | 0 | 4 | 51 | 166 | 156 | 53 | 0 |
| MANTOLOKING BORO | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 4 | 4 | 3 | 0 |
| OCEAN GATE BORO | 20 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 6 | 7 | 3 | 0 |
| OCEAN TWP | 58 | 0 | 0 | 0 | 1 | 1 | 2 | 3 | 12 | 16 | 14 | 9 | 0 |
| PINE BEACH BORO | 25 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 10 | 5 | 0 |
| PLUMSTED TWP | 31 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 1 | 6 | 13 | 5 | 0 |
| POINT PLEASANT BEACH BORO | 92 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 23 | 32 | 27 | 0 |
| POINT PLEASANT BORO | 232 | 2 | 0 | 0 | 1 | 1 | 1 | 10 | 31 | 66 | 77 | 43 | 0 |
| SEASIDE HEIGHTS BORO | 27 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 7 | 11 | 0 | 0 |
| SEASIDE PARK BORO | 23 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 4 | 13 | 3 | 0 |
| SHIP BOTTOM BORO | 25 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 3 | 13 | 4 | 0 |
| SOUTH TOMS RIVER BORO | 28 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 5 | 4 | 6 | 6 | 0 |
| STAFFORD TWP | 91 | 1 | 0 | 0 | 3 | 4 | 1 | 5 | 27 | 25 | 16 | 9 | 0 |
| SURF CITY BORO | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 2 | 1 | 0 |
| TUCKERTON BORO | 71 | 1 | 0 | 1 | 1 | 0 | 1 | 3 | 12 | 25 | 17 | 10 | 0 |
| *TOTAL OCEAN | 4019 | 47 | 6 | 20 | 54 | 53 | 56 | 163 | 526 | 1246 | 1257 | 590 | 1 |

**TABLE 14 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

PASSAIC COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BLOOMINGDALE BORO | 51 | 3 | 0 | 0 | 1 | 1 | 1 | 2 | 9 | 8 | 15 | 11 | 0 |
| CLIFTON CITY | 828 | 4 | 3 | 2 | 10 | 9 | 15 | 44 | 136 | 203 | 249 | 153 | 0 |
| HALEDON BORO | 77 | 1 | 0 | 0 | 1 | 1 | 1 | 3 | 15 | 14 | 19 | 22 | 0 |
| HAWTHORNE BORO | 208 | 1 | 0 | 2 | 2 | 0 | 5 | 10 | 30 | 60 | 60 | 38 | 0 |
| LITTLE FALLS TWP | 105 | 3 | 0 | 1 | 0 | 1 | 1 | 9 | 24 | 29 | 16 | 21 | 0 |
| NORTH HALEDON BORO | 78 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 14 | 18 | 21 | 19 | 0 |
| PASSAIC CITY | 530 | 18 | 3 | 2 | 9 | 13 | 13 | 25 | 64 | 114 | 142 | 125 | 2 |
| PATERSON CITY | 1266 | 55 | 9 | 11 | 17 | 37 | 59 | 109 | 171 | 280 | 318 | 199 | 1 |
| POMPTON LAKES BORO | 101 | 0 | 0 | 0 | 2 | 1 | 5 | 8 | 21 | 19 | 33 | 12 | 0 |
| PROSPECT PARK BORO | 60 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 5 | 11 | 24 | 16 | 0 |
| RINGWOOD BORO | 64 | 2 | 0 | 0 | 1 | 1 | 6 | 7 | 7 | 13 | 17 | 10 | 0 |
| TOTOWA BORO | 117 | 2 | 0 | 7 | 0 | 2 | 2 | 7 | 19 | 21 | 33 | 24 | 0 |
| WANAQUE BORO | 50 | 1 | 1 | 0 | 1 | 0 | 1 | 3 | 9 | 13 | 10 | 11 | 0 |
| WAYNE TWP | 321 | 1 | 0 | 1 | 11 | 5 | 7 | 31 | 49 | 77 | 76 | 63 | 0 |
| WEST MILFORD TWP | 135 | 7 | 1 | 1 | 5 | 1 | 4 | 10 | 19 | 35 | 31 | 21 | 0 |
| WEST PATERSON BORO | 93 | 0 | 0 | 2 | 4 | 1 | 1 | 6 | 13 | 21 | 25 | 20 | 0 |
| *TOTAL PASSAIC | 4084 | 98 | 17 | 29 | 65 | 77 | 123 | 277 | 605 | 936 | 1089 | 765 | 3 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

SALEM COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALLOWAY TWP | 21 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 | 8 | 3 | 4 | 0 |
| CARNEYS POINT TWP | 55 | 1 | 0 | 0 | 1 | 1 | 1 | 4 | 11 | 11 | 15 | 10 | 0 |
| ELMER BORO | 37 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 12 | 10 | 9 | 0 |
| ELSINBORO TWP | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 0 |
| LOWER ALLOWAY CREEK TWP | 19 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 7 | 2 | 5 | 0 |
| MANNINGTON TWP | 10 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 | 1 | 3 | 0 |
| OLDMANS TWP | 19 | 2 | 0 | 0 | 0 | 2 | 1 | 1 | 2 | 5 | 4 | 2 | 0 |
| PENNS GROVE BORO | 93 | 5 | 0 | 3 | 3 | 1 | 3 | 6 | 17 | 20 | 24 | 11 | 0 |
| PENNSVILLE TWP | 93 | 1 | 0 | 0 | 3 | 3 | 3 | 7 | 15 | 24 | 25 | 12 | 0 |
| PILESGROVE TWP | 20 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 4 | 5 | 5 | 2 | 0 |
| PITTSGROVE TWP | 31 | 1 | 0 | 0 | 0 | 2 | 1 | 1 | 4 | 11 | 5 | 6 | 0 |
| QUINTON TWP | 15 | 1 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 3 | 1 | 2 | 0 |
| SALEM CITY | 110 | 2 | 0 | 2 | 3 | 5 | 2 | 6 | 17 | 23 | 28 | 22 | 0 |
| UPPER PITTSGROVE TWP | 20 | 0 | 0 | 0 | 2 | 0 | 1 | 2 | 2 | 3 | 6 | 4 | 0 |
| WOODSTOWN BORO | 39 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 5 | 12 | 5 | 14 | 0 |
| *TOTAL SALEM | 587 | 14 | 0 | 5 | 14 | 19 | 18 | 34 | 91 | 149 | 136 | 107 | 0 |

## TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

SOMERSET COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BEDMINSTER TWP | 19 | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 3 | 7 | 0 |
| BERNARDS TWP | 68 | 1 | 0 | 0 | 1 | 0 | 1 | 4 | 9 | 19 | 11 | 22 | 0 |
| BERNARDSVILLE BORO | 52 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 7 | 11 | 10 | 19 | 0 |
| BOUND BROOK BORO | 84 | 2 | 0 | 1 | 1 | 2 | 0 | 4 | 16 | 22 | 17 | 19 | 0 |
| BRANCHBURG TWP | 32 | 0 | 0 | 0 | 3 | 1 | 1 | 1 | 5 | 6 | 8 | 7 | 0 |
| BRIDGEWATER TWP | 186 | 2 | 0 | 2 | 5 | 2 | 8 | 22 | 26 | 34 | 55 | 30 | 0 |
| FAR HILLS BORO | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 2 | 4 | 0 |
| FRANKLIN TWP | 180 | 1 | 3 | 0 | 4 | 4 | 5 | 25 | 21 | 34 | 45 | 38 | 0 |
| GREEN BROOK TWP | 21 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 5 | 8 | 4 | 0 |
| HILLSBOROUGH TWP | 50 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 7 | 13 | 17 | 6 | 0 |
| MANVILLE BORO | 82 | 1 | 0 | 0 | 2 | 2 | 4 | 6 | 18 | 21 | 14 | 14 | 0 |
| MILLSTONE BORO | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 |
| MONTGOMERY TWP | 62 | 1 | 0 | 1 | 5 | 1 | 4 | 5 | 5 | 14 | 12 | 13 | 0 |
| NORTH PLAINFIELD BORO | 150 | 4 | 0 | 0 | 0 | 6 | 2 | 9 | 24 | 42 | 35 | 28 | 0 |
| PEAPACK-GLADSTONE BORO | 21 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 7 | 8 | 0 |
| RARITAN BORO | 58 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 10 | 17 | 19 | 9 | 0 |
| ROCKY HILL BORO | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| SOMERVILLE BORO | 135 | 1 | 1 | 1 | 5 | 3 | 2 | 14 | 21 | 32 | 32 | 23 | 0 |
| SOUTH BOUND BROOK BORO | 28 | 0 | 0 | 0 | 1 | 1 | 0 | 6 | 3 | 8 | 6 | 3 | 0 |
| WARREN TWP | 56 | 0 | 0 | 3 | 2 | 1 | 2 | 2 | 8 | 11 | 13 | 14 | 0 |
| WATCHUNG BORO | 37 | 1 | 0 | 0 | 1 | 2 | 1 | 0 | 4 | 9 | 11 | 8 | 0 |
| *TOTAL SOMERSET | 1338 | 16 | 4 | 8 | 35 | 28 | 37 | 109 | 194 | 305 | 325 | 277 | 0 |

TABLE 14 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

SUSSEX COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ANDOVER BORO | 12 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 4 | 0 |
| ANDOVER TWP | 21 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 5 | 2 | 3 | 8 | 0 |
| BRANCHVILLE BORO | 28 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 4 | 2 | 11 | 7 | 0 |
| BYRAM TWP | 23 | 1 | 1 | 2 | 0 | 0 | 0 | 1 | 3 | 9 | 6 | 0 | 0 |
| FRANKFORD TWP | 26 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 5 | 5 | 6 | 5 | 0 |
| FRANKLIN BORO | 39 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 6 | 11 | 12 | 4 | 0 |
| FREDON TWP | 14 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 3 | 6 | 1 | 0 |
| GREEN TWP | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 1 | 0 |
| HAMBURG BORO | 21 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 3 | 3 | 7 | 5 | 0 |
| HAMPTON TWP | 13 | 1 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 4 | 0 | 3 | 0 |
| HARDYSTON TWP | 26 | 0 | 0 | 0 | 2 | 1 | 1 | 4 | 3 | 4 | 7 | 4 | 0 |
| HOPATCONG BORO | 68 | 2 | 1 | 0 | 1 | 3 | 5 | 5 | 18 | 13 | 12 | 8 | 0 |
| LAFAYETTE TWP | 15 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 3 | 5 | 2 | 0 |
| MONTAGUE TWP | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 1 | 3 | 1 | 0 |
| NEWTON TOWN | 110 | 3 | 0 | 0 | 1 | 0 | 4 | 7 | 10 | 23 | 33 | 29 | 0 |
| OGDENSBURG BORO | 14 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 5 | 1 | 4 | 0 |
| SANDYSTON TWP | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 3 | 1 | 1 | 0 |
| SPARTA TWP | 86 | 1 | 1 | 1 | 1 | 0 | 4 | 7 | 13 | 20 | 22 | 16 | 0 |
| STANHOPE BORO | 30 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 9 | 8 | 3 | 4 | 0 |
| STILLWATER TWP | 26 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 7 | 9 | 4 | 0 |
| SUSSEX BORO | 35 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 14 | 11 | 4 | 0 |
| VERNON TWP | 55 | 1 | 0 | 0 | 1 | 1 | 6 | 3 | 15 | 11 | 16 | 1 | 0 |
| WANTAGE TWP | 45 | 2 | 0 | 1 | 4 | 3 | 1 | 1 | 8 | 11 | 10 | 4 | 0 |
| *TOTAL SUSSEX | 736 | 16 | 6 | 4 | 16 | 14 | 33 | 50 | 120 | 164 | 193 | 120 | 0 |

## TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

UNION COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BERKELEY HEIGHTS TWP | 69 | 0 | 0 | 2 | 0 | 1 | 2 | 6 | 10 | 12 | 23 | 13 | 0 |
| CLARK TWP | 117 | 1 | 0 | 0 | 1 | 0 | 2 | 12 | 23 | 29 | 30 | 19 | 0 |
| CRANFORD TWP | 196 | 1 | 0 | 1 | 5 | 0 | 4 | 17 | 24 | 42 | 55 | 46 | 0 |
| ELIZABETH CITY | 1117 | 19 | 2 | 7 | 22 | 24 | 33 | 91 | 179 | 276 | 281 | 183 | 0 |
| FANWOOD BORO | 38 | 1 | 0 | 0 | 2 | 1 | 3 | 5 | 4 | 10 | 8 | 4 | 0 |
| GARWOOD BORO | 35 | 0 | 0 | 0 | 1 | 0 | 0 | 5 | 4 | 12 | 7 | 6 | 0 |
| HILLSIDE TWP | 188 | 6 | 1 | 1 | 4 | 4 | 3 | 14 | 27 | 53 | 47 | 28 | 0 |
| KENILWORTH BORO | 70 | 1 | 0 | 0 | 2 | 2 | 2 | 7 | 9 | 20 | 22 | 5 | 0 |
| LINDEN CITY | 377 | 3 | 2 | 0 | 3 | 10 | 15 | 31 | 81 | 97 | 82 | 53 | 0 |
| MOUNTAINSIDE BORO | 54 | 0 | 0 | 0 | 0 | 2 | 2 | 6 | 11 | 12 | 10 | 11 | 0 |
| NEW PROVIDENCE BORO | 75 | 0 | 0 | 0 | 4 | 3 | 0 | 4 | 14 | 12 | 17 | 21 | 0 |
| PLAINFIELD CITY | 392 | 12 | 4 | 1 | 7 | 10 | 13 | 36 | 60 | 72 | 98 | 78 | 1 |
| RAHWAY CITY | 248 | 1 | 1 | 2 | 3 | 3 | 8 | 17 | 51 | 54 | 53 | 55 | 0 |
| ROSELLE BORO | 235 | 6 | 1 | 0 | 3 | 9 | 5 | 19 | 35 | 63 | 61 | 33 | 0 |
| ROSELLE PARK BORO | 156 | 0 | 0 | 0 | 0 | 2 | 5 | 10 | 29 | 34 | 44 | 32 | 0 |
| SCOTCH PLAINS TWP | 143 | 4 | 0 | 1 | 1 | 2 | 2 | 13 | 22 | 29 | 44 | 25 | 0 |
| SPRINGFIELD TWP | 143 | 2 | 1 | 1 | 1 | 2 | 3 | 9 | 21 | 37 | 42 | 24 | 0 |
| SUMMIT CITY | 231 | 4 | 0 | 0 | 2 | 1 | 3 | 16 | 39 | 46 | 75 | 45 | 0 |
| UNION TWP | 563 | 6 | 0 | 1 | 7 | 6 | 10 | 30 | 95 | 135 | 169 | 104 | 0 |
| WESTFIELD TOWN | 242 | 3 | 1 | 0 | 4 | 5 | 5 | 22 | 38 | 40 | 73 | 51 | 0 |
| WINFIELD TWP | 26 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 5 | 8 | 9 | 2 | 0 |
| *TOTAL UNION | 4715 | 70 | 13 | 18 | 74 | 87 | 120 | 370 | 781 | 1093 | 1250 | 838 | 1 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

WARREN COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALLAMUCHY TWP | 15 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 6 | 1 | 0 | 3 | 0 |
| ALPHA BORO | 28 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 9 | 7 | 3 | 4 | 0 |
| BELVIDERE TOWN | 37 | 0 | 0 | 0 | 1 | 0 | 2 | 5 | 11 | 10 | 4 | 4 | 0 |
| BLAIRSTOWN TWP | 43 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 7 | 8 | 16 | 8 | 0 |
| FRANKLIN TWP | 23 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 5 | 9 | 3 | 0 |
| FRELINGHUYSEN TWP | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| GREENWICH TWP | 11 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 5 | 0 | 0 |
| HACKETTSTOWN TOWN | 83 | 1 | 0 | 0 | 4 | 0 | 0 | 6 | 12 | 18 | 20 | 22 | 0 |
| HARDWICK TWP | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 |
| HARMONY TWP | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 |
| HOPE TWP | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 0 |
| INDEPENDENCE TWP | 20 | 0 | 0 | 0 | 3 | 0 | 1 | 4 | 2 | 2 | 1 | 7 | 0 |
| KNOWLTON TWP | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 2 | 6 | 0 |
| LIBERTY TWP | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 0 | 0 |
| LOPATCONG TWP | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 3 | 11 | 9 | 3 | 0 |
| MANSFIELD TWP | 30 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 6 | 9 | 5 | 5 | 0 |
| OXFORD TWP | 21 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 5 | 8 | 4 | 0 |
| PHILLIPSBURG TOWN | 249 | 4 | 1 | 3 | 5 | 5 | 4 | 15 | 36 | 61 | 81 | 34 | 0 |
| POHATCONG TWP | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 4 | 2 | 2 | 3 | 0 |
| WASHINGTON BORO | 75 | 0 | 0 | 1 | 1 | 1 | 1 | 6 | 10 | 25 | 18 | 12 | 0 |
| WASHINGTON TWP | 29 | 2 | 0 | 0 | 0 | 3 | 2 | 3 | 2 | 3 | 11 | 3 | 0 |
| WHITE TWP | 10 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 3 | 4 | 0 | 0 |
| *TOTAL WARREN | 756 | 13 | 1 | 6 | 18 | 11 | 14 | 64 | 119 | 183 | 203 | 124 | 0 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

STATE INST COUNTY

| RESIDENCE | TOTAL | AGE GROUP | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
| ANCORA STATE HOSPITAL ANC | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 |
| HUNTERDON STATE SCHOOL | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| N J ST COLONY MALES NEW L | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| N J ST HOSP GREYSTONE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| N J ST HOSP MARLBORO | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| N J ST HOSP TRENTON | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| N J ST NEURO PSYCHIATRIC | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| N J ST SCHOOL VINELAND | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| N J ST SOLDIERS HOME VINE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 |
| *TOTAL STATE INST | 21 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 8 | 4 | 5 | 0 |

TABLE 14 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY AGE
1979

MILITARY COUNTY

| RESIDENCE | TOTAL | AGE GROUP -1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | UNK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FORT DIX | 11 | 3 | 1 | 0 | 1 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 |
| FORT MONMOUTH | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| MCGUIRE AIR BASE FORT DIX | 9 | 1 | 0 | 1 | 0 | 1 | 4 | 0 | 2 | 0 | 0 | 0 | 0 |
| N J ST VETS ADM HOSP LYON | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| NAVAL AIR STATION LAKEHUR | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| VETERANS HOSPITAL EAST OR | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 |
| *TOTAL MILITARY | 27 | 4 | 1 | 1 | 2 | 2 | 7 | 0 | 6 | 2 | 2 | 0 | 0 |

## TABLE 16

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

ATLANTIC COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ABSECON CITY | 98 | 55 | 43 | 0 | 97 | 1 | 0 | 0 |
| ATLANTIC CITY | 901 | 423 | 478 | 0 | 627 | 272 | 1 | 1 |
| BRIGANTINE CITY | 86 | 48 | 38 | 0 | 85 | 1 | 0 | 0 |
| BUENA BORO | 33 | 21 | 12 | 0 | 33 | 0 | 0 | 0 |
| BUENA VISTA TWP | 45 | 27 | 18 | 0 | 34 | 11 | 0 | 0 |
| CORBIN CITY | 4 | 2 | 2 | 0 | 4 | 0 | 0 | 0 |
| EGG HARBOR CITY | 74 | 36 | 38 | 0 | 69 | 5 | 0 | 0 |
| EGG HARBOR TWP | 105 | 67 | 38 | 0 | 98 | 5 | 1 | 1 |
| ESTELL MANOR CITY | 5 | 2 | 3 | 0 | 5 | 0 | 0 | 0 |
| FOLSOM BORO | 6 | 4 | 2 | 0 | 6 | 0 | 0 | 0 |
| GALLOWAY TWP | 66 | 39 | 27 | 0 | 66 | 0 | 0 | 0 |
| HAMILTON TWP | 113 | 61 | 52 | 0 | 97 | 15 | 0 | 1 |
| HAMMONTON TOWN | 117 | 67 | 50 | 0 | 115 | 1 | 1 | 0 |
| LINWOOD CITY | 44 | 24 | 20 | 0 | 43 | 0 | 1 | 0 |
| LONGPORT BORO | 32 | 19 | 13 | 0 | 32 | 0 | 0 | 0 |
| MARGATE CITY | 122 | 59 | 63 | 0 | 121 | 0 | 0 | 1 |
| MULLICA TWP | 17 | 11 | 6 | 0 | 17 | 0 | 0 | 0 |
| NORTHFIELD CITY | 62 | 26 | 36 | 0 | 60 | 2 | 0 | 0 |
| PLEASANTVILLE CITY | 209 | 102 | 107 | 0 | 142 | 67 | 0 | 0 |
| PORT REPUBLIC CITY | 14 | 8 | 6 | 0 | 14 | 0 | 0 | 0 |
| SOMERS POINT CITY | 121 | 60 | 61 | 0 | 119 | 2 | 0 | 0 |
| VENTNOR CITY | 186 | 89 | 97 | 0 | 186 | 0 | 0 | 0 |
| WEYMOUTH TWP | 11 | 5 | 6 | 0 | 10 | 1 | 0 | 0 |
| *TOTAL ATLANTIC | 2471 | 1255 | 1216 | 0 | 2080 | 383 | 4 | 4 |

## TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

BERGEN COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ALLENDALE BORO | 36 | 18 | 18 | 0 | 36 | 0 | 0 | 0 |
| ALPINE BORO | 5 | 2 | 3 | 0 | 5 | 0 | 0 | 0 |
| BERGENFIELD BORO | 265 | 148 | 117 | 0 | 254 | 1 | 0 | 0 |
| BOGOTA BORO | 94 | 40 | 54 | 0 | 93 | 1 | 0 | 0 |
| CARLSTADT BORO | 50 | 31 | 19 | 0 | 50 | 0 | 0 | 0 |
| CLIFFSIDE PARK BORO | 235 | 104 | 131 | 0 | 233 | 0 | 2 | 0 |
| CLOSTER BORO | 61 | 27 | 34 | 0 | 60 | 0 | 1 | 0 |
| CRESSKILL BORO | 65 | 33 | 32 | 0 | 65 | 0 | 0 | 0 |
| DEMAREST BORO | 33 | 16 | 17 | 0 | 32 | 0 | 1 | 0 |
| DUMONT BORO | 171 | 77 | 94 | 0 | 171 | 0 | 0 | 0 |
| EAST RUTHERFORD BORO | 88 | [illegible] | 34 | 0 | 86 | 2 | 0 | 0 |
| EDGEWATER BORO | 47 | 22 | 25 | 0 | 47 | 0 | 0 | 0 |
| ELMWOOD PARK BORO | 189 | 107 | 82 | 0 | 188 | 1 | 0 | 0 |
| EMERSON BORO | 52 | 29 | 23 | 0 | 52 | 0 | 0 | 0 |
| ENGLEWOOD CITY | 232 | 117 | 115 | 0 | 138 | 93 | 1 | 0 |
| ENGLEWOOD CLIFFS BORO | 47 | 20 | 27 | 0 | 47 | 0 | 0 | 0 |
| FAIR LAWN BORO | 337 | 188 | 149 | 0 | 336 | 0 | 1 | 0 |
| FAIRVIEW BORO | 123 | 65 | 58 | 0 | 123 | 0 | 0 | 0 |
| FORT LEE BORO | 280 | 148 | 132 | 0 | 276 | 2 | 2 | 0 |
| FRANKLIN LAKES BORO | 48 | 29 | 19 | 0 | 48 | 0 | 0 | 0 |
| GARFIELD CITY | 279 | 158 | 121 | 0 | 275 | 4 | 0 | 0 |
| GLEN ROCK BORO | 79 | 43 | 36 | 0 | 74 | 5 | 0 | 0 |
| HACKENSACK CITY | 384 | 199 | 185 | 0 | 326 | 54 | 4 | 0 |
| HARRINGTON PARK BORO | 27 | 14 | 13 | 0 | 27 | 0 | 0 | 0 |
| HASBROUCK HEIGHTS BORO | 123 | 77 | 46 | 0 | 123 | 0 | 0 | 0 |
| HAWORTH BORO | 25 | 13 | 12 | 0 | 24 | 0 | 1 | 0 |
| HILLSDALE BORO | 73 | 34 | 39 | 0 | 73 | 0 | 0 | 0 |
| HOHOKUS BORO | 44 | 17 | 27 | 0 | 44 | 0 | 0 | 0 |
| LEONIA BORO | 86 | 42 | 44 | 0 | 81 | 4 | 1 | 0 |
| LITTLE FERRY BORO | 67 | 39 | 28 | 0 | 66 | 0 | 1 | 0 |
| LODI BORO | 221 | 118 | 103 | 0 | 220 | 1 | 0 | 0 |
| LYNDHURST TWP | 206 | 100 | 106 | 0 | 206 | 0 | 0 | 0 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

BERGEN COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| MAHWAH TWP | 81 | 40 | 41 | 0 | 78 | 3 | 0 | 0 |
| MAYWOOD BORO | 89 | 40 | 49 | 0 | 88 | 0 | 1 | 0 |
| MIDLAND PARK BORO | 59 | 25 | 34 | 0 | 59 | 0 | 0 | 0 |
| MONTVALE BORO | 37 | 16 | 21 | 0 | 37 | 0 | 0 | 0 |
| MOONACHIE BORO | 21 | 10 | 11 | 0 | 21 | 0 | 0 | 0 |
| NEW MILFORD BORO | 156 | 68 | 88 | 0 | 154 | 0 | 2 | 0 |
| NORTH ARLINGTON BORO | 183 | 96 | 87 | 0 | 183 | 0 | 0 | 0 |
| NORTHVALE BORO | 39 | 16 | 23 | 0 | 38 | 1 | 0 | 0 |
| NORWOOD BORO | 34 | 17 | 17 | 0 | 34 | 0 | 0 | 0 |
| OAKLAND BORO | 61 | 33 | 28 | 0 | 61 | 0 | 0 | 0 |
| OLD TAPPAN BORO | 27 | 14 | 13 | 0 | 26 | 0 | 1 | 0 |
| ORADELL BORO | 77 | 37 | 40 | 0 | 77 | 0 | 0 | 0 |
| PALISADES PARK BORO | 135 | 70 | 65 | 0 | 133 | 1 | 1 | 0 |
| PARAMUS BORO | 180 | 111 | 69 | 0 | 179 | 1 | 0 | 0 |
| PARK RIDGE BORO | 61 | 36 | 25 | 0 | 61 | 0 | 0 | 0 |
| RAMSEY BORO | 71 | 40 | 31 | 0 | 71 | 0 | 0 | 0 |
| RIDGEFIELD BORO | 111 | 59 | 52 | 0 | 110 | 0 | 1 | 0 |
| RIDGEFIELD PARK TWP | 127 | 72 | 55 | 0 | 126 | 0 | 0 | 1 |
| RIDGEWOOD VIL | 215 | 100 | 115 | 0 | 210 | 5 | 0 | 0 |
| RIVER EDGE BORO | 87 | 41 | 46 | 0 | 86 | 0 | 1 | 0 |
| RIVER VALE TWP | 52 | 25 | 27 | 0 | 52 | 0 | 0 | 0 |
| ROCHELLE PARK TWP | 63 | 33 | 30 | 0 | 63 | 0 | 0 | 0 |
| ROCKLEIGH BORO | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 |
| RUTHERFORD BORO | 210 | 106 | 104 | 0 | 207 | 3 | 0 | 0 |
| SADDLE BROOK TWP | 115 | 65 | 50 | 0 | 115 | 0 | 0 | 0 |
| SADDLE RIVER BORO | 16 | 5 | 11 | 0 | 16 | 0 | 0 | 0 |
| SOUTH HACKENSACK TWP | 16 | 12 | 4 | 0 | 16 | 0 | 0 | 0 |
| TEANECK TWP | 344 | 177 | 167 | 0 | 287 | 55 | 2 | 0 |
| TENAFLY BORO | 141 | 71 | 70 | 0 | 139 | 0 | 2 | 0 |
| TETERBORO BORO | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| UPPER SADDLE RIVER BORO | 42 | 25 | 17 | 0 | 42 | 0 | 0 | 0 |
| WALDWICK BORO | 73 | 39 | 34 | 0 | 73 | 0 | 0 | 0 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

BERGEN COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| WALLINGTON BORO | 100 | 55 | 45 | 0 | 100 | 0 | 0 | 0 |
| WASHINGTON TWP | 48 | 27 | 21 | 0 | 46 | 1 | 1 | 0 |
| WESTWOOD BORO | 111 | 55 | 56 | 0 | 102 | 8 | 1 | 0 |
| WOOD-RIDGE BORO | 52 | 28 | 24 | 0 | 52 | 0 | 0 | 0 |
| WOODCLIFF LAKE BORO | 32 | 13 | 19 | 0 | 32 | 0 | 0 | 0 |
| WYCKOFF TWP | 101 | 46 | 55 | 0 | 99 | 1 | 0 | 1 |
| *TOTAL BERGEN | 7442 | 3854 | 3588 | 0 | 7165 | 247 | 28 | 2 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

BURLINGTON COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BASS RIVER TWP | 14 | 9 | 5 | 0 | 14 | 0 | 0 | 0 |
| BEVERLY CITY | 50 | 27 | 23 | 0 | 45 | 5 | 0 | 0 |
| BORDENTOWN CITY | 64 | 33 | 31 | 0 | 55 | 9 | 0 | 0 |
| BORDENTOWN TWP | 36 | 17 | 19 | 0 | 34 | 2 | 0 | 0 |
| BURLINGTON CITY | 161 | 79 | 82 | 0 | 131 | 30 | 0 | 0 |
| BURLINGTON TWP | 47 | 24 | 23 | 0 | 44 | 3 | 0 | 0 |
| CHESTERFIELD TWP | 12 | 5 | 7 | 0 | 12 | 0 | 0 | 0 |
| CINNAMINSON TWP | 89 | 43 | 46 | 0 | 78 | 11 | 0 | 0 |
| DELANCO TWP | 47 | 23 | 24 | 0 | 46 | 1 | 0 | 0 |
| DELRAN TWP | 83 | 48 | 35 | 0 | 82 | 1 | 0 | 0 |
| EASTAMPTON TWP | 6 | 4 | 2 | 0 | 6 | 0 | 0 | 0 |
| EDGEWATER PARK TWP | 39 | 24 | 15 | 0 | 32 | 7 | 0 | 0 |
| EVESHAM TWP | 94 | 52 | 42 | 0 | 93 | 1 | 0 | 0 |
| FIELDSBORO BORO | 7 | 4 | 3 | 0 | 6 | 1 | 0 | 0 |
| FLORENCE TWP | 85 | 54 | 31 | 0 | 76 | 9 | 0 | 0 |
| HAINESPORT TWP | 20 | 10 | 10 | 0 | 20 | 0 | 0 | 0 |
| LUMBERTON TWP | 30 | 17 | 13 | 0 | 30 | 0 | 0 | 0 |
| MANSFIELD TWP | 18 | 7 | 11 | 0 | 18 | 0 | 0 | 0 |
| MAPLE SHADE TWP | 177 | 90 | 87 | 0 | 173 | 3 | 1 | 0 |
| MEDFORD LAKES BORO | 19 | 4 | 15 | 0 | 19 | 0 | 0 | 0 |
| MEDFORD TWP | 93 | 47 | 46 | 0 | 92 | 1 | 0 | 0 |
| MOORESTOWN TWP | 167 | 80 | 87 | 0 | 155 | 10 | 0 | 2 |
| MOUNT HOLLY TWP | 148 | 84 | 64 | 0 | 132 | 16 | 0 | 0 |
| MOUNT LAUREL TWP | 86 | 47 | 39 | 0 | 80 | 6 | 0 | 0 |
| NEW HANOVER TWP | 6 | 3 | 3 | 0 | 4 | 2 | 0 | 0 |
| NORTH HANOVER TWP | 12 | 7 | 5 | 0 | 12 | 0 | 0 | 0 |
| PALMYRA BORO | 81 | 43 | 38 | 0 | 68 | 13 | 0 | 0 |
| PEMBERTON BORO | 27 | 19 | 8 | 0 | 22 | 5 | 0 | 0 |
| PEMBERTON TWP | 143 | 87 | 56 | 0 | 132 | 10 | 1 | 0 |
| RIVERSIDE TWP | 96 | 54 | 42 | 0 | 95 | 1 | 0 | 0 |
| RIVERTON BORO | 37 | 16 | 21 | 0 | 37 | 0 | 0 | 0 |
| SHAMONG TWP | 7 | 5 | 2 | 0 | 6 | 1 | 0 | 0 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

BURLINGTON COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| SOUTHAMPTON TWP | 123 | 76 | 47 | 0 | 123 | 0 | 0 | 0 |
| SPRINGFIELD TWP | 12 | 5 | 7 | 0 | 12 | 0 | 0 | 0 |
| TABERNACLE TWP | 14 | 6 | 8 | 0 | 13 | 1 | 0 | 0 |
| WASHINGTON TWP | 3 | 1 | 2 | 0 | 3 | 0 | 0 | 0 |
| WESTAMPTON TWP | 9 | 6 | 3 | 0 | 8 | 1 | 0 | 0 |
| WILLINGBORO TWP | 175 | 102 | 73 | 0 | 137 | 37 | 1 | 0 |
| WOODLAND TWP | 7 | 2 | 5 | 0 | 7 | 0 | 0 | 0 |
| WRIGHTSTOWN BORO | 20 | 17 | 3 | 0 | 19 | 1 | 0 | 0 |
| *TOTAL BURLINGTON | 2364 | 1281 | 1083 | 0 | 2171 | 188 | 3 | 2 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

CAMDEN COUNTY

| | | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| RESIDENCE | TOTAL | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| AUDUBON BORO | 115 | 57 | 58 | 0 | 112 | 0 | 0 | 3 |
| AUDUBON PARK BORO | 17 | 10 | 7 | 0 | 17 | 0 | 0 | 0 |
| BARRINGTON BORO | 42 | 22 | 20 | 0 | 40 | 1 | 1 | 0 |
| BELLMAWR BORO | 108 | 65 | 43 | 0 | 108 | 0 | 0 | 0 |
| BERLIN BORO | 76 | 43 | 33 | 0 | 66 | 9 | 1 | 0 |
| BERLIN TWP | 32 | 16 | 16 | 0 | 29 | 3 | 0 | 0 |
| BROOKLAWN BORO | 13 | 6 | 7 | 0 | 13 | 0 | 0 | 0 |
| CAMDEN CITY | 946 | 491 | 455 | 0 | 582 | 364 | 0 | 0 |
| CHERRY HILL TWP | 432 | 225 | 207 | 0 | 422 | 10 | 0 | 0 |
| CHESILHURST BORO | 20 | 14 | 6 | 0 | 10 | 10 | 0 | 0 |
| CLEMENTON BORO | 74 | 37 | 37 | 0 | 74 | 0 | 0 | 0 |
| COLLINGSWOOD BORO | 208 | 107 | 101 | 0 | 208 | 0 | 0 | 0 |
| GIBBSBURO BORO | 17 | 11 | 6 | 0 | 17 | 0 | 0 | 0 |
| GLOUCESTER CITY | 142 | 69 | 73 | 0 | 141 | 0 | 0 | 1 |
| GLOUCESTER TWP | 219 | 128 | 91 | 0 | 211 | 7 | 1 | 0 |
| HADDON HEIGHTS BORO | 95 | 51 | 44 | 0 | 94 | 0 | 1 | 0 |
| HADDON TWP | 146 | 67 | 79 | 0 | 143 | 2 | 1 | 0 |
| HADDONFIELD BORO | 140 | 67 | 73 | 0 | 138 | 2 | 0 | 0 |
| LAUREL SPRINGS BORO | 35 | 21 | 14 | 0 | 35 | 0 | 0 | 0 |
| LAWNSIDE BORO | 38 | 15 | 23 | 0 | 0 | 38 | 0 | 0 |
| LINDENWOLD BORO | 87 | 53 | 34 | 0 | 79 | 8 | 0 | 0 |
| MAGNOLIA BORO | 44 | 20 | 24 | 0 | 36 | 8 | 0 | 0 |
| MERCHANTVILLE BORO | 63 | 22 | 41 | 0 | 63 | 0 | 0 | 0 |
| MOUNT EPHRAIM BORO | 67 | 38 | 29 | 0 | 67 | 0 | 0 | 0 |
| OAKLYN BORO | 70 | 39 | 31 | 0 | 70 | 0 | 0 | 0 |
| PENNSAUKEN TWP | 337 | 194 | 143 | 0 | 315 | 21 | 1 | 0 |
| PINE HILL BORO | 53 | 33 | 20 | 0 | 52 | 1 | 0 | 0 |
| RUNNEMEDE BORO | 72 | 41 | 31 | 0 | 71 | 1 | 0 | 0 |
| SOMERDALE BORO | 59 | 29 | 30 | 0 | 52 | 6 | 1 | 0 |
| STRATFORD BORO | 63 | 34 | 29 | 0 | 63 | 0 | 0 | 0 |
| VOORHEES TWP | 44 | 28 | 16 | 0 | 42 | 1 | 1 | 0 |
| WATERFORD TWP | 68 | 40 | 28 | 0 | 65 | 3 | 0 | 0 |
| WINSLOW TWP | 67 | 36 | 31 | 0 | 57 | 9 | 1 | 0 |
| WOOD-LYNNE BORO | 30 | 17 | 13 | 0 | 30 | 0 | 0 | 0 |
| *TOTAL CAMDEN | 4039 | 2146 | 1893 | 0 | 3522 | 504 | 9 | 4 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

CAPE MAY COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| AVALON BORO | 21 | 11 | 10 | 0 | 21 | 0 | 0 | 0 |
| CAPE MAY CITY | 98 | 46 | 52 | 0 | 92 | 5 | 1 | 0 |
| CAPE MAY POINT BORO | 6 | 2 | 4 | 0 | 6 | 0 | 0 | 0 |
| DENNIS TWP | 34 | 13 | 21 | 0 | 33 | 0 | 1 | 0 |
| LOWER TWP | 225 | 132 | 93 | 0 | 224 | 1 | 0 | 0 |
| MIDDLE TWP | 143 | 83 | 60 | 0 | 120 | 23 | 0 | 0 |
| NORTH WILDWOOD CITY | 57 | 31 | 26 | 0 | 57 | 0 | 0 | 0 |
| OCEAN CITY | 222 | 101 | 121 | 0 | 212 | 10 | 0 | 0 |
| SEA ISLE CITY | 45 | 23 | 22 | 0 | 45 | 0 | 0 | 0 |
| STONE HARBOR BORO | 28 | 14 | 14 | 0 | 27 | 1 | 0 | 0 |
| UPPER TWP | 62 | 33 | 29 | 0 | 62 | 0 | 0 | 0 |
| WEST CAPE MAY BORO | 17 | 10 | 7 | 0 | 7 | 9 | 1 | 0 |
| WEST WILDWOOD BORO | 7 | 1 | 6 | 0 | 7 | 0 | 0 | 0 |
| WILDWOOD CITY | 96 | 49 | 47 | 0 | 82 | 13 | 0 | 1 |
| WILDWOOD CREST BORO | 64 | 33 | 31 | 0 | 64 | 0 | 0 | 0 |
| WOODBINE BORO | 19 | 11 | 8 | 0 | 17 | 2 | 0 | 0 |
| *TOTAL CAPE MAY | 1144 | 593 | 551 | 0 | 1076 | 64 | 3 | 1 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

CUMBERLAND COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BRIDGETON CITY | 243 | 143 | 100 | 0 | 165 | 75 | 3 | 0 |
| COMMERCIAL TWP | 37 | 19 | 18 | 0 | 23 | 14 | 0 | 0 |
| DEERFIELD TWP | 21 | 10 | 11 | 0 | 16 | 4 | 1 | 0 |
| DOWNE TWP | 21 | 8 | 13 | 0 | 20 | 1 | 0 | 0 |
| FAIRFIELD TWP | 38 | 23 | 15 | 0 | 24 | 13 | 0 | 1 |
| GREENWICH TWP | 5 | 1 | 4 | 0 | 4 | 1 | 0 | 0 |
| HOPEWELL TWP | 22 | 16 | 6 | 0 | 19 | 3 | 0 | 0 |
| LAWRENCE TWP | 18 | 12 | 6 | 0 | 16 | 2 | 0 | 0 |
| MAURICE RIVER TWP | 36 | 20 | 16 | 0 | 36 | 0 | 0 | 0 |
| MILLVILLE CITY | 254 | 131 | 123 | 0 | 244 | 9 | 1 | 0 |
| SHILOH BORO | 9 | 5 | 4 | 0 | 8 | 1 | 0 | 0 |
| STOW CREEK TWP | 7 | 6 | 1 | 0 | 6 | 1 | 0 | 0 |
| UPPER DEERFIELD TWP | 37 | 22 | 15 | 0 | 33 | 0 | 4 | 0 |
| VINELAND CITY | 483 | 263 | 220 | 0 | 451 | 32 | 0 | 0 |
| *TOTAL CUMBERLAND | 1231 | 679 | 552 | 0 | 1065 | 156 | 9 | 1 |

**TABLE 16 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

ESSEX COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BELLEVILLE TOWN | 337 | 190 | 147 | 0 | 330 | 7 | 0 | 0 |
| BLOOMFIELD TOWN | 532 | 268 | 264 | 0 | 528 | 4 | 0 | 0 |
| CALDWELL BORO | 87 | 46 | 41 | 0 | 87 | 0 | 0 | 0 |
| CEDAR GROVE TWP | 80 | 40 | 40 | 0 | 80 | 0 | 0 | 0 |
| EAST ORANGE CITY | 738 | 355 | 383 | 0 | 327 | 410 | 0 | 1 |
| ESSEX FELLS BORO | 20 | 12 | 8 | 0 | 20 | 0 | 0 | 0 |
| FAIRFIELD BORO | 43 | 22 | 21 | 0 | 42 | 0 | 1 | 0 |
| GLEN RIDGE BORO | 63 | 33 | 30 | 0 | 59 | 3 | 1 | 0 |
| IRVINGTON TOWN | 710 | 338 | 372 | 0 | 648 | 61 | 1 | 0 |
| LIVINGSTON TWP | 161 | 85 | 76 | 0 | 158 | 0 | 3 | 0 |
| MAPLEWOOD TWP | 290 | 158 | 132 | 0 | 281 | 8 | 1 | 0 |
| MILLBURN TWP | 172 | 84 | 88 | 0 | 171 | 1 | 0 | 0 |
| MONTCLAIR TOWN | 427 | 208 | 219 | 0 | 287 | 136 | 4 | 0 |
| NEWARK CITY | 2998 | 1734 | 1264 | 0 | 1448 | 1537 | 7 | 6 |
| NORTH CALDWELL BORO | 37 | 24 | 13 | 0 | 37 | 0 | 0 | 0 |
| NUTLEY TOWN | 280 | 144 | 136 | 0 | 273 | 7 | 0 | 0 |
| ORANGE CITY | 346 | 177 | 169 | 0 | 223 | 122 | 0 | 1 |
| ROSELAND BORO | 36 | 21 | 15 | 0 | 36 | 0 | 0 | 0 |
| SOUTH ORANGE VIL | 138 | 76 | 62 | 0 | 128 | 9 | 0 | 1 |
| VERONA BORO | 127 | 66 | 61 | 0 | 126 | 1 | 0 | 0 |
| WEST CALDWELL BORO | 98 | 49 | 49 | 0 | 97 | 0 | 1 | 0 |
| WEST ORANGE TOWN | 431 | 188 | 243 | 0 | 422 | 9 | 0 | 0 |
| *TOTAL ESSEX | 8151 | 4318 | 3833 | 0 | 5808 | 2315 | 19 | 9 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

GLOUCESTER COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| CLAYTON BORO | 39 | 20 | 19 | 0 | 35 | 4 | 0 | 0 |
| DEPTFORD TWP | 130 | 77 | 53 | 0 | 123 | 7 | 0 | 0 |
| EAST GREENWICH TWP | 34 | 17 | 17 | 0 | 31 | 3 | 0 | 0 |
| ELK TWP | 16 | 9 | 7 | 0 | 15 | 1 | 0 | 0 |
| FRANKLIN TWP | 83 | 43 | 40 | 0 | 78 | 5 | 0 | 0 |
| GLASSBORO BORO | 105 | 60 | 45 | 0 | 75 | 30 | 0 | 0 |
| GREENWICH TWP | 45 | 19 | 26 | 0 | 42 | 3 | 0 | 0 |
| HARRISON TWP | 29 | 13 | 16 | 0 | 25 | 4 | 0 | 0 |
| LOGAN TWP | 9 | 6 | 3 | 0 | 9 | 0 | 0 | 0 |
| MANTUA TWP | 92 | 46 | 46 | 0 | 92 | 0 | 0 | 0 |
| MONROE TWP | 150 | 78 | 72 | 0 | 130 | 20 | 0 | 0 |
| NATIONAL PARK BORO | 44 | 27 | 17 | 0 | 44 | 0 | 0 | 0 |
| NEWFIELD BORO | 24 | 15 | 9 | 0 | 21 | 3 | 0 | 0 |
| PAULSBORO BORO | 81 | 43 | 38 | 0 | 59 | 20 | 1 | 1 |
| PITMAN BORO | 103 | 59 | 44 | 0 | 102 | 1 | 0 | 0 |
| SOUTH HARRISON TWP | 6 | 5 | 1 | 0 | 5 | 1 | 0 | 0 |
| SWEDESBORO BORO | 40 | 23 | 17 | 0 | 24 | 16 | 0 | 0 |
| WASHINGTON TWP | 89 | 49 | 40 | 0 | 88 | 1 | 0 | 0 |
| WENONAH BORO | 50 | 29 | 21 | 0 | 40 | 10 | 0 | 0 |
| WEST DEPTFORD TWP | 66 | 29 | 37 | 0 | 62 | 4 | 0 | 0 |
| WESTVILLE BORO | 60 | 32 | 28 | 0 | 57 | 3 | 0 | 0 |
| WOODBURY CITY | 154 | 74 | 80 | 0 | 132 | 22 | 0 | 0 |
| WOODBURY HEIGHTS BORO | 16 | 6 | 10 | 0 | 15 | 1 | 0 | 0 |
| WOOLWICH TWP | 3 | 3 | 0 | 0 | 2 | 1 | 0 | 0 |
| *TOTAL GLOUCESTER | 1468 | 782 | 686 | 0 | 1306 | 160 | 1 | 1 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

HUDSON COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BAYONNE CITY | 801 | 430 | 371 | 0 | 782 | 18 | 0 | 1 |
| EAST NEWARK BORO | 25 | 14 | 11 | 0 | 25 | 0 | 0 | 0 |
| GUTTENBERG TOWN | 69 | 35 | 34 | 0 | 69 | 0 | 0 | 0 |
| HARRISON TOWN | 132 | 66 | 66 | 0 | 132 | 0 | 0 | 0 |
| HOBOKEN CITY | 397 | 209 | 187 | 1 | 387 | 8 | 2 | 0 |
| JERSEY CITY | 2540 | 1328 | 1212 | 0 | 2024 | 498 | 18 | 0 |
| KEARNY TOWN | 404 | 213 | 191 | 0 | 402 | 1 | 0 | 1 |
| NORTH BERGEN TWP | 479 | 260 | 219 | 0 | 475 | 2 | 0 | 2 |
| SECAUCUS TOWN | 126 | 62 | 64 | 0 | 126 | 0 | 0 | 0 |
| UNION CITY | 486 | 269 | 217 | 0 | 478 | 5 | 3 | 0 |
| WEEHAWKEN TWP | 130 | 59 | 71 | 0 | 130 | 0 | 0 | 0 |
| WEST NEW YORK TOWN | 346 | 181 | 165 | 0 | 338 | 6 | 2 | 0 |
| *TOTAL HUDSON | 5935 | 3126 | 2808 | 1 | 5368 | 538 | 25 | 4 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

HUNTERDON COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ALEXANDRIA TWP | 17 | 14 | 3 | 0 | 17 | 0 | 0 | 0 |
| BETHLEHEM TWP | 9 | 4 | 5 | 0 | 9 | 0 | 0 | 0 |
| BLOOMSBURY BORO | 11 | 6 | 5 | 0 | 11 | 0 | 0 | 0 |
| CALIFON BORO | 14 | 7 | 7 | 0 | 14 | 0 | 0 | 0 |
| CLINTON TOWN | 26 | 14 | 12 | 0 | 25 | 1 | 0 | 0 |
| CLINTON TWP | 28 | 15 | 13 | 0 | 27 | 1 | 0 | 0 |
| DELAWARE TWP | 28 | 13 | 15 | 0 | 28 | 0 | 0 | 0 |
| EAST AMWELL TWP | 16 | 8 | 8 | 0 | 16 | 0 | 0 | 0 |
| FLEMINGTON BORO | 62 | 30 | 32 | 0 | 61 | 1 | 0 | 0 |
| FRANKLIN TWP | 24 | 12 | 12 | 0 | 24 | 0 | 0 | 0 |
| FRENCHTOWN BORO | 26 | 16 | 10 | 0 | 26 | 0 | 0 | 0 |
| GLEN GARDNER BORO | 9 | 5 | 4 | 0 | 9 | 0 | 0 | 0 |
| HAMPTON BORO | 15 | 10 | 5 | 0 | 15 | 0 | 0 | 0 |
| HIGH BRIDGE BORO | 18 | 8 | 10 | 0 | 18 | 0 | 0 | 0 |
| HOLLAND TWP | 23 | 9 | 14 | 0 | 23 | 0 | 0 | 0 |
| KINGWOOD TWP | 12 | 7 | 5 | 0 | 12 | 0 | 0 | 0 |
| LAMBERTVILLE CITY | 61 | 35 | 26 | 0 | 55 | 6 | 0 | 0 |
| LEBANON BORO | 7 | 4 | 3 | 0 | 7 | 0 | 0 | 0 |
| LEBANON TWP | 38 | 21 | 17 | 0 | 38 | 0 | 0 | 0 |
| MILFORD BORO | 25 | 14 | 11 | 0 | 25 | 0 | 0 | 0 |
| RARITAN TWP | 46 | 23 | 23 | 0 | 46 | 0 | 0 | 0 |
| READINGTON TWP | 61 | 35 | 26 | 0 | 59 | 2 | 0 | 0 |
| STOCKTON BORO | 10 | 7 | 3 | 0 | 10 | 0 | 0 | 0 |
| TEWKSBURY TWP | 25 | 14 | 11 | 0 | 25 | 0 | 0 | 0 |
| UNION TWP | 16 | 5 | 11 | 0 | 16 | 0 | 0 | 0 |
| WEST AMWELL TWP | 7 | 5 | 2 | 0 | 7 | 0 | 0 | 0 |
| *TOTAL HUNTERDON | 634 | 341 | 293 | 0 | 623 | 11 | 0 | 0 |

## TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MERCER COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| EAST WINDSOR TWP | 77 | 40 | 37 | 0 | 75 | 2 | 0 | 0 |
| EWING TWP | 260 | 145 | 115 | 0 | 233 | 27 | 0 | 0 |
| HAMILTON TWP | 725 | 389 | 336 | 0 | 705 | 20 | 0 | 0 |
| HIGHTSTOWN BORO | 54 | 27 | 27 | 0 | 47 | 7 | 0 | 0 |
| HOPEWELL BORO | 21 | 11 | 10 | 0 | 21 | 0 | 0 | 0 |
| HOPEWELL TWP | 53 | 28 | 25 | 0 | 52 | 1 | 0 | 0 |
| LAWRENCE TWP | 141 | 76 | 65 | 0 | 130 | 11 | 0 | 0 |
| PENNINGTON BORO | 32 | 12 | 20 | 0 | 30 | 2 | 0 | 0 |
| PRINCETON BORO | 138 | 70 | 68 | 0 | 122 | 15 | 1 | 0 |
| PRINCETON TWP | 62 | 30 | 32 | 0 | 46 | 14 | 2 | 0 |
| TRENTON CITY | 1210 | 685 | 525 | 0 | 830 | 380 | 0 | 0 |
| WASHINGTON TWP | 29 | 15 | 14 | 0 | 27 | 2 | 0 | 0 |
| WEST WINDSOR TWP | 51 | 33 | 18 | 0 | 49 | 0 | 2 | 0 |
| *TOTAL MERCER | 2853 | 1561 | 1292 | 0 | 2367 | 481 | 5 | 0 |

TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MIDDLESEX COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| CARTERET BORO | 206 | 116 | 90 | 0 | 201 | 5 | 0 | 0 |
| CRANBURY TWP | 33 | 21 | 12 | 0 | 32 | 1 | 0 | 0 |
| DUNELLEN BORO | 68 | 42 | 26 | 0 | 68 | 0 | 0 | 0 |
| EAST BRUNSWICK TWP | 210 | 104 | 106 | 0 | 205 | 2 | 3 | 0 |
| EDISON TWP | 453 | 257 | 196 | 0 | 439 | 12 | 2 | 0 |
| HELMETTA BORO | 14 | 8 | 6 | 0 | 13 | 1 | 0 | 0 |
| HIGHLAND PARK BORO | 109 | 58 | 51 | 0 | 104 | 5 | 0 | 0 |
| JAMESBURG BORO | 76 | 38 | 38 | 0 | 71 | 5 | 0 | 0 |
| METUCHEN BORO | 128 | 66 | 62 | 0 | 121 | 7 | 0 | 0 |
| MIDDLESEX BORO | 138 | 78 | 60 | 0 | 136 | 2 | 0 | 0 |
| MILLTOWN BORO | 68 | 37 | 31 | 0 | 68 | 0 | 0 | 0 |
| MONROE TWP | 76 | 46 | 30 | 0 | 73 | 3 | 0 | 0 |
| NEW BRUNSWICK CITY | 319 | 153 | 166 | 0 | 239 | 78 | 1 | 1 |
| NORTH BRUNSWICK TWP | 116 | 61 | 55 | 0 | 109 | 6 | 1 | 0 |
| OLD BRIDGE TWP | 259 | 138 | 121 | 0 | 255 | 3 | 1 | 0 |
| PERTH AMBOY CITY | 418 | 210 | 208 | 0 | 399 | 19 | 0 | 0 |
| PISCATAWAY TWP | 182 | 96 | 86 | 0 | 156 | 22 | 4 | 0 |
| PLAINSBORO TWP | 20 | 13 | 7 | 0 | 19 | 0 | 1 | 0 |
| SAYREVILLE BORO | 229 | 127 | 102 | 0 | 229 | 0 | 0 | 0 |
| SOUTH AMBOY CITY | 123 | 68 | 55 | 0 | 122 | 1 | 0 | 0 |
| SOUTH BRUNSWICK TWP | 81 | 37 | 44 | 0 | 71 | 8 | 2 | 0 |
| SOUTH PLAINFIELD BORO | 146 | 83 | 63 | 0 | 139 | 6 | 0 | 1 |
| SOUTH RIVER BORO | 137 | 77 | 60 | 0 | 134 | 3 | 0 | 0 |
| SPOTSWOOD BORO | 52 | 25 | 27 | 0 | 52 | 0 | 0 | 0 |
| WOODBRIDGE TWP | 651 | 367 | 284 | 0 | 641 | 7 | 2 | 1 |
| *TOTAL MIDDLESEX | 4312 | 2326 | 1986 | 0 | 4096 | 196 | 17 | 3 |

TABLE 15 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MONMOUTH COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ABERDEEN TWP | 92 | 50 | 42 | 0 | 83 | 9 | 0 | 0 |
| ALLENHURST BORO | 21 | 11 | 10 | 0 | 21 | 0 | 0 | 0 |
| ALLENTOWN BORO | 17 | 5 | 12 | 0 | 11 | 5 | 1 | 0 |
| ASBURY PARK CITY | 275 | 128 | 147 | 0 | 188 | 87 | 0 | 0 |
| ATLANTIC HIGHLANDS BORO | 55 | 24 | 31 | 0 | 48 | 7 | 0 | 0 |
| AVON-BY-THE-SEA BORO | 40 | 24 | 16 | 0 | 40 | 0 | 0 | 0 |
| BELMAR BORO | 85 | 42 | 43 | 0 | 80 | 5 | 0 | 0 |
| BRADLEY BEACH BORO | 64 | 31 | 33 | 0 | 63 | 1 | 0 | 0 |
| BRIELLE BORO | 47 | 19 | 28 | 0 | 45 | 2 | 0 | 0 |
| COLTS NECK TOWNSHIP | 46 | 24 | 22 | 0 | 43 | 2 | 1 | 0 |
| DEAL BORO | 17 | 11 | 6 | 0 | 17 | 0 | 0 | 0 |
| EATONTOWN BORO | 82 | 45 | 37 | 0 | 75 | 7 | 0 | 0 |
| ENGLISHTOWN BORO | 53 | 35 | 18 | 0 | 50 | 1 | 1 | 1 |
| FAIR HAVEN BORO | 45 | 23 | 22 | 0 | 42 | 3 | 0 | 0 |
| FARMINGDALE BORO | 22 | 12 | 10 | 0 | 21 | 1 | 0 | 0 |
| FREEHOLD BORO | 129 | 70 | 59 | 0 | 109 | 19 | 1 | 0 |
| FREEHOLD TWP | 103 | 61 | 42 | 0 | 96 | 5 | 1 | 1 |
| HAZLET TWP | 145 | 82 | 63 | 0 | 143 | 2 | 0 | 0 |
| HIGHLANDS BORO | 49 | 26 | 23 | 0 | 49 | 0 | 0 | 0 |
| HOLMDEL TWP | 30 | 15 | 15 | 0 | 30 | 0 | 0 | 0 |
| HOWELL TWP | 182 | 98 | 84 | 0 | 175 | 5 | 2 | 0 |
| INTERLAKEN BORO | 9 | 6 | 3 | 0 | 9 | 0 | 0 | 0 |
| KEANSBURG BORO | 130 | 78 | 52 | 0 | 130 | 0 | 0 | 0 |
| KEYPORT BORO | 102 | 49 | 53 | 0 | 95 | 6 | 1 | 0 |
| LITTLE SILVER BORO | 47 | 22 | 25 | 0 | 47 | 0 | 0 | 0 |
| LOCH ARBOUR VILLAGE | 4 | 1 | 3 | 0 | 4 | 0 | 0 | 0 |
| LONG BRANCH CITY | 317 | 162 | 155 | 0 | 277 | 40 | 0 | 0 |
| MANALAPAN TWP | 64 | 35 | 29 | 0 | 56 | 8 | 0 | 0 |
| MANASQUAN BORO | 104 | 57 | 47 | 0 | 104 | 0 | 0 | 0 |
| MARLBORO TWP | 70 | 38 | 32 | 0 | 70 | 0 | 0 | 0 |
| MATAWAN BORO | 116 | 58 | 58 | 0 | 108 | 7 | 1 | 0 |
| MIDDLETOWN TWP | 427 | 212 | 215 | 0 | 412 | 13 | 2 | 0 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MONMOUTH COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| MILLSTONE TWP | 23 | 16 | 7 | 0 | 22 | 1 | 0 | 0 |
| MONMOUTH BEACH BORO | 30 | 19 | 11 | 0 | 29 | 0 | 1 | 0 |
| NEPTUNE CITY BORO | 80 | 42 | 38 | 0 | 71 | 9 | 0 | 0 |
| NEPTUNE TWP | 340 | 148 | 192 | 0 | 256 | 82 | 2 | 0 |
| OCEAN TWP | 167 | 85 | 82 | 0 | 166 | 1 | 0 | 0 |
| OCEANPORT BORO | 36 | 16 | 20 | 0 | 36 | 0 | 0 | 0 |
| RED BANK BORO | 180 | 72 | 108 | 0 | 152 | 27 | 1 | 0 |
| ROOSEVELT BORO | 4 | 2 | 2 | 0 | 4 | 0 | 0 | 0 |
| RUMSON BORO | 66 | 35 | 31 | 0 | 56 | 0 | 0 | 0 |
| SEA BRIGHT BORO | 22 | 13 | 9 | 0 | 21 | 1 | 0 | 0 |
| SEA GIRT BORO | 45 | 23 | 22 | 0 | 45 | 0 | 0 | 0 |
| SHREWSBURY BORO | 23 | 12 | 11 | 0 | 23 | 0 | 0 | 0 |
| SHREWSBURY TWP | 15 | 6 | 9 | 0 | 10 | 5 | 0 | 0 |
| SOUTH BELMAR BORO | 17 | 9 | 8 | 0 | 13 | 4 | 0 | 0 |
| SPRING LAKE BORO | 68 | 33 | 35 | 0 | 67 | 1 | 0 | 0 |
| SPRING LAKE HEIGHTS BORO | 63 | 27 | 36 | 0 | 63 | 0 | 0 | 0 |
| TINTON FALLS BORO | 41 | 20 | 21 | 0 | 30 | 11 | 0 | 0 |
| UNION BEACH BORO | 62 | 33 | 29 | 0 | 61 | 0 | 1 | 0 |
| UPPER FREEHOLD TWP | 25 | 8 | 17 | 0 | 23 | 2 | 0 | 0 |
| WALL TWP | 162 | 93 | 69 | 0 | 151 | 0 | 0 | 1 |
| WEST LONG BRANCH BORO | 52 | 32 | 20 | 0 | 52 | 0 | 0 | 0 |
| *TOTAL MONMOUTH | 4510 | 2298 | 2212 | 0 | 4112 | 379 | 15 | 3 |

TABLE 15 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MORRIS COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BOONTON TOWN | 91 | 43 | 48 | 0 | 86 | 4 | 1 | 0 |
| BOONTON TWP | 37 | 17 | 20 | 0 | 37 | 0 | 0 | 0 |
| BUTLER BORO | 62 | 29 | 33 | 0 | 62 | 0 | 0 | 0 |
| CHATHAM BORO | 91 | 43 | 48 | 0 | 91 | 0 | 0 | 0 |
| CHATHAM TWP | 67 | 38 | 29 | 0 | 67 | 0 | 0 | 0 |
| CHESTER BORO | 10 | 9 | 1 | 0 | 10 | 0 | 0 | 0 |
| CHESTER TWP | 16 | 9 | 7 | 0 | 15 | 0 | 1 | 0 |
| DENVILLE TWP | 84 | 43 | 41 | 0 | 84 | 0 | 0 | 0 |
| DOVER TOWN | 146 | 75 | 71 | 0 | 142 | 4 | 0 | 0 |
| EAST HANOVER TWP | 49 | 26 | 23 | 0 | 49 | 0 | 0 | 0 |
| FLORHAM PARK BORO | 53 | 18 | 35 | 0 | 53 | 0 | 0 | 0 |
| HANOVER TWP | 64 | 33 | 31 | 0 | 64 | 0 | 0 | 0 |
| HARDING TWP | 27 | 13 | 14 | 0 | 27 | 0 | 0 | 0 |
| JEFFERSON TWP | 88 | 50 | 38 | 0 | 88 | 0 | 0 | 0 |
| KINNELON BORO | 38 | 25 | 13 | 0 | 38 | 0 | 0 | 0 |
| LINCOLN PARK BORO | 70 | 39 | 31 | 0 | 70 | 0 | 0 | 0 |
| MADISON BORO | 127 | 58 | 69 | 0 | 121 | 6 | 0 | 0 |
| MENDHAM BORO | 28 | 16 | 12 | 0 | 28 | 0 | 0 | 0 |
| MENDHAM TWP | 34 | 20 | 14 | 0 | 34 | 0 | 0 | 0 |
| MINE HILL TWP | 36 | 23 | 13 | 0 | 36 | 0 | 0 | 0 |
| MONTVILLE TWP | 81 | 43 | 38 | 0 | 77 | 2 | 2 | 0 |
| MORRIS PLAINS BORO | 58 | 32 | 26 | 0 | 58 | 0 | 0 | 0 |
| MORRIS TWP | 128 | 60 | 68 | 0 | 123 | 4 | 1 | 0 |
| MORRISTOWN TOWN | 218 | 93 | 125 | 0 | 191 | 26 | 1 | 0 |
| MOUNT ARLINGTON BORO | 19 | 11 | 8 | 0 | 19 | 0 | 0 | 0 |
| MOUNT OLIVE TWP | 73 | 43 | 30 | 0 | 73 | 0 | 0 | 0 |
| MOUNTAIN LAKES BORO | 20 | 10 | 10 | 0 | 19 | 0 | 0 | 1 |
| NETCONG BORO | 26 | 11 | 15 | 0 | 26 | 0 | 0 | 0 |
| PARSIPPANY-TROY HILLS TWP | 254 | 138 | 116 | 0 | 250 | 2 | 2 | 0 |
| PASSAIC TWP | 42 | 24 | 18 | 0 | 42 | 0 | 0 | 0 |
| PEQUANNOCK TWP | 78 | 42 | 36 | 0 | 78 | 0 | 0 | 0 |
| RANDOLPH TWP | 72 | 42 | 30 | 0 | 71 | 1 | 0 | 0 |

TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MORRIS COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| RIVERDALE BORO | 27 | 18 | 9 | 0 | 27 | 0 | 0 | 0 |
| ROCKAWAY BORO | 68 | 47 | 21 | 0 | 68 | 0 | 0 | 0 |
| ROCKAWAY TWP | 73 | 38 | 35 | 0 | 71 | 1 | 1 | 0 |
| ROXBURY TWP | 90 | 54 | 36 | 0 | 89 | 0 | 1 | 0 |
| VICTORY GARDENS BORO | 3 | 3 | 0 | 0 | 2 | 1 | 0 | 0 |
| WASHINGTON TWP | 49 | 19 | 30 | 0 | 49 | 0 | 0 | 0 |
| WHARTON BORO | 61 | 27 | 34 | 0 | 61 | 0 | 0 | 0 |
| *TOTAL MORRIS | 2658 | 1382 | 1275 | 0 | 2596 | 51 | 10 | 1 |

TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

OCEAN COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BARNEGAT LIGHT BORO | 19 | 11 | 8 | 0 | 19 | 0 | 0 | 0 |
| BARNEGAT TWP | 56 | 32 | 24 | 0 | 53 | 3 | 0 | 0 |
| BAY HEAD BORO | 23 | 10 | 13 | 0 | 23 | 0 | 0 | 0 |
| BEACH HAVEN BORO | 24 | 12 | 12 | 0 | 24 | 0 | 0 | 0 |
| BEACHWOOD BORO | 57 | 36 | 21 | 0 | 57 | 0 | 0 | 0 |
| BERKELEY TWP | 266 | 162 | 104 | 0 | 264 | 2 | 0 | 0 |
| BRICK TWP | 538 | 277 | 261 | 0 | 536 | 0 | 1 | 1 |
| DOVER TWP | 694 | 404 | 290 | 0 | 690 | 3 | 1 | 0 |
| EAGLESWOOD TWP | 14 | 8 | 6 | 0 | 14 | 0 | 0 | 0 |
| HARVEY CEDARS BORO | 7 | 3 | 4 | 0 | 7 | 0 | 0 | 0 |
| ISLAND HEIGHTS BORO | 14 | 4 | 10 | 0 | 14 | 0 | 0 | 0 |
| JACKSON TWP | 200 | 109 | 91 | 0 | 193 | 6 | 1 | 0 |
| LACEY TWP | 148 | 90 | 58 | 0 | 148 | 0 | 0 | 0 |
| LAKEHURST BORO | 99 | 60 | 39 | 0 | 94 | 5 | 0 | 0 |
| LAKEWOOD TWP | 537 | 281 | 256 | 0 | 499 | 34 | 2 | 2 |
| LAVALLETTE BORO | 39 | 16 | 23 | 0 | 39 | 0 | 0 | 0 |
| LITTLE EGG HARBOR TWP | 55 | 30 | 25 | 0 | 54 | 1 | 0 | 0 |
| LONG BEACH TWP | 42 | 22 | 20 | 0 | 42 | 0 | 0 | 0 |
| MANCHESTER TWP | 436 | 236 | 200 | 0 | 436 | 0 | 0 | 0 |
| MANTOLOKING BORO | 16 | 11 | 5 | 0 | 16 | 0 | 0 | 0 |
| OCEAN GATE BORO | 20 | 11 | 9 | 0 | 20 | 0 | 0 | 0 |
| OCEAN TWP | 58 | 38 | 20 | 0 | 58 | 0 | 0 | 0 |
| PINE BEACH BORO | 25 | 12 | 13 | 0 | 25 | 0 | 0 | 0 |
| PLUMSTED TWP | 31 | 19 | 12 | 0 | 30 | 1 | 0 | 0 |
| POINT PLEASANT BEACH BORO | 92 | 46 | 46 | 0 | 91 | 1 | 0 | 0 |
| POINT PLEASANT BORO | 232 | 117 | 115 | 0 | 231 | 1 | 0 | 0 |
| SEASIDE HEIGHTS BORO | 27 | 18 | 9 | 0 | 27 | 0 | 0 | 0 |
| SEASIDE PARK BORO | 23 | 13 | 10 | 0 | 22 | 1 | 0 | 0 |
| SHIP BOTTOM BORO | 25 | 10 | 15 | 0 | 25 | 0 | 0 | 0 |
| SOUTH TOMS RIVER BORO | 28 | 16 | 12 | 0 | 24 | 4 | 0 | 0 |
| STAFFORD TWP | 91 | 56 | 35 | 0 | 91 | 0 | 0 | 0 |
| SURF CITY BORO | 12 | 8 | 4 | 0 | 12 | 0 | 0 | 0 |
| TUCKERTON BORO | 71 | 29 | 42 | 0 | 71 | 0 | 0 | 0 |
| *TOTAL OCEAN | 4019 | 2207 | 1812 | 0 | 3949 | 62 | 5 | 3 |

**TABLE 15 (Cont.)**

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

PASSAIC COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BLOOMINGDALE BORO | 51 | 24 | 27 | 0 | 50 | 0 | 0 | 1 |
| CLIFTON CITY | 828 | 422 | 406 | 0 | 822 | 2 | 1 | 3 |
| HALEDON BORO | 77 | 40 | 37 | 0 | 77 | 0 | 0 | 0 |
| HAWTHORNE BORO | 208 | 104 | 104 | 0 | 208 | 0 | 0 | 0 |
| LITTLE FALLS TWP | 105 | 62 | 43 | 0 | 103 | 1 | 1 | 0 |
| NORTH HALEDON BORO | 78 | 40 | 38 | 0 | 77 | 0 | 1 | 0 |
| PASSAIC CITY | 530 | 282 | 248 | 0 | 457 | 72 | 0 | 1 |
| PATERSON CITY | 1266 | 706 | 560 | 0 | 981 | 278 | 6 | 1 |
| POMPTON LAKES BORO | 101 | 53 | 48 | 0 | 101 | 0 | 0 | 0 |
| PROSPECT PARK BORO | 60 | 22 | 38 | 0 | 60 | 0 | 0 | 0 |
| RINGWOOD BORO | 64 | 32 | 32 | 0 | 62 | 2 | 0 | 0 |
| TOTOWA BORO | 117 | 65 | 52 | 0 | 115 | 2 | 0 | 0 |
| WANAQUE BORO | 50 | 29 | 21 | 0 | 49 | 0 | 1 | 0 |
| WAYNE TWP | 321 | 156 | 165 | 0 | 319 | 2 | 0 | 0 |
| WEST MILFORD TWP | 135 | 86 | 49 | 0 | 131 | 2 | 2 | 0 |
| WEST PATERSON BORO | 93 | 52 | 41 | 0 | 92 | 1 | 0 | 0 |
| *TOTAL PASSAIC | 4084 | 2175 | 1909 | 0 | 3704 | 362 | 12 | 6 |

TABLE 15 (Cont.)
RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

SALEM COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ALLOWAY TWP | 21 | 13 | 8 | 0 | 18 | 3 | 0 | 0 |
| CARNEYS POINT TWP | 55 | 29 | 26 | 0 | 51 | 3 | 1 | 0 |
| ELMER BORO | 37 | 19 | 18 | 0 | 37 | 0 | 0 | 0 |
| ELSINBORO TWP | 5 | 3 | 2 | 0 | 5 | 0 | 0 | 0 |
| LOWER ALLOWAY CREEK TWP | 19 | 10 | 9 | 0 | 19 | 0 | 0 | 0 |
| MANNINGTON TWP | 10 | 5 | 5 | 0 | 6 | 4 | 0 | 0 |
| OLDMANS TWP | 19 | 9 | 10 | 0 | 17 | 2 | 0 | 0 |
| PENNS GROVE BORO | 93 | 50 | 43 | 0 | 69 | 24 | 0 | 0 |
| PENNSVILLE TWP | 93 | 59 | 34 | 0 | 92 | 0 | 1 | 0 |
| PILESGROVE TWP | 20 | 9 | 11 | 0 | 15 | 4 | 0 | 1 |
| PITTSGROVE TWP | 31 | 24 | 7 | 0 | 26 | 5 | 0 | 0 |
| QUINTON TWP | 15 | 9 | 6 | 0 | 8 | 7 | 0 | 0 |
| SALEM CITY | 110 | 61 | 49 | 0 | 63 | 47 | 0 | 0 |
| UPPER PITTSGROVE TWP | 20 | 8 | 12 | 0 | 17 | 3 | 0 | 0 |
| WOODSTOWN BORO | 39 | 24 | 15 | 0 | 31 | 8 | 0 | 0 |
| *TOTAL SALEM | 587 | 332 | 255 | 0 | 474 | 110 | 2 | 1 |

TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

SOMERSET COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BEDMINSTER TWP | 19 | 15 | 4 | 0 | 19 | 0 | 0 | 0 |
| BERNARDS TWP | 68 | 31 | 37 | 0 | 68 | 0 | 0 | 0 |
| BERNARDSVILLE BORO | 52 | 32 | 20 | 0 | 52 | 0 | 0 | 0 |
| BOUND BROOK BORO | 84 | 43 | 41 | 0 | 84 | 0 | 0 | 0 |
| BRANCHBURG TWP | 32 | 21 | 11 | 0 | 32 | 0 | 0 | 0 |
| BRIDGEWATER TWP | 186 | 88 | 98 | 0 | 184 | 1 | 1 | 0 |
| FAR HILLS BORO | 11 | 7 | 4 | 0 | 11 | 0 | 0 | 0 |
| FRANKLIN TWP | 190 | 96 | 94 | 0 | 159 | 20 | 1 | 0 |
| GREEN BROOK TWP | 21 | 14 | 7 | 0 | 21 | 0 | 0 | 0 |
| HILLSBOROUGH TWP | 50 | 30 | 20 | 0 | 50 | 0 | 0 | 0 |
| MANVILLE BORO | 82 | 42 | 40 | 0 | 81 | 1 | 0 | 0 |
| MILLSTONE BORO | 4 | 3 | 1 | 0 | 4 | 0 | 0 | 0 |
| MONTGOMERY TWP | 62 | 42 | 20 | 0 | 61 | 1 | 0 | 0 |
| NORTH PLAINFIELD BORO | 150 | 81 | 69 | 0 | 148 | 2 | 0 | 0 |
| PEAPACK-GLADSTONE BORO | 21 | 11 | 10 | 0 | 21 | 0 | 0 | 0 |
| RARITAN BORO | 58 | 28 | 30 | 0 | 57 | 1 | 0 | 0 |
| ROCKY HILL BORO | 2 | 1 | 1 | 0 | 1 | 1 | 0 | 0 |
| SOMERVILLE BORO | 135 | 67 | 68 | 0 | 124 | 11 | 0 | 0 |
| SOUTH BOUND BROOK BORO | 28 | 20 | 8 | 0 | 25 | 3 | 0 | 0 |
| WARREN TWP | 56 | 30 | 26 | 0 | 56 | 0 | 0 | 0 |
| WATCHUNG BORO | 37 | 13 | 24 | 0 | 37 | 0 | 0 | 0 |
| *TOTAL SOMERSET | 1333 | 715 | 623 | 0 | 1295 | 41 | 2 | 0 |

TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

SUSSEX COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ANDOVER BORO | 12 | 6 | 6 | 0 | 12 | 0 | 0 | 0 |
| ANDOVER TWP | 21 | 11 | 10 | 0 | 21 | 0 | 0 | 0 |
| BRANCHVILLE BORO | 28 | 15 | 13 | 0 | 28 | 0 | 0 | 0 |
| BYRAM TWP | 23 | 18 | 5 | 0 | 23 | 0 | 0 | 0 |
| FRANKFORD TWP | 26 | 8 | 18 | 0 | 26 | 0 | 0 | 0 |
| FRANKLIN BORO | 39 | 23 | 16 | 0 | 39 | 0 | 0 | 0 |
| FREDON TWP | 14 | 6 | 8 | 0 | 14 | 0 | 0 | 0 |
| GREEN TWP | 6 | 3 | 3 | 0 | 6 | 0 | 0 | 0 |
| HAMBURG BORO | 21 | 15 | 6 | 0 | 20 | 0 | 0 | 1 |
| HAMPTON TWP | 13 | 3 | 10 | 0 | 13 | 0 | 0 | 0 |
| HARDYSTON TWP | 26 | 16 | 10 | 0 | 26 | 0 | 0 | 0 |
| HOPATCONG BORO | 68 | 46 | 22 | 0 | 67 | 0 | 0 | 1 |
| LAFAYETTE TWP | 15 | 10 | 5 | 0 | 15 | 0 | 0 | 0 |
| MONTAGUE TWP | 11 | 8 | 3 | 0 | 11 | 0 | 0 | 0 |
| NEWTON TOWN | 110 | 51 | 59 | 0 | 107 | 1 | 2 | 0 |
| OGDENSBURG BORO | 14 | 8 | 6 | 0 | 14 | 0 | 0 | 0 |
| SANDYSTON TWP | 12 | 9 | 3 | 0 | 12 | 0 | 0 | 0 |
| SPARTA TWP | 86 | 48 | 38 | 0 | 86 | 0 | 0 | 0 |
| STANHOPE BORO | 30 | 13 | 17 | 0 | 29 | 0 | 1 | 0 |
| STILLWATER TWP | 26 | 12 | 14 | 0 | 25 | 1 | 0 | 0 |
| SUSSEX BORO | 35 | 16 | 19 | 0 | 33 | 2 | 0 | 0 |
| VERNON TWP | 55 | 29 | 26 | 0 | 54 | 0 | 1 | 0 |
| WANTAGE TWP | 45 | 27 | 18 | 0 | 45 | 0 | 0 | 0 |
| *TOTAL SUSSEX | 736 | 401 | 335 | 0 | 726 | 4 | 4 | 2 |

## TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

UNION COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| BERKELEY HEIGHTS TWP | 69 | 29 | 40 | 0 | 69 | 0 | 0 | 0 |
| CLARK TWP | 117 | 59 | 58 | 0 | 116 | 1 | 0 | 0 |
| CRANFORD TWP | 196 | 105 | 91 | 0 | 192 | 12 | 1 | 1 |
| ELIZABETH CITY | 1117 | 584 | 533 | 0 | 973 | 143 | 1 | 0 |
| FANWOOD BORO | 38 | 19 | 19 | 0 | 37 | 1 | 0 | 0 |
| GARWOOD BORO | 35 | 20 | 15 | 0 | 34 | 0 | 0 | 1 |
| HILLSIDE TWP | 188 | 100 | 88 | 0 | 171 | 17 | 0 | 0 |
| KENILWORTH BORO | 70 | 40 | 30 | 0 | 68 | 2 | 0 | 0 |
| LINDEN CITY | 377 | 193 | 184 | 0 | 331 | 45 | 1 | 0 |
| MOUNTAINSIDE BORO | 54 | 34 | 20 | 0 | 54 | 0 | 0 | 0 |
| NEW PROVIDENCE BORO | 75 | 40 | 35 | 0 | 75 | 0 | 0 | 0 |
| PLAINFIELD CITY | 392 | 187 | 205 | 0 | 233 | 157 | 0 | 2 |
| RAHWAY CITY | 248 | 135 | 113 | 0 | 214 | 33 | 1 | 0 |
| ROSELLE BORO | 235 | 113 | 122 | 0 | 186 | 48 | 1 | 0 |
| ROSELLE PARK BORO | 156 | 85 | 71 | 0 | 154 | 2 | 0 | 0 |
| SCOTCH PLAINS TWP | 143 | 68 | 75 | 0 | 128 | 15 | 0 | 0 |
| SPRINGFIELD TWP | 143 | 77 | 66 | 0 | 136 | 7 | 0 | 0 |
| SUMMIT CITY | 231 | 117 | 114 | 0 | 214 | 17 | 0 | 0 |
| UNION TWP | 563 | 288 | 275 | 0 | 529 | 34 | 0 | 0 |
| WESTFIELD TOWN | 242 | 120 | 122 | 0 | 223 | 18 | 1 | 0 |
| WINFIELD TWP | 26 | 14 | 12 | 0 | 26 | 0 | 0 | 0 |
| *TOTAL UNION | 4715 | 2427 | 2288 | 0 | 4153 | 552 | 6 | 4 |

TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

WARREN COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ALLAMUCHY TWP | 15 | 8 | 7 | 0 | 15 | 0 | 0 | 0 |
| ALPHA BORO | 28 | 18 | 10 | 0 | 28 | 0 | 0 | 0 |
| BELVIDERE TOWN | 37 | 17 | 20 | 0 | 37 | 0 | 0 | 0 |
| BLAIRSTOWN TWP | 43 | 21 | 22 | 0 | 43 | 0 | 0 | 0 |
| FRANKLIN TWP | 23 | 12 | 11 | 0 | 23 | 0 | 0 | 0 |
| FRELINGHUYSEN TWP | 4 | 3 | 1 | 0 | 4 | 0 | 0 | 0 |
| GREENWICH TWP | 11 | 7 | 4 | 0 | 11 | 0 | 0 | 0 |
| HACKETTSTOWN TOWN | 83 | 33 | 50 | 0 | 83 | 0 | 0 | 0 |
| HARDWICK TWP | 4 | 4 | 0 | 0 | 4 | 0 | 0 | 0 |
| HARMONY TWP | 5 | 4 | 1 | 0 | 5 | 0 | 0 | 0 |
| HOPE TWP | 5 | 1 | 4 | 0 | 5 | 0 | 0 | 0 |
| INDEPENDENCE TWP | 20 | 13 | 7 | 0 | 20 | 0 | 0 | 0 |
| KNOWLTON TWP | 14 | 7 | 7 | 0 | 14 | 0 | 0 | 0 |
| LIBERTY TWP | 5 | 4 | 1 | 0 | 5 | 0 | 0 | 0 |
| LOPATCONG TWP | 31 | 22 | 9 | 0 | 31 | 0 | 0 | 0 |
| MANSFIELD TWP | 30 | 18 | 12 | 0 | 25 | 5 | 0 | 0 |
| OXFORD TWP | 21 | 10 | 11 | 0 | 21 | 0 | 0 | 0 |
| PHILLIPSBURG TOWN | 249 | 132 | 117 | 0 | 244 | 5 | 0 | 0 |
| POHATCONG TWP | 14 | 10 | 4 | 0 | 14 | 0 | 0 | 0 |
| WASHINGTON BORO | 75 | 45 | 30 | 0 | 72 | 3 | 0 | 0 |
| WASHINGTON TWP | 29 | 19 | 10 | 0 | 28 | 1 | 0 | 0 |
| WHITE TWP | 10 | 6 | 4 | 0 | 10 | 0 | 0 | 0 |
| *TOTAL WARREN | 756 | 414 | 342 | 0 | 742 | 14 | 0 | 0 |

## TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

STATE INST COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| ANCORA STATE HOSPITAL ANC | 3 | 1 | 2 | 0 | 3 | 0 | 0 | 0 |
| HUNTERDON STATE SCHOOL | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 |
| N J ST COLONY MALES NEW L | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 |
| N J ST HOSP GREYSTONE | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 |
| N J ST HOSP MARLBORO | 2 | 1 | 1 | 0 | 1 | 1 | 0 | 0 |
| N J ST HOSP TRENTON | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| N J ST NEURO PSYCHIATRIC | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 |
| N J ST SCHOOL VINELAND | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 |
| N J ST SOLDIERS HOME VINE | 5 | 4 | 1 | 0 | 5 | 0 | 0 | 0 |
| *TOTAL STATE INST | 21 | 13 | 8 | 0 | 20 | 1 | 0 | 0 |



## TABLE 15 (Cont.)

RESIDENT DEATHS OF THE STATE OF NEW JERSEY
BY PLACE OF RESIDENCE, BY SEX, BY RACE
1979

MILITARY COUNTY

| RESIDENCE | TOTAL | SEX | | | RACE | | | |
|---|---|---|---|---|---|---|---|---|
| | | MALE | FEMALE | UNKN | WHITE | BLACK | OTHER | UNKN |
| FORT DIX | 11 | 9 | 2 | 0 | 2 | 9 | 0 | 0 |
| FORT MONMOUTH | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| MCGUIRE AIR BASE FORT DIX | 9 | 7 | 2 | 0 | 8 | 0 | 0 | 1 |
| N J ST VETS ADM HOSP LYON | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 |
| NAVAL AIR STATION LAKEHUR | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| VETERANS HOSPITAL EAST OR | 3 | 3 | 0 | 0 | 3 | 0 | 0 | 0 |
| *TOTAL MILITARY | 27 | 22 | 5 | 0 | 17 | 9 | 0 | 1 |

## APPENDIX

### Comparability of Cause of Death Data, Eighth and Ninth Revision International Classification of Diseases

The introduction of the Ninth Revision International Classification of Diseases (ICD-9) for 1979 mortality data has changed the major categories of diseases in both title and content. Since the categories in ICD-9 (1979) differ from those under ICD-8 (1978) a measure of similarity is needed for comparisons. The comparability ratio developed by the U.S. Department of Health, Education, and Welfare, Public Health Service, is one such measure. For the national study, comparability ratios were based on all deaths in 1976 coded according to the Eighth Revision and a sample of these same 1976 deaths coded according to the Ninth Revision.

The comparability ratio is a fraction for which the denominator of a ratio for any particular cause is the number of deaths in 1976 assigned to that cause in accordance with the Eighth Revision; and the numerator is the estimate of the number of deaths in 1976 assigned to the comparable cause in accordance with the Ninth Revision. The numerators for these ratios were based on stratified random samples of death certificates from the National Center for Health Statistics' data file.

A comparability ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause or combination of causes whether the Eighth or Ninth Revision was used. However, ratio showing perfect correspondence does not necessarily mean that the cause was unaffected by changes in classification and coding procedures because the changes may compensate for each other.

Usually a ratio of less than 1.00 results from one of two situations: (1) a decrease in assignments of deaths to a cause in the Ninth Revision compared to the Eighth or (2) the cause as described in the Ninth Revision is only a part of the Eighth Revision title with which it is compared.

Most frequently a ratio greater than 1.00 results from either: (1) An increase in assignments of deaths to a cause in the Ninth Revision compared to a comparable Eighth Revision Cause, or (2) the Ninth Revision title is broader than the Eighth Revision title with which it is compared.

The ratios are intended to measure the degree of discontinuity between data tabulated by the cause lists published under the Ninth Revision and data tabulated by the most nearly comparable cause lists published under the Eighth Revision.

APPENDIX

COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHT REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

| Cause of death (Ninth Revision of the International Classification of Diseases, 1975) | Estimated comparability ratio[1] |
|---|---|
| Shigellosis and amebiasis....004,006 | 0.9818 |
| Certain other intestinal infections....007-009 | 0.1821 |
| Tuberculosis....010-018 | 0.7668 |
| Tuberculosis of respiratory system....010-012 | 0.8429 |
| Other tuberculosis....013-018 | 0.5077 |
| Whooping cough....033 | 0.8571 |
| Streptococcal sore throat, scarlatina, and erysipelas....034-035 | 1.4286 |
| Meningococcal infection....036 | 0.9788 |
| Septicemia....038 | 0.8500 |
| Acute poliomyelitis....045 | 0.5000 |
| Measles....055 | 0.9167 |
| Viral hepatitis....070 | 1.3986 |
| Syphilis....090-097 | 1.0089 |
| All other infectious and parasitic diseases....001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139 | 1.0321 |
| Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues....140-208 | 1.0026 |
| Malignant neoplasms of lip, oral cavity, and pharynx....140-149 | 1.0117 |
| Malignant neoplasms of digestive organs and peritoneum....150-159 | 1.0330 |
| Malignant neoplasms of respiratory and intrathoracic organs....160-165 | 1.0007 |
| Malignant neoplasm of breast....174-175 | 1.0089 |
| Malignant neoplasms of genital organs....179-187 | 1.0111 |
| Malignant neoplasms of urinary organs....188-189 | 0.9924 |
| Malignant neoplasms of all other and unspecified sites....170-173,190-199 | 0.9557 |
| Leukemia....204-208 | 1.0070 |
| Other malignant neoplasms of lymphatic and hematopoietic tissues....200-203 | 0.9385 |
| Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature....210-239 | 1.2085 |
| Diabetes mellitus....250 | 0.9991 |
| Nutritional deficiencies....260-269 | 0.7167 |
| Anemias....280-285 | 0.9296 |
| Meningitis....320-322 | 0.9459 |
| Major cardiovascular diseases....390-448 | 1.0069 |
| Diseases of heart....390-398,402,404-429 | 1.0126 |
| Rheumatic fever and rheumatic heart disease....390-398 | 0.6648 |
| Hypertensive heart disease....402 | 3.3022 |
| Hypertensive heart and renal disease....404 | 1.2119 |
| Ischemic heart disease....410-414 | 0.8784 |
| Acute myocardial infarction....410 | 1.0003 |
| Other acute and subacute forms of ischemic heart disease....411 | 1.2224 |
| Angina pectoris....413 | 1.0484 |
| Old myocardial infarction and other forms of chronic ischemic heart disease....412,414 | 0.7533 |
| Other diseases of endocardium....424 | 1.2286 |
| All other forms of heart disease....415-423,425-429 | 2.5035 |
| Hypertension with or without renal disease....401,403 | 1.2703 |
| Cerebrovascular diseases....430-438 | 1.0049 |
| Intracerebral and other intracranial hemorrhage....431-432 | 0.9969 |
| Cerebral thrombosis and unspecified occlusion of cerebral arteries....434.0,434.9 | 1.0340 |
| Cerebral embolism....434.1 | 1.1211 |
| All other and late effects of cerebrovascular diseases....430,433,435-438 | 0.9948 |
| Atherosclerosis....440 | 1.0649 |
| Other diseases of arteries, arterioles, and capillaries....441-448 | 0.7409 |

See footnotes at end of table.

APPENDIX (cont.)

COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHT REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

| Cause of death (Ninth Revision of the International Classification of Diseases, 1975) | Estimated comparability ratio[1] |
|---|---|
| Acute bronchitis and bronchiolitis....466 | 0.8888 |
| Pneumonia and influenza....480-487 | 0.9264 |
| Pneumonia....480-486 | 0.9199 |
| Influenza....487 | 0.9714 |
| Chronic obstructive pulmonary diseases and allied conditions....490-496 | 1.8846 |
| Bronchitis, chronic and unspecified....490-491 | 0.9383 |
| Emphysema....492 | 0.9770 |
| Asthma....493 | 1.3544 |
| Other chronic obstructive pulmonary diseases and allied conditions....494-496 | 1.0054[2] |
| Ulcer of stomach and duodenum....531-533 | 1.1192 |
| Appendicitis....540-543 | 1.0080 |
| Hernia of abdominal cavity and intestinal obstruction without mention of hernia....550-553,560 | 0.9432 |
| Chronic liver disease and cirrhosis....571 | 1.0110 |
| Cholelithiasis and other disorders of gallbladder....574-575 | 1.0494 |
| Nephritis, nephrotic syndrome, and nephrosis....580-589 | 1.7397 |
| Acute glomerulonephritis and nephrotic syndrome....580-581 | 0.2422 |
| Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified....582-583,587 | 0.4954 |
| Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause....584-586,588-589 | 1.6327 |
| Infections of kidney....590 | 0.9878 |
| Hyperplasia of prostate....600 | 1.0232 |
| Complications of pregnancy, childbirth, and the puerperium....630-676 | 1.1000 |
| Pregnancy with abortive outcome....630-638 | 3.8125 |
| Other complications of pregnancy, childbirth, and the puerperium....640-676 | 0.9840 |
| Congenital anomalies....740-759 | 0.9984 |
| Certain conditions originating in the perinatal period....760-779 | 1.0765 |
| Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome....767-769 | 0.7483 |
| Other conditions originating in the perinatal period....760-766,770-779 | 1.4639 |
| Symptoms, signs, and ill-defined conditions....780-799 | 0.9102 |
| All other diseases....Residual | 0.7786 |
| Accidents and adverse effects....E800-E949 | 0.9970 |
| Motor vehicle accidents....E810-E825 | 1.0117 |
| All other accidents and adverse effects....E800-E807,E826-E949 | 0.9841 |
| Suicide....E950-E959 | 1.0032 |
| Homicide and legal intervention....E960-E978 | 1.0057 |
| All other external causes....E980-E999 | 0.9675 |

[1]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2]Comparability Ratio not based on sample data.

## DEFINITIONS

Age-Specific Mortality Rate - the number of deaths of persons of a given age group per 100,000 estimated persons in that age group usually expressed as an annual rate.

Cause Group - a summary of deaths resulting from, or cases of, related diseases as defined by the International Classification of Diseases Adapted For Use in the United States, published by the U. S. Department of Health, Education, and Welfare; usually specified by a series of 3-digit codes i.e. 140-208 - malignant neoplasms.

Estimated Population - the estimated number of persons in a given group based on the latest census data and adjusted for annual births, annual deaths and net migration.

Fetal Death - a death prior to complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy also known as a stillbirth. The death of an infant that has breathed or shown other evidence of life, no matter for how short a period, should be reported as a live birth and an infant death.

Fetal Death Rates - the number of fetal deaths occurring in the twentieth week of gestation or later (required by law to be registered as fetal deaths) per 1,000 live births, usually expressed as an annual rate.

Infant Death - the death of a baby under one year of age, no matter how short a period a time the baby breathed or shown other evidence of life.

Infant Mortality Rate - the number of infant deaths per 1,000 live births, usually expressed as an annual rate.

ICD 9 Code - a listing of disease classifications known as the "Ninth Revision International Classification of Diseases Adapted For Use in the United States", published by the United States Department of Health, Education, and Welfare, used in the statistical coding and tabulation of specific disease morbidity and mortality.

Maternal Death - a death of a woman occurring during the period of pregnancy or following delivery of the infant and related to the pregnancy or delivery of the infant.

Maternal Mortality Rate - the number of maternal deaths per 10,000 live births, usually expressed as an annual rate.

Mortality - the number of deaths.

Neonatal - of, relating to, or affecting the newborn and especially the human infant during the first month of life.

Neonatal Mortality Rate - as used in this text, the number of deaths of infants under 28 days of age per 1,000 live births, per year.

Perinatal - of, relating to, or affecting the fetus and the newborn, especially the human infant during the first month of life.

Perinatal Mortality Rate - the number of deaths of infants less than 28 days of age, and registered fetal deaths per 1,000 live births plus registered fetal deaths.

Race-Specific Mortality Rate - the number of deaths in a given ethnic group per 100,000 estimated population in that ethnic group.

Sex-Specific Mortality Rate - the number of deaths of males/females per 100,000 estimated males/females in the population.

S5405-1.4

TABLE OF CONTENTS


| | |
|---|---|
| Index | i |
| Introduction | ii |
| Selected Characteristics | E-1 |
| Tables | E-4 |
| Definitions | E-11 |


# ABORTION

# 1979

NEW JERSEY STATE DEPARTMENT OF HEALTH
HEALTH PLANNTNG AND RESOURCEES DEVELOPMENT
HEALTH DATA SERVICES
VS10 - 8106

## ABORTION DATA INDEX


| | Page |
|---|---|
| Age | E-5 E-7 E-8 E-9 E-10 |
| Facility | E-6 E-8 |
| Gestation | E-6 E-8 E-9 |
| Marital Status | E-5 E-8 E-10 |
| Previous Number of Abortions | E-6 |
| Prior Live Births | E-5 |
| Procedures | E-6 E-9 |
| Race | E-5 E-7 E-8 E-10 |
| Residence | E-5 E-7 |

## INTRODUCTION

In 1975 a regulation (NJAC 8:40-4.3 and 8:40-5.1) was enacted requiring the New Jersey State Department of Health to collect data on induced abortions performed in hospitals and licensed outpatient abortion facilities. The regulation defines "abortion" to mean the expulsion or removal from the uterus of the products of conception (the embryo or nonviable fetus). As used in this report, the term abortion applies from the moment of conception up to and including the 20th menstrual week of gestation, and those terminations after the 20th menstrual week which are intended to produce a nonviable fetus.

The Department in cooperation with the State Board of Medical Examiners, the New Jersey Obstetrical and Gynecological Society, and the Medical Society of New Jersey adopted the following guidelines made necessary by the United States Supreme Court's decision regarding abortions. The guidelines provide that first trimester abortions (first 12 weeks of gestation) may be performed on an ambulatory basis by qualified physicians operating in their private offices and that family planning services must be made available to patients upon request. Second and third trimester pregnancies (13 or more weeks of gestation) may be performed only in hospitals. Third trimester abortions are allowed only to preserve the life or health of the mother, or where it has been determined late in pregnancy that there is a nonviable or deformed fetus incapable of extrauterine survival.

The Department collects data on induced abortions performed in all licensed abortion facilities in the State but does not provide a vehicle to collect induced abortions performed by physicians operating within their private offices.

Abortions performed in hospitals and licensed outpatient abortion facilities must be reported to the Department on a Monthly Abortion/Induced Pregnancy Termination Report within 10 days after the close of the month the procedure was performed. The form is designed to provide data which can serve as a basic resource for health professional decisions relating to abortions, in planning abortion services and in providing family planning services. The form includes basic information about age, marital status, municipality of residence, race, prior number of pregnancies and prior live births. Clinical information is limited to gestation period at termination and method of termination. Patients names are never divulged and therefore no record is personally identifiable.

Since the initiation of the abortion reporting mechanism in 1975, the number of reports received by the New Jersey Department of Health has risen substantially. This report presents the tabulated results of all 1979 data collected by the Department. Data for years prior to 1979 are incomplete due to underreporting.

Induced Abortions Reported in New Jersey, 1979, is the first report containing data for induced abortions occurring in licensed facilities in the State. The information presented in the report includes a narrative summary regarding the county and facility where the abortion was performed, as well as characteristics of the women obtaining abortions in New Jersey. Tables and charts are included to illustrate these summary data. Data for this report came from information provided to the Department on report forms completed by medical record clerks or nursing personnel at the site where the abortion was performed.

In compliance with the New Jersey law, every physician performing an inducted abortion in a licensed facility in the State was required to report the procedure to the Department, within 10 days after the close of the month the abortion was performed, on forms provided by the Department. These forms were processed monthly and a yearly summary report was compiled.

The statistics presented in this report are for induced abortions occurring in New Jersey licensed facilities only. Data can be obtained for residents obtaining abortions in other states from the National Center for Disease Control.

## Selected Characteristics

In 1979, a woman who obtained an induced abortion in New Jersey tended to be young, white, single, childless, a resident of the State and early in pregnancy at the time of the procedure. Women less than 25 years of age accounted for 60.5 percent of the induced abortions performed. 64.4 percent were white and 71.5 percent were unmarried. Over 50 percent had no living children and 90.8 percent of the women underwent abortions during the first 12 weeks of gestation. Sharp and suction curettage were the procedures most commonly used in over 90 percent of the induced abortion cases. An abortion clinic was the primary type of facility used in 1979, accounting for 71.4 percent of all induced abortions performed.

### Age

Of the 24,714 abortions recorded the largest percentage (33.7) were performed on women between the ages 20-24 years with 25.9 percent of abortions being received by women between 15-19 years of age. Less than one percent of the women receiving abortions in 1979 were under 15 years of age. 2.1 percent of the recorded induced abortions in the State were for women aged 40-44 years, with 44 (0.2 percent) terminations reported in the 44 and over age group.

The induced abortion ratio (number of recorded induced abortions per 1,000 recorded live births) varies with respect to age. Females at either extreme of the child bearing years had the highest induced abortion ratios. The induced abortion ratios declined from a high of 692 induced abortions per 1,000 live births for women under 15 years to a low of 157 for women aged 25-29 years, then peaked at 797 for women 40 years and older. The New Jersey abortion ratio for all women was 262 abortions per 1,000 live births in 1979 resulting in one abortion reported for every 3.8 live births.

**Induced Abortions Recorded in New Jersey by Patients Age and Race, 1979**




### Race

Of the women who obtained an induced abortion in New Jersey 15,905 (64.4 percent) were white and 8,659 (35.0 percent) were nonwhite. In less than one percent of the reported cases, the race of the woman was not stated. Although the number of induced abortions to white women accounted for the majority of induced abortions in 1979, the induced abortion ratio for nonwhite females was greater than twice the magnitude of that for white females. The induced abortion ratio for nonwhites was 447 induced abortions per 1,000 nonwhite live births, while the corresponding figure for whites was 218 induced abortions per 1,000 white live births.

## Marital Status

Of the 24,714 induced abortions, reported, 71.5 percent were performed on women who were unmarried at the time of the procedure. Induced abortions occurred more frequently among unmarried women than married women for all age groups less than 30 years of age, while for women 30 years of age and older the majority of induced abortions were to married women.

## Prior Number of Live Births

The percentage of women receiving abortions in 1979 was inversely related to the number of live births. The percentages ranged from a high of 55.1 percent of the induced abortions performed on women with no live births to a low of 1.4 percent for women having four or more live births. Women with only one prior live birth accounted for 147 induced abortions per 1,000 live births, the lowest induced abortion ratio among all women. The highest induced abortion ratio was for women with no prior live births, 333 induced abortions per 1,000 live births. Induced abortion ratios of 264, 307 and 273 induced abortions per 1,000 live births were recorded to women with two, three, or four prior live births, respectively.

## Place of Residence

Of the women who obtained induced abortions in New Jersey, 97.6 percent were residents of the State. There were 235 reported induced abortions performed on out-of-state residents representing approximately 1.0 percent of the total. Nonresidents who obtained an induced abortion were representative of 18 states, the District of Columbia and some foreign countries. The most frequently reported of these women were residents of New York and Pennsylvania, the two major states surrounding New Jersey. Residents of New York accounted for 56.2 percent (132) of all nonresident abortions recorded in New Jersey, while Pennsylvania recorded 28.1 percent (66).

## Place of Occurrence

The 24,132 resident abortions were performed in all 21 counties. In the northern half of the state the counties of Bergen, Essex and Hudson had the largest percentage of induced abortions recorded in the State, registering 15.6, 19.1, and 17.8 percent, respectively. In the southern section Atlantic and Ocean counties had the largest number of recorded induced abortions.




Induced Abortions Recorded in New Jersey by County of Occurrence, 1979

## Type of Procedure

Sharp and suction curettage were the primary surgical procedures most commonly used to terminate pregnancies. Sharp curettage accounted for the majority (51.7 percent) of all procedures used followed by suction curettage (44.5 percent) and saline instillation (2.0 percent).

The data clearly show a relationship between operative procedure and gestation. For pregnancies less than 16 weeks sharp and suction curettage were the methods most commonly used, while for pregnancies 16 weeks and over saline instillation was the predominant procedure. Sharp curettage accounted for 52.3 percent and suction curettage 46.2 percent of the induced abortion with gestation less than 16 weeks. Saline instillation accounted for 50.5 percent of the induced abortions performed after 16 weeks of pregnancy.

## Weeks of Gestation

Of the 24,714 induced abortions reported, 22,436 (90.8 percent) were performed during the first 12 weeks of pregnancy. 2,019 (8.2 percent) of the women obtained induced abortions during the 13-20 week gestation period, while less than one-half of one percent obtained later induced abortions of over 20 week gestation.

Approximately 75 percent of women receiving abortions in the first trimester of pregnancy were 20 years of age and older. 25.4 percent were under 20 years of age. Women aged 20-24 years comprised the greatest percentage (33.9 percent) of women receiving induced abortions during the gestation period of less than 13 weeks.

Induced Abortions Recorded in New Jersey by Gestation, 1979




## Type of Facility

In 1979, induced abortion reports were received from both hospital and licensed abortion clinics. Of the total induced abortions reported, 17,658 (71.4 percent) were performed in abortion clinics, compared with 7,056 (28.6 percent) performed in hospitals.

## Number of Previous Abortions

Of the women who obtained abortions, 25.6percent reported having received only one previous abortion. 2,241 (9.1 percent) women reported having received two or more prior abortions, while the majority of women (15,549) receiving induced abortions reported never having undergone any prior abortions.

Induced Abortions Recorded in New Jersey by Prior Number of Terminations, 1979



## TABLES


| | | Page |
|---|---|---|
| | | E-5 |
| 1. | Characteristics of Women Receiving Induced Abortions in New Jersey, 1979 | E-6 |
| 2. | Induced Abortions Recorded in New Jersey By County of Residence, Race and Age, 1979 | E-7 |
| 3. | Induced Abortions Recorded in New Jersey and Percent Distribution by Age, Race, Marital Status, Gestation and Type of Facility, 1979 | E-8 |
| 4. | Induced Abortions Recorded in New Jersey by Age, Primary Procedure and Length of Gestation, 1979 | E-9 |
| 5. | Induced Abortions Recorded in New Jersey and Percent Distribution by Race, Marital Status and Age, 1979 | E-10 |

CHARACTERISTICS OF WOMEN RECEIVING INDUCED ABORTIONS IN NEW JERSEY
1979

Table 1

| Characteristics | Number | Percent | Ratio |
|---|---|---|---|
| TOTAL | 24,714 | 100.0 | 262 |
| RESIDENCE | | | |
| New Jersey | 24,132 | 97.6 | 262 |
| Out-of-state | 235 | 1.0 | 174 |
| Unknown | 347 | 1.4 | 324 |
| ACE | | | |
| < 15 | 198 | 0.8 | 692 |
| 15-19 | 6,404 | 25.9 | 546 |
| 20-24 | 8,338 | 33.7 | 310 |
| 25-29 | 4,802 | 19.4 | 157 |
| 30-34 | 2,898 | 11.7 | 158 |
| 35-39 | 1,500 | 6.1 | 312 |
| 40-44 | 515 | 2.1 | 797 |
| Over 44 | 44 | 0.2 | * |
| Unknown | 15 | 0.1 | 14 |
| RACE | | | |
| White | 15,905 | 64.4 | 218 |
| Nonwhite | 8,659 | 35.0 | 447 |
| Unknown | 150 | 0.6 | 71 |
| MARITAL STATUS | | | |
| Married | 6,936 | 28.1 | 94 |
| Unmarried | 17,682 | 71.5 | [illegible] |
| Unknown | 96 | 0.4 | 87 |
| NUMBER OF LIVE BIRTHS | | | |
| None | 13,613 | 55.1 | 333 |
| One | 4,515 | 18.3 | 147 |
| Two | 3,768 | 15.2 | 264 |
| Three | 1,531 | 6.2 | 301 |
| Four | 511 | 2.1 | 273 |
| Over Four | 338 | 1.4 | 233 |
| Unknown | 438 | 1.8 | * |

*Greater than 1,000 abortions per 1,000 live births